



HEALTH SYSTEMS' RELIANCE ON EXTERNAL AID

AN ASSESSMENT OF VACCINATION SERVICES

JULY 2025



© World Health Organization 2025

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation:

“This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition.”

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (<http://www.wipo.int/amc/en/mediation/rules/>).

Suggested citation. HeRAMS. Health systems’ reliance on external aid an assessment of vaccination services July 2025; 2025

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers’ products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Health systems' reliance on external aid

An assessment of vaccination services

July 2025



ACRONYMS

EPI	Expanded Programme on Immunization
FBO	Faith-based Organization
HeRAMS	Health Resources and Services Availability Monitoring System
HSDU	Health Service Delivery Unit
NGO	Nongovernmental Organization
UN	United Nations
WHO	World Health Organization

TABLE OF CONTENTS

Acronyms	IV
Introduction	2
Disclaimer	3
Methodology	4
Part I: Global summary results	6
Part II: Country-level analysis	11
Reader's guide	12
Afghanistan	14
Bangladesh (Cox's Bazar)	20
Burkina Faso	26
Central African Republic	32
Democratic Republic of the Congo (Ituri)	36
Ethiopia	40
Haiti	44
Iraq	48
Libya	52
Mali	56
Mozambique (Northeast)	62
Niger	68
Nigeria (Northeast)	74
occupied Palestinian territory	80
Sudan	84
Syrian Arab Republic (Northeast)	88
Ukraine	92
Yemen	96



INTRODUCTION

The global humanitarian sector is undergoing an unprecedented funding crisis, forcing many organizations to substantially reduce their operations worldwide. This scaling back is expected to severely affect health systems that depend on external partner support for routine service delivery. The degree of reliance on humanitarian aid varies significantly both within and across countries. Assessing the degree of reliance and measuring these variations is crucial to ensure that decision-makers engaged in the reprioritization of aid can anticipate where the greatest risks to health systems lie and take timely action to mitigate potential impacts before they occur.

This report is a follow-up to the **HeRAMS assessment of health systems' reliance on external aid**¹ and focuses specifically on vaccination services. It assesses the risks of potential interruptions to vaccination services in Health Service Delivery Units (HSDUs) reliant on external aid. It introduces a risk index derived from HeRAMS data that enables comparisons at subnational, national, regional, and global levels with the aim to support decision-makers involved in aid reprioritization in understanding where health systems are most vulnerable.

Health resources and services availability monitoring system

The **Health Resources and Services Availability Monitoring System (HeRAMS)** Initiative plays a critical role in strengthening health systems globally by supporting countries in the **standardization and continuous collection, management, analysis, and dissemination of core information** on to the **availability of and accessibility to essential health resources and services**. This comprehensive approach supports the collaboration between ministries of health, humanitarian actors, and development partners allowing them to collectively make **evidence-based decisions** in planning, coordination, and resource allocation for health service delivery.

Central to the Initiative's mission is the provision of a suite of **core services** tailored to national contexts. These include:

- **Standards:** HeRAMS develops, maintains and promotes the use of globally recognized standards and indicators to ensure consistency and comparability of health data across countries and over time.
- **Digital platform:** through a robust, secure online platform, HeRAMS facilitates real-time data collection and visualization for over 66'000 health facilities. The platform currently supports over 25 countries and has been deployed in a range of contexts—from protracted crises and post-conflict recovery to routine health system monitoring.
- **Technical assistance and capacity building:** Countries receive ongoing support to build local capacity in data management and to ensure sustainability and national ownership of the system.
- **Descriptive analytics and reporting:** HeRAMS offers powerful analytical capabilities that transform raw data into actionable insights. A suite of standard online and static products is made available to help decision-makers involved in supporting health systems.

By bridging information gaps and fostering a culture of data-driven decision-making, the HeRAMS Initiative strengthens national health information systems and improves the resilience and responsiveness of health services, particularly in vulnerable and underserved areas.

¹ HeRAMS 2025: An assessment of the risks associated with health systems' reliance on external aid May 2025.
<https://www.who.int/publications/m/item/herams-assessment-health-systems-reliance-external-aid-2025-05>



DISCLAIMER

This report is based on data report in HeRAMS up until 4 July 2025. It should be noted that these HeRAMS deployments remain ongoing, including data verification and validation. Hence, the analysis presented here is not final and was produced solely for the purpose of informing operations.

Caution must be taken when interpreting the results presented in this report. Differences between information products published by WHO, national public health authorities, and other sources using different inclusion criteria and different data cut-off times are to be expected. While steps are taken to ensure accuracy and reliability, all data are subject to continuous verification and change.

For a more comprehensive understanding of specific HeRAMS projects, consult previously published HeRAMS reports available on the WHO HeRAMS website (<https://www.who.int/initiatives/herams>) or contact herams@who.int.





METHODOLOGY

A risk index has been developed to identify areas most vulnerable to service disruptions, following the ongoing funding crisis and to anticipate the potential impact of funding cuts on populations' access to health services across humanitarian settings.

This index is derived from individual dependency scores assigned to each health facility, or Health Services Delivery Unit (HSDU). These dependency scores reflect the level of external aid received by each HSDU individually and can be aggregated at multiple levels such as districts, regions, or nationally, to provide a systematic and comparable measure of the levels of risks associated with health systems' reliance on external aid.

Health service delivery unit

HeRAMS uses the term **Health Services Delivery Unit (HSDU)** as an **inclusive concept** that encompasses **any modality through which health services are delivered**. This includes traditional health facilities, such as clinics, health centres, and hospitals, as well as **temporary or emergency structures**, like mobile clinics and outreach teams. In certain contexts, HSDUs also encompass community health workers. This definition allows for a more comprehensive and flexible representation of the diverse mechanisms through which health services reach populations, particularly in complex or crisis-affected settings.

HSDU dependency score

The HSDU dependency score is primarily based on the level of external aid received by each HSDU, whereby an HSDUs can benefit from major, partial or no support. HSDUs receiving partial support were assigned a factor of 10, while those receiving major support were assigned a higher factor of 12. In cases where HSDUs are fully managed or owned by partners, a score equivalent to that of major support was assigned to reflect their similarly high level of external dependency.

Level of support definitions used in HeRAMS

- **Major support:** without which the HSDUs would not be able to continue functioning
- **Partial support:** without which the HSDU can maintain all or part of its activity
- **No support:** HSDU is currently not receiving support from external partners.

In addition to assessing the level of dependency, consideration was also given to the complexity and level of services provided by each HSDU. To account for this, a weighting factor was applied based on the level of care delivered: HSDUs providing primary care were assigned a weight of 1, those offering secondary care received a weight of 5, and tertiary care HSDUS were weighted 10. This approach ensures that the risk index reflects not only the degree of dependency to external support, but also the relative importance and service capacity of each HSDU within the broader health system.

HSDU inclusion criteria


Inclusion of HeRAMS data was restricted to the most recent available update for each HSDU reported by 4 July 2025. The analysis was further limited to operational HSDUs where EPI (Expanded programme on immunization) services are at least partially available. To allow for better comparability of results within and across countries, in some cases HSDUs with minimal service packages (e.g., community health care workers) were further excluded from the analysis. Any such additional exclusion is clearly stated on the respective country's results pages.

Risk index

The risk index is calculated as the average of individual HSDU dependency scores, producing a standardized measure that ranges from 0 to 100. A score of 0 indicates that none of the HSDUs rely on external aid, whereas a score of 100 indicates that all HSDUs are heavily dependent on external aid.

The risk index is highly flexible and can be calculated at any relevant decision-making level, such as district, regional, national, or global. It supports analysis and planning across all levels—from sub-national to global—while maintaining coherence and comparability, enabling consistent interpretation and strategic alignment across diverse geographic and administrative contexts.

HSDU selection and classification process: an example for Mali



This figure illustrates the HSDU inclusion criteria applied in the analysis, demonstrates the reclassification process based on service levels, and summarizes the final support categories used in the analysis.

PART I

Global summary results




Percentage of high risk districts by country

Country	Total districts included in the analysis	High-risk districts*	Risk index
Afghanistan	404	399	98.8%
Bangladesh (Cox's Bazar)	38	35	92.1%
Haiti	112	93	83.0%
Mali	75	56	74.7%
Niger	72	48	66.7%
Democratic Republic of the Congo (Ituri)	36	22	61.1%
Mozambique (Northeast)	62	36	58.1%
Nigeria (Northeast)	64	36	56.2%
Syrian Arab Republic (Northeast)	11	6	54.5%
Yemen	338	154	45.6%
Sudan	154	63	40.9%
Burkina Faso	71	29	40.8%
Central African Republic	35	12	34.3%
occupied Palestinian territory	16	5	31.2%
Ethiopia	22	6	27.3%
Ukraine	112	11	9.8%
Libya	23	2	8.7%

Districts are considered as "high risk" if their risk index is equal to or above 75.




Within and across country risk distribution



This chart presents the risk index distribution across countries, illustrating within and across country variance. Each dot represents a single district, with risk indexes ranging from 0 to 100. A risk index of 100 indicates complete dependency, indicating that all operational HSDUs within the district providing EPI services rely on major partner support for continued operations, while a risk index of 0 signifies no reliance on external support. Districts without a single operational HSDUs providing EPI services have been excluded from this chart. Districts with a risk index of equal to greater than 75 are considered high risk district.

Geographic distribution of risk levels



PART II

Country-level analysis





READER'S GUIDE

This guide helps readers interpret the analysis and visualizations presented for each country. Each country section follows the same analytical framework to ensure consistency and facilitate cross-country comparison.

Data Currentness

As reporting dynamics vary among countries, three key indicators were included to provide insights into data recency.

- **Updates submitted:** Total HSDU updates submitted over the past 12 months, indicating overall reporting activity
- **HSDUs updated:** Number of HSDUs that have been updated at least once over the past 12 months, showing coverage of the reporting system
- **Last date of update:** Most recent date an HSDU update was submitted, providing context on how current the data is.

Risk Index

The risk index assessment is presented through two complementary visualizations:

- **Choropleth map:** Districts are color-coded by risk level, enabling immediate identification of geographic patterns and areas with potential vulnerabilities to existing vaccination capacities due to high levels of partner dependencies among HSDUs.
- **Risk distribution chart:** Uses the same color coding to display the distribution of districts across risk categories, the number of districts in each risk category, visualization and revealing overall risk patterns within the country.

Supplementary analysis

Since the risk index focuses exclusively on HSDUs where EPI services are at least partially available, additional indicators are included to provide broader context about the availability of vaccination-related services. These include:

- **EPI service²**
- **Community mobilization for EPI³**
- **Cold chain capacity³**
- **Operational status⁴**

Variations to the indicators included may occur due to countries including additional relevant services or opting to remove standard services based on local context.

² Indicator used to calculate the vaccination specific risk index.

³ Additional vaccination-related services. These services are not included in the risk index calculations.

⁴ Non-operational HSDUs are excluded from the risk index calculation. To overcome this limitation, the operational status is included as a standalone indicator. An HSDUs reported as non-operational is considered unable to provide any health services due to major impairments.



Visualization format

Each indicator is presented through three elements:

- **Pie chart** showing the overall service availability across all HSDUs, including non-operational HSDUs and those not expected to provide the service.
- **Map** displaying the percentage of HSDUs with at least partial service availability, calculated based on HSDUs expected to provide that service.
- **Table** highlighting the 10 districts with the lowest availability rates.



Summary table

Each country analysis concludes with a comprehensive summary table containing metrics aggregated at first or second administrative levels:

- **Number of HSDUs:** Total number of HSDUs with completed baseline assessment
- **Number of non-operational HSDUs:** Facilities classified as destroyed, non-functioning or inaccessible
- **Availability of vaccination indicators:** Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.⁵
- **Risk level:** Risk classification of the administrative unit


HeRAMS service availability levels

- **Available:** The service is available in sufficient quantity and quality to meet daily demand. Staff has been trained and has the necessary equipment and supplies to deliver the service in accordance with national standards.
- **Partially available:** The HSDU is not able to provide the full service in accordance with national standards due to either shortage of resources or because demand exceeds capacity.
- **Not available:** The service is currently unavailable, though the HSDU would normally be expected to provide it.
- **Not normally provided:** The HSDU is not expected to provide this service under normal circumstances.
- **Not operational:** The HSDUs is destroyed, non-functioning or inaccessible. No further information of service availability is gathered for these HSDUs.

⁵ HSDUs expected to provide a service includes those where the service was reported as available, partially available, and not available.

AFGHANISTAN

EPI outreach services*



Out of 4255 HSDUs reporting, EPI services are at least partially available in 2778 (65.3%) HSDUs.

HSDU updates submitted over the last year

3482 (82%)

HSDUs updated


6138

Cumulative number of updates submitted

18 Jun 2025

Date of last update


Partner support



Out of the 2778 where EPI services are at least partially available, 2151 (77.4%) are supported by partners. Of these, 1908 (68.7%) HSDUs receive major support essential for their operation.


Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the district.




* Due to incomplete data availability for EPI services, the risk index for Afghanistan is based on the EPI outreach services.

EPI outreach services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by district




Percentage of HSDUs providing the service* 0% 25% 50% 75% 100% No data available or no operational HSDU

Districts with the lowest service availability


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Gulistan	8	0	8	2 (25%)	100 (High)
Qala-e-Naw	10	0	8	3 (38%)	100 (High)
Ab Kamari	13	0	10	4 (40%)	100 (High)
Saghar	10	0	9	4 (44%)	100 (High)
Alasay	9	0	4	2 (50%)	100 (High)
Almar	12	0	4	2 (50%)	100 (High)
Bala Buluk	10	1	6	3 (50%)	100 (High)
Rashidan	3	0	2	1 (50%)	100 (High)
Rukha	6	1	2	1 (50%)	100 (High)
Tolak	12	0	11	6 (55%)	100 (High)

EPI services



Service definition: EPI services: provided according to national immunization schedule

Operational status by district



Percentage of HSDUs providing the service* 0% 25% 50% 75% 100% No data available or no operational HSDU

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Saghar	10	0	9	4 (44%)	100 (High)
Koh-e-Safi	4	0	4	2 (50%)	50 (Low)
Rukha	6	1	2	1 (50%)	100 (High)
Tolak	12	0	11	6 (55%)	100 (High)
Shahrak	15	0	15	9 (60%)	100 (High)
Wama	7	0	5	3 (60%)	100 (High)
Gizab	11	0	11	7 (64%)	100 (High)
Rashidan	3	0	3	2 (67%)	100 (High)
Salang	11	0	9	6 (67%)	100 (High)
Matun	20	0	10	7 (70%)	100 (High)


* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service

‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Community mobilization for EPI



Service definition: Community mobilization and support of outreach sites of routine Expanded Programme for Immunization (EPI), and/or mass vaccination campaigns.

Service availability by district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Districts with the lowest service availability


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Bala Buluk	10	1	6	2 (33%)	100 (High)
Gulistan	8	0	8	3 (38%)	100 (High)
Saghar	10	0	8	3 (38%)	100 (High)
Bagrami	16	0	9	4 (44%)	91 (High)
Qala-e-Naw	10	0	8	4 (50%)	100 (High)
Rukha	6	1	2	1 (50%)	100 (High)
Shahrak	15	0	13	7 (54%)	100 (High)
Ab Kamari	13	0	11	6 (55%)	100 (High)
Tolak	12	0	11	6 (55%)	100 (High)
Matun	20	0	10	6 (60%)	100 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service


‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by district



Percentage of HSDUs with cold chain capacity*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Districts with highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Reg	4	0	4	0 (0%)	100 (High)
Wama	7	0	7	2 (29%)	100 (High)
Bar Kunar	6	0	6	2 (33%)	100 (High)
Rukha	6	1	6	2 (33%)	100 (High)
Salang	11	0	11	4 (36%)	100 (High)
Baharak (Takhar)	5	0	5	2 (40%)	100 (High)
Matun	20	0	20	8 (40%)	100 (High)
Saghar	10	0	10	4 (40%)	100 (High)
Obe	17	0	17	7 (41%)	100 (High)
Dara	7	0	7	3 (43%)	100 (High)




Operational status

Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.



99% | 4217 **At least partially Operational**
 <0.1% | 38 **Not operational**

Operational status by district



Percentage of non-operational HSDUs

0% 25% 50% 75% 100%

No data available

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Risk index
Namak Ab	3	2 (67%)	100 (High)
Feroz Nakhchir	3	1 (33%)	100 (High)
Chal	4	1 (25%)	100 (High)
Deh Bala	11	2 (18%)	100 (High)
Rukha	7	1 (14%)	100 (High)
Farkhar	7	1 (14%)	100 (High)
Pato	7	1 (14%)	100 (High)
Nahr-e-Shahi	8	1 (12%)	100 (High)
Shortepa	8	1 (12%)	100 (High)
Sharan	9	1 (11%)	100 (High)




Risk index by province

Province	Total HSDUs	Non-operational HSDUs	Service availability*				Risk index
			EPI outreach services	EPI services	Community mobilization for EPI	Cold chain	
BADAKHSHAN	157	-	127 (100%)	130 (100%)	125 (100%)	120 (76%)	100 High
BADGHIS	109	1 (<1%)	70 (85%)	47 (62%)	69 (77%)	76 (70%)	100 High
BAGHLAN	111	1 (<1%)	73 (100%)	76 (100%)	74 (100%)	91 (83%)	100 High
BALKH	191	7 (4%)	142 (100%)	99 (91%)	142 (99%)	153 (83%)	99 High
BAMYAN	109	-	104 (100%)	71 (100%)	70 (100%)	93 (85%)	100 High
DAYKUNDI	137	1 (<1%)	109 (100%)	100 (100%)	118 (100%)	113 (83%)	100 High
FARAH	97	2 (2%)	70 (89%)	38 (68%)	36 (64%)	80 (84%)	98 High
FARYAB	144	-	100 (96%)	47 (90%)	50 (94%)	99 (69%)	100 High
GHAZNI	177	-	131 (90%)	128 (91%)	107 (89%)	134 (76%)	98 High
GHOR	130	-	93 (79%)	86 (77%)	78 (75%)	92 (71%)	95 High
HILMAND	217	-	153 (100%)	189 (99%)	193 (99%)	185 (85%)	100 High
HIRAT	253	2 (<1%)	171 (97%)	115 (96%)	149 (98%)	167 (67%)	96 High
JAWZJAN	68	-	52 (87%)	53 (98%)	44 (98%)	64 (94%)	100 High
KABUL	217	2 (<1%)	126 (97%)	144 (92%)	90 (90%)	186 (87%)	93 High
KANDAHAR	253	-	221 (100%)	193 (100%)	199 (100%)	212 (84%)	100 High
KAPISA	69	-	45 (98%)	32 (82%)	37 (86%)	63 (91%)	100 High
KHOST	119	1 (<1%)	83 (97%)	84 (95%)	84 (94%)	86 (73%)	100 High
KUNAR	109	-	97 (96%)	82 (95%)	86 (96%)	87 (80%)	98 High
KUNDUZ	104	-	70 (95%)	65 (94%)	62 (98%)	78 (75%)	100 High
LAGHMAN	109	-	80 (83%)	68 (82%)	68 (83%)	85 (78%)	100 High
LOGAR	95	-	59 (98%)	47 (90%)	49 (92%)	66 (69%)	98 High
MAIDAN WARDAK	86	-	71 (100%)	50 (96%)	47 (98%)	71 (83%)	100 High
NANGARHAR	255	8 (3%)	210 (98%)	176 (95%)	183 (98%)	228 (92%)	100 High
NIMROZ	37	2 (5%)	28 (97%)	22 (92%)	30 (97%)	32 (91%)	100 High
NURISTAN	89	-	46 (87%)	54 (100%)	60 (98%)	59 (66%)	100 High
PAKTIKA	114	1 (<1%)	83 (100%)	83 (100%)	83 (100%)	85 (75%)	100 High
PAKTYA	73	-	67 (99%)	56 (92%)	61 (98%)	67 (92%)	100 High
PANJSHER	45	1 (2%)	27 (93%)	19 (90%)	26 (93%)	24 (55%)	100 High
PARWAN	114	-	78 (87%)	62 (87%)	64 (86%)	74 (65%)	91 High
SAMANGAN	59	1 (2%)	40 (100%)	37 (88%)	37 (88%)	46 (79%)	100 High
SAR-E-PUL	91	3 (3%)	78 (100%)	67 (100%)	67 (100%)	60 (68%)	100 High
TAKHAR	107	5 (5%)	91 (100%)	93 (100%)	83 (100%)	76 (75%)	100 High
URUZGAN	131	-	100 (81%)	100 (99%)	69 (99%)	95 (73%)	100 High
ZABUL	79	-	72 (100%)	65 (98%)	69 (100%)	71 (90%)	100 High


* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.



BANGLADESH (COX'S BAZAR)



EPI services



Out of 111 HSDUs reporting, EPI services are at least partially available in 59 (53.2%) HSDUs.

HSDU updates submitted over the last year

34 (31%)

HSDUs updated

71

Cumulative number of updates submitted

01 Jul 2025

Date of last update


Partner support



Out of the 59 where EPI services are at least partially available, 56 (94.9%) are supported by partners. Of these, 49 (83.1%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a camp depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a camp are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the camp.



Note: HeRAMS Cox's Bazar focuses on HSDUs servicing the Rohingya refugees. While most of the HSDU are located inside the camps the projects also includes relevant HSDUs outside the camps. HSDUs located in Bhasan Char were excluded from this analysis.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by camp



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Camps with the lowest service availability


Camp	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Camp 20	2	0	0	0 (0%)	No HSDU providing the service
Kutupalong Highway	1	0	0	0 (0%)	No HSDU providing the service
Rubber Garden	1	0	0	0 (0%)	No HSDU providing the service
Camp 16	5	0	3	1 (33%)	100 (High)
Camp 11	2	0	2	1 (50%)	100 (High)
Camp 15	5	0	4	2 (50%)	100 (High)
Camp 18	2	0	2	1 (50%)	100 (High)
Camp 22	3	0	2	1 (50%)	100 (High)
Camp 7	4	0	2	1 (50%)	100 (High)
Outside Camp (Ukhia)	4	0	2	1 (50%)	100 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by camp



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%


No data available or no operational HSDU

Camps with the lowest service availability

Camp	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Outside Camp (Ukhia)	4	0	1	0 (0%)	100 (High)
Camp 16	5	0	4	1 (25%)	100 (High)
Camp 11	2	0	2	1 (50%)	100 (High)
Camp 22	3	0	2	1 (50%)	100 (High)
Camp 7	4	0	4	2 (50%)	100 (High)
Camp 9	7	0	5	3 (60%)	100 (High)
Camp 19	3	0	3	2 (67%)	100 (High)
Camp 15	5	0	4	3 (75%)	100 (High)
Camp 10	3	0	2	2 (100%)	100 (High)
Camp 12	2	0	2	2 (100%)	100 (High)




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by camp

Ukiha



Teknaf



Percentage of HSDUs with cold chain capacity*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Camps with highest ratio of non-operational HSDUs

Camp	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Camp 17	5	0	5	0 (0%)	100 (High)
Kutupalong RC	1	0	1	0 (0%)	100 (High)
Nayapara RC	2	0	2	0 (0%)	100 (High)
Camp 10	3	0	3	1 (33%)	100 (High)
Camp 26	3	0	3	1 (33%)	100 (High)
Camp 16	5	0	5	2 (40%)	100 (High)
Camp 18	2	0	2	1 (50%)	100 (High)
Camp 20	2	0	2	1 (50%)	No HSDU providing the service
Camp 27	2	0	2	1 (50%)	100 (High)
Camp 3	2	0	2	1 (50%)	100 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by camp

Ukiha



Teknaf



Percentage of non-operational HSDUs
0% 25% 50% 75% 100%

No data available

Camps with the highest ratio of non-operational HSDUs

Camp	Total HSDUs	Non-operational HSDUs	Risk index
Camp 14	5	1 (20%)	100 (High)
Camp 8E	7	1 (14%)	100 (High)
Camp 21	3	0 (0%)	100 (High)
Camp 22	3	0 (0%)	100 (High)
Camp 24	2	0 (0%)	100 (High)
Camp 25	1	0 (0%)	100 (High)
Camp 26	3	0 (0%)	100 (High)
Camp 27	2	0 (0%)	100 (High)
Nayapara RC	2	0 (0%)	100 (High)
Outside Camp (Teknaf)	1	0 (0%)	100 (High)





Risk index by camp

Upazila	Camp	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
UKHIA	CAMP 10	3	-	2 (67%)	2 (100%)	1 (33%)	100 High
	CAMP 11	2	-	1 (50%)	1 (50%)	2 (100%)	100 High
	CAMP 12	2	-	2 (100%)	2 (100%)	2 (100%)	100 High
	CAMP 13	6	-	4 (100%)	4 (100%)	6 (100%)	100 High
	CAMP 14	5	1 (20%)	2 (67%)	3 (100%)	4 (100%)	100 High
	CAMP 15	5	-	2 (50%)	3 (75%)	4 (80%)	100 High
	CAMP 16	5	-	1 (33%)	1 (25%)	2 (40%)	100 High
	CAMP 17	5	-	2 (67%)	3 (100%)	-	100 High
	CAMP 18	2	-	1 (50%)	2 (100%)	1 (50%)	100 High
	CAMP 19	3	-	2 (100%)	2 (67%)	2 (67%)	100 High
	CAMP 1E	4	-	4 (100%)	4 (100%)	3 (75%)	100 High
	CAMP 1W	3	-	1 (100%)	1 (100%)	2 (67%)	100 High
	CAMP 20	2	-	-	-	1 (50%)	No HSDU expected to provide EPI services
	CAMP 20 EXTENSION	1	-	1 (100%)	-	1 (100%)	100 High
	CAMP 2E	2	-	1 (100%)	1 (100%)	2 (100%)	100 High
	CAMP 2W	3	-	2 (100%)	3 (100%)	3 (100%)	100 High
	CAMP 3	2	-	2 (100%)	2 (100%)	1 (50%)	100 High
	CAMP 4	4	-	3 (100%)	4 (100%)	3 (75%)	100 High
	CAMP 4 EXTENSION	1	-	1 (100%)	1 (100%)	1 (100%)	100 High
	CAMP 5	3	-	3 (100%)	3 (100%)	3 (100%)	100 High
	CAMP 6	2	-	1 (100%)	1 (100%)	1 (50%)	100 High
	CAMP 7	4	-	1 (50%)	2 (50%)	3 (75%)	100 High
	CAMP 8E	7	1 (14%)	1 (100%)	3 (100%)	3 (50%)	100 High
	CAMP 8W	3	-	2 (100%)	2 (100%)	3 (100%)	100 High
	CAMP 9	7	-	3 (60%)	3 (60%)	6 (86%)	100 High
	KUTUPALONG HIGHWAY	1	-	-	-	1 (100%)	No HSDU expected to provide EPI services
	KUTUPALONG RC	1	-	1 (100%)	1 (100%)	-	100 High
	NEAR OF CAMP 16	1	-	1 (100%)	1 (100%)	1 (100%)	100 High
	OUTSIDE CAMP (UKHIA)	4	-	1 (50%)	-	2 (50%)	100 High
	RUBBER GARDEN	1	-	-	-	1 (100%)	No HSDU expected to provide EPI services

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Upazila	Camp	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
TEKNAF	CAMP 21	3	-	2 (100%)	2 (100%)	3 (100%)	100 High
	CAMP 22	3	-	1 (50%)	1 (50%)	2 (67%)	100 High
	CAMP 24	2	-	1 (100%)	1 (100%)	2 (100%)	100 High
	CAMP 25	1	-	1 (100%)	1 (100%)	1 (100%)	100 High
	CAMP 26	3	-	2 (100%)	3 (100%)	1 (33%)	100 High
	CAMP 27	2	-	1 (100%)	2 (100%)	1 (50%)	100 High
	NAYAPARA RC	2	-	2 (100%)	2 (100%)	-	100 High
	OUTSIDE CAMP	1	-	1 (100%)	1 (100%)	1 (100%)	100 High



BURKINA FASO

EPI services



Out of 2967 HSDUs reporting, EPI services are at least partially available in 2033 (68.5%) HSDUs.

HSDU updates submitted over the last year

45 (2%)

HSDUs updated

52

Cumulative number of updates submitted

30 Jun 2025

Date of last update




Partner support



Out of the 2033 where EPI services are at least partially available, 1125 (55.3%) are supported by partners. Of these, 81 (4%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a province depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a province are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the province.



No data available
 No operational HSDU where EPI services are at least partially available

Note:




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by province



Percentage of HSDUs providing the service*


0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability


Province	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Sig-Nonghin	61	0	36	24 (67%)	81 (High)
Nongr-Massom	78	0	12	9 (75%)	65 (Medium)
Bogodogo	116	1	61	47 (77%)	53 (Medium)
Pouytenga	31	1	25	21 (84%)	75 (Medium)
Gorom-Gorom	16	7	14	12 (86%)	86 (High)
Pama	8	0	8	7 (88%)	86 (High)
Koudougou	87	0	74	67 (91%)	39 (Low)
Sebba	15	0	13	12 (92%)	83 (High)
Tougan	26	25	24	22 (92%)	83 (High)
Boulmiougou	131	0	59	55 (93%)	82 (High)

Community mobilization for EPI



Service definition: Community mobilization and support of outreach sites of routine EPI, and/or mass vaccination campaigns.

Service availability by province



Percentage of HSDUs providing the service*

0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability

Province	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Bogodogo	116	1	57	42 (74%)	53 (Medium)
Titao	4	11	4	3 (75%)	83 (High)
Pama	8	0	8	7 (88%)	86 (High)
Koudougou	87	0	74	69 (93%)	39 (Low)
Nanoro	31	0	29	27 (93%)	47 (Low)
Boulmiougou	131	0	69	65 (94%)	82 (High)
Boussouma	34	0	33	32 (97%)	79 (High)
Nouna	38	8	35	34 (97%)	51 (Medium)
Ouargaye	44	0	39	38 (97%)	9 (Very Low)
Seguenega	35	0	34	33 (97%)	46 (Low)


* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service

‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.





Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by province



Health districts with highest ratio of non-operational HSDUs

Province	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Baskuy Et Nongr-Massom	104	3	104	22 (21%)	89 (High)
Do	98	1	98	38 (39%)	3 (Very Low)
Dafra	52	2	52	24 (46%)	75 (Medium)
Nongr-Massom	78	0	78	36 (46%)	65 (Medium)
Sig-Nonghin	61	0	61	29 (48%)	81 (High)
Djibo	2	1	2	1 (50%)	92 (High)
Tenkodogo	51	1	51	31 (61%)	21 (Very Low)
Ouahigouya	70	0	70	45 (64%)	84 (High)
Dedougou	68	7	68	45 (66%)	49 (Low)
Gorom-Gorom	16	7	16	11 (69%)	86 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service



‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by province



Health districts with the highest ratio of non-operational HSDUs

Province	Total HSDUs	Non-operational HSDUs	Risk index
Titao	15	11 (73%)	83 (High)
Tougan	51	25 (49%)	83 (High)
Solenzo	42	18 (43%)	80 (High)
Toma	32	11 (34%)	83 (High)
Djibo	3	1 (33%)	92 (High)
Gorom-Gorom	23	7 (30%)	86 (High)
Thiou	31	9 (29%)	49 (Low)
Dori	22	5 (23%)	24 (Very Low)
Nouna	46	8 (17%)	51 (Medium)
Bogande	38	6 (16%)	80 (High)





Risk index by health district

Region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
BOUCLE DU MOUHOUN	BOROMO	58	-	50 (100%)	49 (100%)	47 (81%)	12 Very Low
	DEDOUGOU	75	7 (9%)	45 (98%)	45 (100%)	45 (66%)	49 Low
	NOUNA	46	8 (17%)	34 (97%)	35 (97%)	35 (92%)	51 Medium
	SOLENZO	42	18 (43%)	22 (100%)	24 (96%)	24 (100%)	80 High
	TOMA	32	11 (34%)	20 (100%)	26 (100%)	19 (90%)	83 High
	TOUGAN	51	25 (49%)	22 (92%)	28 (100%)	21 (81%)	83 High
CASCADES	BANFORA	65	-	43 (100%)	42 (100%)	46 (71%)	84 High
	MANGODARA	26	4 (15%)	22 (100%)	26 (100%)	22 (100%)	76 High
	SINDOU	34	-	30 (100%)	31 (100%)	33 (97%)	76 High
CENTRE	BASKUY ET NON-GR-MASSOM	107	3 (3%)	15 (94%)	12 (100%)	22 (21%)	89 High
	BOGODOGO	117	1 (<1%)	47 (77%)	42 (74%)	111 (96%)	53 Medium
	BOULMIOUGOU	131	-	55 (93%)	65 (94%)	130 (99%)	82 High
	NONGR-MASSOM	78	-	9 (75%)	9 (100%)	36 (46%)	65 Medium
	SIG-NONGHIN	61	-	24 (67%)	21 (100%)	29 (48%)	81 High
CENTRE EST	BITTOU	17	1 (6%)	13 (100%)	14 (100%)	14 (88%)	14 Very Low
	GARANGO	38	1 (3%)	28 (100%)	28 (100%)	29 (78%)	0 Very Low
	KOUPELA	41	-	31 (100%)	28 (100%)	36 (88%)	9 Very Low
	OUARGAYE	44	-	37 (97%)	38 (97%)	38 (86%)	9 Very Low
	POUYTENG	32	1 (3%)	21 (84%)	23 (100%)	24 (77%)	75 Medium
	TENKODOGO	52	1 (2%)	32 (97%)	32 (100%)	31 (61%)	21 Very Low
	ZABRE	21	-	16 (94%)	16 (100%)	18 (86%)	44 Low
CENTRE NORD	BARSALOGHO	3	-	2 (100%)	2 (100%)	3 (100%)	83 High
	BOULSA	17	-	13 (100%)	13 (100%)	14 (82%)	88 High
	BOUSSOUMA	34	-	33 (97%)	32 (97%)	33 (97%)	79 High
	KAYA	52	5 (10%)	39 (93%)	40 (100%)	40 (85%)	41 Low
	KONGOUSSI	42	-	33 (97%)	34 (100%)	34 (81%)	64 Medium
	TOUGOURI	18	-	18 (100%)	18 (100%)	18 (100%)	74 Medium
CENTRE OUEST	KOUDOUGOU	87	-	67 (91%)	69 (93%)	67 (77%)	39 Low
	LEO	54	-	30 (100%)	31 (100%)	53 (98%)	72 Medium
	NANORO	31	-	27 (93%)	27 (93%)	26 (84%)	47 Low
	REO	28	2 (7%)	22 (100%)	21 (100%)	22 (85%)	0 Very Low
	SABOU	24	-	23 (100%)	22 (100%)	24 (100%)	57 Medium
	SAPOUY	35	-	31 (97%)	32 (100%)	33 (94%)	6 Very Low
	TENADO	26	-	26 (100%)	26 (100%)	26 (100%)	6 Very Low


* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.



Region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
CENTRE SUD	KOMBISSIRI	41	-	38 (100%)	38 (100%)	39 (95%)	77 High
	MANGA	53	-	47 (100%)	47 (100%)	47 (89%)	78 High
	PO	37	-	32 (100%)	30 (100%)	33 (89%)	3 Very Low
	SAPONE	26	-	25 (100%)	25 (100%)	26 (100%)	13 Very Low
EST	BOGANDE	38	6 (16%)	30 (100%)	26 (100%)	30 (94%)	80 High
	DIAPAGA	48	-	46 (100%)	44 (100%)	46 (96%)	80 High
	FADA N'GOURMA	57	2 (4%)	51 (100%)	52 (100%)	52 (95%)	80 High
	GAYERI	12	-	11 (100%)	11 (100%)	12 (100%)	83 High
	MANI	20	-	18 (100%)	18 (100%)	18 (90%)	60 Medium
	PAMA	8	-	7 (88%)	7 (88%)	8 (100%)	86 High
HAUTS BASSINS	DAFRA	54	2 (4%)	23 (96%)	19 (100%)	24 (46%)	75 Medium
	DANDE	41	-	36 (95%)	36 (100%)	37 (90%)	14 Very Low
	DO	99	1 (1%)	32 (100%)	31 (100%)	38 (39%)	3 Very Low
	HOUNDE	44	-	38 (100%)	38 (100%)	43 (98%)	71 Medium
	KARANGASSO - VIGUE	10	-	9 (100%)	9 (100%)	10 (100%)	76 High
	LENA	17	-	17 (100%)	17 (100%)	15 (88%)	5 Very Low
	N'DOROLA	28	1 (4%)	26 (100%)	26 (100%)	27 (100%)	67 Medium
	ORODARA	37	2 (5%)	26 (100%)	26 (100%)	29 (83%)	0 Very Low
NORD	GOURCY	40	1 (2%)	36 (97%)	37 (100%)	38 (97%)	81 High
	OUAHIGOUYA	70	-	47 (100%)	45 (100%)	45 (64%)	84 High
	SEGUENEGA	35	-	33 (97%)	33 (97%)	34 (97%)	46 Low
	THIOU	31	9 (29%)	22 (100%)	29 (100%)	20 (91%)	49 Low
	TITAO	15	11 (73%)	3 (100%)	3 (75%)	4 (100%)	83 High
	YAKO	71	-	66 (100%)	65 (100%)	69 (97%)	3 Very Low
PLATEAU CENTRAL	BOUSSE	35	-	32 (100%)	31 (100%)	33 (94%)	11 Very Low
	ZINIARE	76	-	63 (100%)	63 (100%)	65 (86%)	47 Low
	ZORGHO	69	3 (4%)	59 (100%)	59 (100%)	62 (94%)	23 Very Low
SAHEL	DJIBO	3	1 (33%)	2 (100%)	2 (100%)	1 (50%)	92 High
	DORI	22	5 (23%)	14 (100%)	19 (100%)	16 (94%)	24 Very Low
	GOROM-GOROM	23	7 (30%)	12 (86%)	18 (100%)	11 (69%)	86 High
	SEBBA	15	-	12 (92%)	13 (100%)	12 (80%)	83 High
SUD OUEST	BATIE	16	-	15 (100%)	15 (100%)	16 (100%)	6 Very Low
	DANO	48	-	45 (98%)	44 (100%)	44 (92%)	6 Very Low
	DIEBOUGOU	30	-	26 (100%)	25 (100%)	26 (87%)	81 High
	GAOUA	63	-	41 (98%)	41 (98%)	44 (70%)	11 Very Low
	KAMPTI	10	-	7 (100%)	7 (100%)	8 (80%)	48 Low

CENTRAL AFRICAN REPUBLIC

EPI services



Out of 1084 HSDUs reporting, EPI services are at least partially available in 717 (66.1%) HSDUs.

HSDU updates submitted over the last year

599 (55%)
HSDUs updated

3137
Cumulative number of updates submitted

13 Jun 2025
Date of last update




Partner support



Out of the 717 where EPI services are at least partially available, 429 (59.8%) are supported by partners. Of these, 99 (13.8%) HSDUs receive major support essential for their operation.

Partner dependency risk index


The risk index measures the extent to which operational HSDUs providing EPI services in a health district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a health district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the health district.



■ No data available
 ■ No operational HSDU where EPI services are at least partially available




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health district




Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability


Health district	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Kembe	22	1	19	8 (42%)	85 (High)
Nana-Gribizi	39	0	28	12 (43%)	70 (Medium)
Bossemele	35	6	31	18 (58%)	38 (Low)
Alindao	30	0	26	16 (62%)	29 (Low)
Bangui I	27	3	21	13 (62%)	49 (Low)
Boda	24	2	24	15 (62%)	83 (High)
Haut-Mbomou	25	3	6	4 (67%)	88 (High)
Ngaoundaye	30	1	30	20 (67%)	56 (Medium)
Berberati	27	3	25	17 (68%)	57 (Medium)
Bangassou	43	1	34	24 (71%)	81 (High)

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability

Health district	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Bozoum	28	0	28	12 (43%)	32 (Low)
Nana-Gribizi	39	0	33	17 (52%)	70 (Medium)
Bangui I	27	3	22	12 (55%)	49 (Low)
Boda	24	2	24	14 (58%)	83 (High)
Ouangou	31	0	28	17 (61%)	92 (High)
Alindao	30	0	27	18 (67%)	29 (Low)
Bossangoa	28	0	27	18 (67%)	67 (Medium)
Kembe	22	1	22	16 (73%)	85 (High)
Bangassou	43	1	39	29 (74%)	81 (High)
Haut-Mbomou	25	3	8	6 (75%)	88 (High)


* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by health district



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU

Health districts with highest ratio of non-operational HSDUs


Health district	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Kembe	22	1	22	2 (9%)	85 (High)
Haut-Mbomou	25	3	25	4 (16%)	88 (High)
Ouango	31	0	31	5 (16%)	92 (High)
Kemo	41	1	41	14 (34%)	77 (High)
Baboua	37	0	37	13 (35%)	77 (High)
Mobaye	26	2	26	10 (38%)	43 (Low)
Bangui I	27	3	27	12 (44%)	49 (Low)
Nana-Gribizi	39	0	39	17 (44%)	70 (Medium)
Alindao	30	0	30	14 (47%)	29 (Low)
Bangassou	43	1	43	20 (47%)	81 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by health district



Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Health districts with the highest ratio of non-operational HSDUs

Health district	Total HSDUs	Non-operational HSDUs	Risk index
Haute-Kotto	25	4 (16%)	58 (Medium)
Paoua	47	7 (15%)	77 (High)
Bossembele	41	6 (15%)	38 (Low)
Grimari	28	4 (14%)	80 (High)
Mbaiki	57	8 (14%)	81 (High)
Bangui II	25	3 (12%)	64 (Medium)
Haut-Mbomou	28	3 (11%)	88 (High)
Berberati	30	3 (10%)	57 (Medium)
Vakaga	20	2 (10%)	100 (High)
Bangui I	30	3 (10%)	49 (Low)




Risk index by health district


Health region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
RS1	BEGOUA	33	2 (6%)	21 (88%)	21 (91%)	16 (52%)	11 Very Low
	BIMBO	30	1 (3%)	25 (93%)	26 (96%)	15 (52%)	55 Medium
	BODA	26	2 (8%)	15 (62%)	14 (58%)	21 (88%)	83 High
	BOSSEMBELE	41	6 (15%)	18 (58%)	25 (76%)	18 (51%)	38 Low
	MBAIKI	57	8 (14%)	32 (91%)	48 (100%)	27 (55%)	81 High
RS2	BABOUA	37	-	37 (100%)	37 (100%)	13 (35%)	77 High
	BERBERATI	30	3 (10%)	17 (68%)	26 (100%)	21 (78%)	57 Medium
	BOUAR	34	-	25 (86%)	34 (100%)	19 (56%)	63 Medium
	CARNOT	28	-	20 (74%)	24 (86%)	16 (57%)	30 Low
	GAMBOULA	17	-	16 (100%)	16 (100%)	11 (65%)	42 Low
	SANGHA-MBAERE	40	1 (2%)	28 (72%)	30 (81%)	21 (54%)	40 Low
RS3	BATANGAFO	12	-	10 (83%)	12 (100%)	10 (83%)	43 Low
	BOCARANGA	34	2 (6%)	26 (84%)	31 (97%)	16 (50%)	67 Medium
	BOSSANGOA	28	-	23 (85%)	18 (67%)	17 (61%)	67 Medium
	BOUCA	20	1 (5%)	18 (95%)	19 (100%)	14 (74%)	43 Low
	BOZOOM	28	-	21 (81%)	12 (43%)	23 (82%)	32 Low
	NANGA-BOGUILA	22	2 (9%)	19 (95%)	19 (95%)	12 (60%)	31 Low
	NGAOUNDAYE	31	1 (3%)	20 (67%)	30 (100%)	18 (60%)	56 Medium
	PAOUA	47	7 (15%)	32 (82%)	40 (100%)	32 (80%)	77 High
RS4	BAMBARI	48	4 (8%)	41 (95%)	43 (100%)	22 (50%)	32 Low
	GRIMARI	28	4 (14%)	18 (75%)	22 (92%)	16 (67%)	80 High
	KEMO	42	1 (2%)	34 (94%)	40 (98%)	14 (34%)	77 High
	NANA-GRIBIZI	39	-	12 (43%)	17 (52%)	17 (44%)	70 Medium
RS5	BAMINGUI-BANGORAN	31	2 (6%)	28 (100%)	28 (100%)	20 (69%)	12 Very Low
	HAUTE-KOTTO	25	4 (16%)	16 (76%)	18 (86%)	15 (71%)	58 Medium
	VAKAGA	20	2 (10%)	18 (100%)	18 (100%)	9 (50%)	100 High
RS6	ALINDAO	30	-	16 (62%)	18 (67%)	14 (47%)	29 Low
	BANGASSOU	44	1 (2%)	24 (71%)	29 (74%)	20 (47%)	81 High
	HAUT-MBOMOU	28	3 (11%)	4 (67%)	6 (75%)	4 (16%)	88 High
	KEMBE	23	1 (4%)	8 (42%)	16 (73%)	2 (9%)	85 High
	MOBAYE	28	2 (7%)	17 (85%)	24 (92%)	10 (38%)	43 Low
	OUANGO	31	-	15 (71%)	17 (61%)	5 (16%)	92 High
RS7	BANGUI I	30	3 (10%)	13 (62%)	12 (55%)	12 (44%)	49 Low
	BANGUI II	25	3 (12%)	21 (95%)	21 (100%)	19 (86%)	64 Medium
	BANGUI III	17	-	9 (82%)	12 (100%)	8 (47%)	77 High

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

DEMOCRATIC REPUBLIC OF THE CONGO (ITURI)



EPI services



Out of 1024 HSDUs reporting, EPI services are at least partially available in 614 (60%) HSDUs.

HSDU updates submitted over the last year

104 (10%)

HSDUs updated

109


Cumulative number of updates submitted

21 Dec 2024

Date of last update






Partner support



Out of the 614 where EPI services are at least partially available, 496 (80.8%) are supported by partners. Of these, 61 (9.9%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a health zone depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a health zone are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the health zone.



■ No data available
 ■ No operational HSDU where EPI services are at least partially available

Note: HeRAMS coverage in the Democratic Republic of the Congo is limited to Ituri province.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health zone




Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health zones with the lowest service availability

Health zone	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Kilo	7	13	4	3 (75%)	89 (High)
Rethy	22	0	20	17 (85%)	87 (High)
Nyarambe	58	0	37	33 (89%)	49 (Low)
Adi	24	0	20	18 (90%)	93 (High)
Laybo	21	0	21	19 (90%)	84 (High)
Komanda	13	1	12	11 (92%)	94 (High)
Nizi	24	1	12	11 (92%)	88 (High)
Rwampara	25	6	12	11 (92%)	66 (Medium)
Tchomia	15	2	14	13 (93%)	77 (High)
Logo	42	0	31	29 (94%)	83 (High)

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health zone



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health zones with the lowest service availability

Health zone	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Kilo	7	13	4	3 (75%)	89 (High)
Adi	24	0	20	18 (90%)	93 (High)
Nyarambe	58	0	40	37 (92%)	49 (Low)
Laybo	21	0	21	20 (95%)	84 (High)
Mandima	38	0	23	22 (96%)	20 (Very Low)
Logo	42	0	34	33 (97%)	83 (High)
Mahagi	52	1	44	43 (98%)	63 (Medium)
Adja	26	0	26	26 (100%)	83 (High)
Angumu	24	6	22	22 (100%)	73 (Medium)
Ariwara	38	0	31	31 (100%)	59 (Medium)


* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by health zone



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU

Health zones with highest ratio of non-operational HSDUs

Health zone	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Jiba	22	0	22	3 (14%)	71 (Medium)
Bunia	126	0	126	24 (19%)	91 (High)
Drodoro	13	15	13	3 (23%)	99 (High)
Nia Nia	52	2	52	14 (27%)	95 (High)
Kilo	7	13	7	2 (29%)	89 (High)
Mahagi	52	1	52	15 (29%)	63 (Medium)
Aungba	18	8	18	6 (33%)	69 (Medium)
Nyarambe	58	0	58	19 (33%)	49 (Low)
Lolwa	20	0	20	7 (35%)	88 (High)
Mandima	38	0	38	14 (37%)	20 (Very Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by health zone



Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Health zones with the highest ratio of non-operational HSDUs

Health zone	Total HSDUs	Non-operational HSDUs	Risk index
Kilo	20	13 (65%)	89 (High)
Bambu	11	6 (55%)	50 (Low)
Drodoro	28	15 (54%)	99 (High)
Fataki	28	14 (50%)	71 (Medium)
Nyankunde	14	5 (36%)	92 (High)
Aungba	26	8 (31%)	69 (Medium)
Angumu	30	6 (20%)	73 (Medium)
Rwampara	31	6 (19%)	66 (Medium)
Mangala	6	1 (17%)	89 (High)
Tchomia	17	2 (12%)	77 (High)




Risk index by health zone

Health zone	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
			EPI services	Community mobilization for EPI	Cold chain	
ADI	24	-	18 (90%)	18 (90%)	19 (79%)	93 High
ADJA	26	-	26 (100%)	26 (100%)	18 (69%)	83 High
ANGUMU	30	6 (20%)	20 (95%)	22 (100%)	13 (54%)	73 Medium
ARIWARA	38	-	31 (97%)	31 (100%)	17 (45%)	59 Medium
ARU	25	-	25 (100%)	25 (100%)	24 (96%)	88 High
AUNGBA	26	8 (31%)	18 (100%)	18 (100%)	6 (33%)	69 Medium
BAMBU	11	6 (55%)	2 (100%)	2 (100%)	2 (40%)	50 Low
BIRINGI	40	-	38 (95%)	40 (100%)	15 (38%)	79 High
BOGA	9	-	8 (100%)	8 (100%)	4 (44%)	88 High
BUNIA	126	-	21 (100%)	21 (100%)	24 (19%)	91 High
DAMAS	11	-	9 (100%)	9 (100%)	6 (55%)	85 High
DRODRO	28	15 (54%)	12 (100%)	12 (100%)	3 (23%)	99 High
FATAKI	28	14 (50%)	13 (100%)	13 (100%)	8 (57%)	71 Medium
GETY	23	-	22 (100%)	23 (100%)	15 (65%)	96 High
JIBA	22	-	14 (100%)	20 (100%)	3 (14%)	71 Medium
KAMBALA	18	1 (6%)	17 (100%)	17 (100%)	10 (59%)	18 Very Low
KILO	20	13 (65%)	3 (75%)	3 (75%)	2 (29%)	89 High
KOMANDA	14	1 (7%)	11 (92%)	12 (100%)	8 (62%)	94 High
LAYBO	21	-	19 (90%)	20 (95%)	16 (76%)	84 High
LINGA	10	-	9 (100%)	9 (100%)	9 (90%)	69 Medium
LITA	24	2 (8%)	18 (95%)	20 (100%)	12 (55%)	70 Medium
LOGO	42	-	29 (94%)	33 (97%)	21 (50%)	83 High
LOLWA	20	-	11 (100%)	11 (100%)	7 (35%)	88 High
MAHAGI	53	1 (2%)	38 (95%)	43 (98%)	15 (29%)	63 Medium
MAMBASA	20	1 (5%)	16 (100%)	17 (100%)	13 (68%)	80 High
MANDIMA	38	-	22 (96%)	22 (96%)	14 (37%)	20 Very Low
MANGALA	6	1 (17%)	3 (100%)	4 (100%)	2 (40%)	89 High
MONGBWALU	20	1 (5%)	9 (100%)	9 (100%)	9 (47%)	80 High
NIA NIA	54	2 (4%)	11 (100%)	11 (100%)	14 (27%)	95 High
NIZI	25	1 (4%)	11 (92%)	11 (100%)	10 (42%)	88 High
NYANKUNDE	14	5 (36%)	8 (100%)	8 (100%)	7 (78%)	92 High
NYARAMBE	58	-	33 (89%)	37 (92%)	19 (33%)	49 Low
RETHY	22	-	17 (85%)	19 (100%)	12 (55%)	87 High
RIMBA	30	2 (7%)	28 (100%)	28 (100%)	19 (68%)	67 Medium
RWAMPARA	31	6 (19%)	11 (92%)	12 (100%)	10 (40%)	66 Medium
TCHOMIA	17	2 (12%)	13 (93%)	14 (100%)	9 (60%)	77 High

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

ETHIOPIA

EPI services



Out of 3449 HSDUs reporting, EPI services are at least partially available in 2699 (78.3%) HSDUs.

HSDU updates submitted over the last year

2120 (61%)

HSDUs updated


2195

Cumulative number of updates submitted

12 Apr 2025

Date of last update


Partner support



Out of the 2698 where EPI services are at least partially available, 1268 (47%) are supported by partners. Of these, 116 (4.3%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a zone depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a zone are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the zone.



Note: HerAMS Ethiopia covers Afar, Oromia and Tigray regions. It should be noted that the roll-out in Oromia is in progress and not all Zones are covered yet.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by zone



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Zones with the lowest service availability


Zone	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
South Eastern	108	3	106	88 (83%)	66 (Medium)
Kilbati/Zone2	95	26	95	80 (84%)	56 (Medium)
Kelem Wellega	258	46	254	221 (87%)	3 (Very Low)
Mekelle	16	0	16	14 (88%)	70 (Medium)
Central	264	35	260	233 (90%)	80 (High)
Fanti/Zone 4	52	5	51	46 (90%)	31 (Low)
North Western	110	35	110	100 (91%)	67 (Medium)
Horo Gudru Wellega	173	31	166	152 (92%)	7 (Very Low)
West Wellega	347	113	327	309 (94%)	25 (Very Low)
Eastern	180	19	174	165 (95%)	80 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by zone



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Zones with the lowest service availability

Zone	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Buno Bedele	37	0	34	29 (85%)	0 (Very Low)
Central	264	35	260	233 (90%)	80 (High)
Horo Gudru Wellega	173	31	165	149 (90%)	7 (Very Low)
Kelem Wellega	258	46	250	225 (90%)	3 (Very Low)
Eastern	180	19	178	164 (92%)	80 (High)
South Eastern	108	3	108	99 (92%)	66 (Medium)
West Wellega	347	113	322	300 (93%)	25 (Very Low)
North Western	110	35	108	101 (94%)	67 (Medium)
Gabi/Zone 3	90	8	85	81 (95%)	35 (Low)
Guji	240	21	225	219 (97%)	24 (Very Low)




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by zone



Percentage of HSDUs with cold chain capacity*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Zones with highest ratio of non-operational HSDUs

Zone	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Western	1	0	1	0 (0%)	83 (High)
Eastern	180	19	180	66 (37%)	80 (High)
Central	264	35	264	103 (39%)	80 (High)
South Eastern	108	3	108	49 (45%)	66 (Medium)
North Western	110	35	110	51 (46%)	67 (Medium)
Buno Bedele	37	0	37	18 (49%)	0 (Very Low)
Kelem Wellega	258	46	258	128 (50%)	3 (Very Low)
Southern	74	7	74	39 (53%)	73 (Medium)
East Wellega	296	46	296	176 (59%)	16 (Very Low)
West Wellega	347	113	347	204 (59%)	25 (Very Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by zone



Percentage of non-operational HSDUs
0% 25% 50% 75% 100%

No data available

Zones with the highest ratio of non-operational HSDUs


Zone	Total HSDUs	Non-operational HSDUs	Risk index
West Wellega	460	113 (25%)	25 (Very Low)
North Western	145	35 (24%)	67 (Medium)
Aws/Zone 1	134	30 (22%)	54 (Medium)
Kilbati/Zone2	121	26 (21%)	56 (Medium)
West Guji	214	35 (16%)	6 (Very Low)
Horo Gudru Wellega	204	31 (15%)	7 (Very Low)
Kelem Wellega	304	46 (15%)	3 (Very Low)
East Wellega	342	46 (13%)	16 (Very Low)
Central	299	35 (12%)	80 (High)
Hari/Zone 5	65	7 (11%)	52 (Medium)

Risk index by zone


Region	Zone	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
AFAR	AWSI/ZONE 1	134	30 (22%)	100 (97%)	101 (98%)	84 (81%)	54 Medium
	FANTI/ZONE 4	57	5 (9%)	46 (90%)	52 (100%)	33 (63%)	31 Low
	GABI/ZONE 3	98	8 (8%)	84 (97%)	81 (95%)	69 (77%)	35 Low
	HARI/ZONE 5	65	7 (11%)	58 (100%)	57 (98%)	41 (71%)	52 Medium
	KILBATI/ZONE2	121	26 (21%)	80 (84%)	92 (97%)	60 (63%)	56 Medium
OROMIA	ARSI	0	-	-	-	-	No HSDUs reporting
	BALE	0	-	-	-	-	No HSDUs reporting
	BORENA	188	-	184 (100%)	184 (100%)	165 (88%)	80 High
	BUNO BEDELE	37	-	36 (97%)	29 (85%)	18 (49%)	0 Very Low
	EAST BALE	0	-	-	-	-	No HSDUs reporting
	EAST BORENA	104	11 (11%)	87 (97%)	90 (99%)	75 (81%)	76 High
	EAST HARARGE	0	-	-	-	-	No HSDUs reporting
	EAST SHEWA	0	-	-	-	-	No HSDUs reporting
	EAST WELLEGA	342	46 (13%)	278 (98%)	278 (99%)	176 (59%)	16 Very Low
	GUJI	261	21 (8%)	223 (98%)	219 (97%)	215 (90%)	24 Very Low
	HORO GUDRU WELLEGA	204	31 (15%)	152 (92%)	149 (90%)	107 (62%)	7 Very Low
	ILU ABA BORA	0	-	-	-	-	No HSDUs reporting
	JIMMA	8	-	6 (100%)	8 (100%)	7 (88%)	78 High
	KELEM WELLEGA	304	46 (15%)	221 (87%)	225 (90%)	128 (50%)	3 Very Low
	NORTH SHEWA (OR)	0	-	-	-	-	No HSDUs reporting
	SHAGER CITY	0	-	-	-	-	No HSDUs reporting
	SOUTH WEST SHEWA	0	-	-	-	-	No HSDUs reporting
	WEST ARSI	0	-	-	-	-	No HSDUs reporting
	WEST GUJI	214	35 (16%)	164 (95%)	171 (98%)	131 (73%)	6 Very Low
	WEST HARARGE	0	-	-	-	-	No HSDUs reporting
	WEST SHEWA	0	-	-	-	-	No HSDUs reporting
	WEST WELLEGA	460	113 (25%)	309 (94%)	300 (93%)	204 (59%)	25 Very Low
TIGRAY	CENTRAL	299	35 (12%)	233 (90%)	233 (90%)	103 (39%)	80 High
	EASTERN	199	19 (10%)	165 (95%)	164 (92%)	66 (37%)	80 High
	MEKELLE	16	-	14 (88%)	13 (100%)	16 (100%)	70 Medium
	NORTH WESTERN	145	35 (24%)	100 (91%)	101 (94%)	51 (46%)	67 Medium
	SOUTH EASTERN	111	3 (3%)	88 (83%)	99 (92%)	49 (45%)	66 Medium
	SOUTHERN	81	7 (9%)	70 (96%)	71 (97%)	39 (53%)	73 Medium
	WESTERN	1	-	1 (100%)	1 (100%)	-	83 High

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

HAITI



EPI services



Out of 265 HSDUs reporting, EPI services are at least partially available in 161 (60.8%) HSDUs.


HSDU updates submitted over the last year

258 (97%)
HSDUs updated

1027
Cumulative number of updates submitted

03 Jul 2025
Date of last update


Partner support



Out of the 161 where EPI services are at least partially available, 147 (91.3%) are supported by partners. Of these, 2 (1.2%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a municipality depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a municipality are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the municipality.




Note: The analysis for Haiti was limited to HSDUs with inpatient bed capacity.

EPI services



Service definition: Vaccination services are available at the health institution level.

Service availability by municipality



Municipalities with the lowest service availability

Municipality	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Anse-a-Fleur	1	0	1	0 (0%)	No HSDU providing the service
Cerca Carvajal	1	0	1	0 (0%)	No HSDU providing the service
Dondon	1	0	0	0 (0%)	No HSDU providing the service
L'Estere	1	0	1	0 (0%)	No HSDU providing the service
Marmelade	1	0	1	0 (0%)	No HSDU providing the service
Petite Riviere de l'Artibonite	1	0	1	0 (0%)	No HSDU providing the service
Plaisance du Sud	2	0	2	1 (50%)	83 (High)
Petion-Ville	11	2	5	4 (80%)	42 (Low)
Acul du Nord	1	0	1	1 (100%)	83 (High)
Anse Rouge	1	0	1	1 (100%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service


‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by municipality



Municipalities with the highest ratio of non-operational HSDUs

Municipality	Total HSDUs	Non-operational HSDUs	Risk index
Gressier	4	4 (100%)	No operational HSDU
Cabaret	4	4 (100%)	No operational HSDU
La Chapelle	1	1 (100%)	No operational HSDU
Mirebalais	1	1 (100%)	No operational HSDU
Saut d'Eau	1	1 (100%)	No operational HSDU
Baie de Henne	1	1 (100%)	No operational HSDU
Croix-Des-Bouquets	18	13 (72%)	83 (High)
Port-au-Prince	24	15 (62%)	14 (Very Low)
Carrefour	10	4 (40%)	83 (High)
Cite Soleil	6	2 (33%)	89 (High)



Risk index by department


Department	Total HSDUs	Non-operational HSDUs	EPI service availability*	Risk index
ARTIBONITE	22	2 (9%)	17 (85%)	84 High
CENTRE	17	2 (12%)	14 (93%)	82 High
GRANDE'ANSE	11	-	10 (100%)	81 High
NIPPES	12	-	11 (92%)	83 High
NORD	25	-	19 (100%)	86 High
NORD-EST	6	-	5 (100%)	83 High
NORD-OUEST	16	1 (6%)	12 (92%)	84 High
OUEST	126	51 (40%)	48 (98%)	70 Medium
SUD	18	1 (6%)	13 (100%)	85 High
SUD-EST	12	-	12 (100%)	83 High

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.



IRAQ

EPI services



Out of 5130 HSDUs reporting, EPI services are at least partially available in 1997 (38.9%) HSDUs.

HSDU updates submitted over the last year

1698 (33%)

HSDUs updated


1698

Cumulative number of updates submitted

15 May 2025

Date of last update



Partner support



Out of the 1997 where EPI services are at least partially available, 93 (4.7%) are supported by partners. Of these, 16 (0.8%) HSDUs receive major support essential for their operation.


Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a sector depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a sector are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the sector.




No data available
 No operational HSDU where EPI services are at least partially available

EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by sector



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Sectors with the lowest service availability


Sector	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Al Naser	1	0	1	0 (0%)	No HSDU providing the service
Bazyan	13	0	0	0 (0%)	No HSDU providing the service
Khabat	9	0	0	0 (0%)	No HSDU providing the service
Mangesh	5	0	1	0 (0%)	No HSDU providing the service
Saaddakhyil	1	0	1	0 (0%)	No HSDU providing the service
Al-Alam	20	0	12	3 (25%)	67 (Medium)
Al-Ba'aaj	8	0	4	1 (25%)	0 (Very Low)
Sinjar	45	0	34	10 (29%)	27 (Low)
Nassriya2	31	0	18	6 (33%)	0 (Very Low)
Ramadi2	7	0	5	2 (40%)	42 (Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by sector



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Sectors with the lowest service availability

Sector	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Al Naser	1	0	1	0 (0%)	No HSDU providing the service
Saaddakhyil	1	0	1	0 (0%)	No HSDU providing the service
Al-Alam	20	0	18	6 (33%)	67 (Medium)
Amedi	27	2	3	1 (33%)	0 (Very Low)
Sinjar	45	0	39	14 (36%)	27 (Low)
Tikrit	48	0	28	11 (39%)	7 (Very Low)
Al-Ba'aaj	8	0	5	2 (40%)	0 (Very Low)
Telafar	63	1	55	25 (45%)	4 (Very Low)
Tilkaf	38	0	27	13 (48%)	0 (Very Low)
Al-Chibayish	8	0	6	3 (50%)	0 (Very Low)




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by sector



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU

Sectors with highest ratio of non-operational HSDUs


Sector	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Al Naser	1	0	0	0 (0%)	No HSDU providing the service
Alealaam	2	0	0	0 (0%)	0 (Very Low)
Bazyan	13	0	0	0 (0%)	No HSDU providing the service
Mangesh	5	0	1	0 (0%)	No HSDU providing the service
Saaddakhyil	1	0	0	0 (0%)	No HSDU providing the service
South Najaf	1	0	0	0 (0%)	0 (Very Low)
Sharbazher	51	0	2	2 (4%)	0 (Very Low)
Sharazoor	15	0	1	1 (7%)	0 (Very Low)
Garmian	58	0	24	7 (12%)	0 (Very Low)
Pshdar	46	1	12	6 (13%)	0 (Very Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by sector



Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Sectors with the highest ratio of non-operational HSDUs

Sector	Total HSDUs	Non-operational HSDUs	Risk index
Al-Hai	29	13 (45%)	0 (Very Low)
Barzan	26	6 (23%)	0 (Very Low)
Hilla 1	9	1 (11%)	0 (Very Low)
Zimnako	28	3 (11%)	0 (Very Low)
Akre	20	2 (10%)	0 (Very Low)
Abbasia	11	1 (9%)	14 (Very Low)
Kut2	14	1 (7%)	0 (Very Low)
Amedi	29	2 (7%)	0 (Very Low)
Ramadi1	121	4 (3%)	24 (Very Low)
Zakho	41	1 (2%)	7 (Very Low)


Risk index by governorate

Governorate	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
			EPI services	Community mobilization for EPI	Cold chain	
ANBAR	330	4 (1%)	156 (79%)	203 (95%)	207 (80%)	15 Very Low
BABYLON	218	2 (<1%)	125 (98%)	122 (96%)	113 (90%)	4 Very Low
BAGHDAD-KARKH	239	1 (<1%)	133 (93%)	143 (93%)	125 (74%)	11 Very Low
BAGHDAD-RESAFA	260	-	115 (93%)	128 (94%)	145 (91%)	9 Very Low
BASRAH	303	1 (<1%)	136 (96%)	148 (91%)	168 (92%)	14 Very Low
DAHUK	245	5 (2%)	77 (89%)	44 (81%)	129 (94%)	3 Very Low
DIWANIYA	168	-	86 (92%)	99 (86%)	123 (90%)	0 Very Low
DIYALA	269	2 (<1%)	139 (96%)	140 (96%)	113 (86%)	20 Very Low
ERBIL	407	9 (2%)	92 (99%)	97 (99%)	189 (81%)	8 Very Low
KERBALA	139	-	56 (100%)	72 (100%)	60 (91%)	5 Very Low
KIRKUK	224	-	108 (90%)	114 (86%)	143 (86%)	2 Very Low
MISSAN	146	-	64 (86%)	85 (93%)	62 (79%)	2 Very Low
MUTHANNA	126	-	74 (94%)	77 (85%)	85 (94%)	0 Very Low
NAJAF	214	2 (<1%)	88 (86%)	145 (99%)	68 (65%)	3 Very Low
NINEWA	450	1 (<1%)	169 (67%)	184 (62%)	240 (81%)	6 Very Low
SALAH AL-DIN	241	-	83 (61%)	109 (63%)	99 (66%)	4 Very Low
SULAYMANIYAH	649	7 (1%)	84 (94%)	81 (93%)	125 (67%)	5 Very Low
THI-QAR	327	-	133 (75%)	169 (71%)	126 (71%)	6 Very Low
WASSIT	175	14 (8%)	79 (96%)	79 (83%)	96 (90%)	0 Very Low

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

LIBYA

EPI services



Out of 193 HSDUs reporting, EPI services are at least partially available in 58 (30.1%) HSDUs.

HSDU updates submitted over the last year

8 (4%)

HSDUs updated


8

Cumulative number of updates submitted

10 Jun 2025

Date of last update



Partner support



Out of the 58 where EPI services are at least partially available, 11 (19%) are supported by partners. Of these, 1 (1.7%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the district.




Note: HeRAMS Libya only covers secondary and tertiary HSDUs.

EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by district



Percentage of HSDUs providing the service* 0% 25% 50% 75% 100% No data available or no operational HSDU

Districts with the lowest service availability

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Aljufra	2	1	1	0 (0%)	No HSDU providing the service
Alkufra	2	0	0	0 (0%)	No HSDU providing the service
Nalut	6	0	1	0 (0%)	No HSDU providing the service
Sebha	4	0	1	0 (0%)	No HSDU providing the service
NA	2	0	0	0 (0%)	No HSDU providing the service
Almargeb	10	0	4	1 (25%)	0 (Very Low)
Al Jabal Al Gharbi	20	1	9	3 (33%)	0 (Very Low)
Tobruk	13	0	9	3 (33%)	28 (Low)
Aljfara	9	0	5	2 (40%)	0 (Very Low)
Ejdabia	7	0	4	2 (50%)	0 (Very Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service


‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by district



Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Risk index
Aljufra	3	1 (33%)	No HSDU providing the service
Zwara	8	2 (25%)	0 (Very Low)
Azzawya	8	1 (12%)	42 (Low)
Al Jabal Al Gharbi	21	1 (5%)	0 (Very Low)
Derna	10	0 (0%)	0 (Very Low)
Almarj	5	0 (0%)	0 (Very Low)
Benghazi	17	0 (0%)	28 (Low)
Tobruk	13	0 (0%)	28 (Low)
Ejdabia	7	0 (0%)	0 (Very Low)
Al Jabal Al Akhdar	11	0 (0%)	21 (Very Low)




Risk index by district

Region	District	Total HSDUs	Non-operational HSDUs	Service availability*	Risk index
				EPI services	
EAST	AL JABAL AL AKHDAR	11	-	8 (80%)	21 Very Low
	ALKUFRA	2	-	-	No HSDU expected to provide EPI services
	ALMARJ	5	-	3 (75%)	0 Very Low
	BENGHAZI	17	-	3 (60%)	28 Low
	DERNA	10	-	4 (100%)	0 Very Low
	EJDABIA	7	-	2 (50%)	0 Very Low
	TOBRUK	13	-	3 (33%)	28 Low
SOUTH	ALJUFRA	3	1 (33%)	-	No HSDU expected to provide EPI services
	GHAT	2	-	1 (50%)	83 High
	MURZUQ	6	-	2 (100%)	0 Very Low
	SEBHA	4	-	-	No HSDU expected to provide EPI services
	UBARI	3	-	1 (100%)	0 Very Low
	WADI ASHSHATI	12	-	2 (50%)	56 Medium
WEST	AL JABAL AL GHARBI	21	1 (5%)	3 (33%)	0 Very Low
	ALJFARA	9	-	2 (40%)	0 Very Low
	ALMARGEB	10	-	1 (25%)	0 Very Low
	AZZAWYA	8	1 (12%)	4 (100%)	42 Low
	MISRATA	15	-	7 (64%)	10 Very Low
	NALUT	6	-	-	No HSDU expected to provide EPI services
	SIRT	5	-	1 (50%)	83 High
	TRIPOLI	14	-	5 (83%)	29 Low
	ZWARA	8	2 (25%)	6 (100%)	0 Very Low


* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.



MALI



EPI services



Out of 3273 HSDUs reporting, EPI services are at least partially available in 1693 (51.7%) HSDUs.

HSDU updates submitted over the last year

2131 (65%)

HSDUs updated


2341

Cumulative number of updates submitted

30 Jun 2025

Date of last update



Partner support



Out of the 1693 where EPI services are at least partially available, 1418 (83.8%) are supported by partners. Of these, 425 (25.1%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a health district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a health district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the health district.




Note: The analysis for Mali excludes community health workers, mobile clinics and rural maternities.

EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health district




Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability


Health District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Kalabancoro	265	0	203	51 (25%)	51 (Medium)
Commune IV	108	2	53	23 (43%)	70 (Medium)
Inekar	2	10	2	1 (50%)	83 (High)
Commune II	62	0	28	16 (57%)	50 (Low)
Tidermene	21	0	21	12 (57%)	35 (Low)
Commune V	124	0	39	23 (59%)	26 (Low)
Commune VI	244	0	70	42 (60%)	40 (Low)
Menaka	34	0	30	18 (60%)	56 (Medium)
Ouelesse-bougou	31	0	31	20 (65%)	83 (High)
Kati	119	0	72	51 (71%)	66 (Medium)

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability

Health District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Commune IV	108	2	21	11 (52%)	70 (Medium)
Kalabancoro	265	0	204	110 (54%)	51 (Medium)
Commune II	62	0	15	12 (80%)	50 (Low)
Commune VI	244	0	34	28 (82%)	40 (Low)
Ouelesse-bougou	31	0	29	25 (86%)	83 (High)
Commune III	43	0	16	14 (88%)	31 (Low)
Bourem	30	2	19	17 (89%)	73 (Medium)
Commune I	73	2	20	18 (90%)	70 (Medium)
Kayes	143	2	59	53 (90%)	81 (High)
Kidal	14	3	10	9 (90%)	96 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by health district



Percentage of HSDUs with cold chain capacity*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with highest ratio of non-operational HSDUs

Health District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Tin-Essako	1	1	1	0 (0%)	100 (High)
Kalabancoro	265	0	265	48 (18%)	51 (Medium)
Tidermene	21	0	21	4 (19%)	35 (Low)
Abeïbara	4	0	4	1 (25%)	100 (High)
Anderam-boukane	4	5	4	1 (25%)	28 (Low)
Menaka	34	0	34	9 (26%)	56 (Medium)
Commune II	62	0	62	17 (27%)	50 (Low)
Commune IV	108	2	108	40 (37%)	70 (Medium)
Almoustarat	8	0	8	3 (38%)	88 (High)
Kadiolo	99	0	99	45 (45%)	99 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service


‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by health district



Percentage of non-operational HSDUs
0% 25% 50% 75% 100%

No data available

Health districts with the highest ratio of non-operational HSDUs

Health District	Total HSDUs	Non-operational HSDUs	Risk index
Inekar	12	10 (83%)	83 (High)
Anderamboukane	9	5 (56%)	28 (Low)
Tin-Essako	2	1 (50%)	100 (High)
Tessalit	7	3 (43%)	100 (High)
Boujbeha	3	1 (33%)	100 (High)
Kidal	17	3 (18%)	96 (High)
Gourma-Rharous	20	2 (10%)	68 (Medium)
Bandiagara	38	3 (8%)	96 (High)
Bourem	32	2 (6%)	73 (Medium)
Niena	35	2 (6%)	25 (Very Low)





Risk index by health district

Region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
BAMAKO	COMMUNE I	75	2 (3%)	21 (72%)	52 (71%)	18 (90%)	70 Medium
	COMMUNE II	62	-	16 (57%)	17 (27%)	12 (80%)	50 Low
	COMMUNE III	43	-	17 (94%)	20 (47%)	14 (88%)	31 Low
	COMMUNE IV	110	2 (2%)	23 (43%)	40 (37%)	11 (52%)	70 Medium
	COMMUNE V	124	-	23 (59%)	67 (54%)	10 (100%)	26 Low
	COMMUNE VI	244	-	42 (60%)	143 (59%)	28 (82%)	40 Low
GAO	ALMOUSTARAT	8	-	7 (100%)	3 (38%)	7 (100%)	88 High
	ANSONGO	28	1 (4%)	25 (100%)	19 (70%)	25 (100%)	90 High
	BOUREM	32	2 (6%)	19 (83%)	23 (77%)	17 (89%)	73 Medium
	GAO	78	2 (3%)	38 (83%)	48 (63%)	42 (95%)	85 High
KAYES	BAFOULABE	37	-	27 (100%)	27 (73%)	5 (100%)	52 Medium
	DIEMA	38	-	25 (81%)	26 (68%)	31 (91%)	87 High
	KAYES	145	2 (1%)	54 (93%)	71 (50%)	53 (90%)	81 High
	KENIEBA	42	-	30 (100%)	30 (71%)	30 (100%)	77 High
	KITA	49	-	34 (100%)	47 (96%)	34 (100%)	88 High
	NIORO	50	-	30 (100%)	32 (64%)	29 (100%)	82 High
	OUSSOUBIDIAGNA	30	-	21 (100%)	21 (70%)	21 (100%)	84 High
	SAGABARI	12	-	9 (90%)	8 (67%)	10 (100%)	85 High
	SEFETO	10	-	10 (100%)	10 (100%)	9 (100%)	85 High
	YELIMANE	45	-	31 (100%)	34 (76%)	28 (100%)	83 High
KIDAL	ABEIBARA	4	-	2 (100%)	1 (25%)	2 (100%)	100 High
	KIDAL	17	3 (18%)	9 (100%)	10 (71%)	9 (90%)	96 High
	TESSALIT	7	3 (43%)	3 (100%)	3 (75%)	3 (100%)	100 High
	TIN-ESSAKO	2	1 (50%)	1 (100%)	-	1 (100%)	100 High
KOULIKORO	BANAMBA	38	1 (3%)	26 (100%)	28 (76%)	25 (96%)	85 High
	DIOILA	41	-	35 (100%)	37 (90%)	35 (100%)	89 High
	FANA	46	-	38 (97%)	29 (63%)	42 (98%)	76 High
	KALABANCORO	265	-	51 (25%)	48 (18%)	110 (54%)	51 Medium
	KANGABA	33	-	23 (100%)	24 (73%)	24 (100%)	83 High
	KATI	119	-	51 (71%)	60 (50%)	49 (94%)	66 Medium
	KOLOKANI	29	-	26 (96%)	25 (86%)	26 (96%)	99 High
	KOULIKORO	40	1 (2%)	24 (100%)	26 (67%)	26 (100%)	84 High
	NARA	44	-	21 (91%)	40 (91%)	37 (97%)	78 High
	OUELESSEBOUGOU	31	-	20 (65%)	22 (71%)	25 (86%)	83 High
MENAKA	ANDERAMBOUKANE	9	5 (56%)	3 (100%)	1 (25%)	3 (100%)	28 Low
	INEKAR	12	10 (83%)	1 (50%)	1 (50%)	2 (100%)	83 High
	MENAKA	34	-	18 (60%)	9 (26%)	30 (94%)	56 Medium
	TIDERMENE	21	-	12 (57%)	4 (19%)	18 (90%)	35 Low


* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.



Region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
MOPTI	BANDIAGARA	38	3 (8%)	32 (100%)	34 (97%)	32 (100%)	96 High
	BANKASS	24	1 (4%)	21 (100%)	22 (96%)	21 (100%)	80 High
	DJENNE	25	1 (4%)	22 (100%)	22 (92%)	23 (100%)	83 High
	DOUMENTZA	27	1 (4%)	22 (100%)	24 (92%)	21 (100%)	99 High
	KORO	36	-	26 (93%)	28 (78%)	28 (97%)	45 Low
	MOPTI	55	-	30 (100%)	32 (58%)	28 (97%)	85 High
	TENENKOU	22	1 (5%)	21 (100%)	21 (100%)	21 (100%)	83 High
	YOUWAROU	10	-	8 (100%)	9 (90%)	9 (100%)	83 High
SEGOU	BAROUELI	39	-	26 (100%)	28 (72%)	26 (96%)	89 High
	BLA	47	-	40 (100%)	41 (87%)	44 (100%)	82 High
	MACINA	25	-	18 (95%)	21 (84%)	18 (95%)	98 High
	MARKALA	35	-	25 (81%)	26 (74%)	34 (100%)	83 High
	NIONO	47	-	27 (100%)	28 (60%)	27 (100%)	95 High
	SAN	44	-	29 (97%)	36 (82%)	28 (97%)	53 Medium
	SEGOU	74	1 (1%)	48 (94%)	68 (93%)	47 (94%)	77 High
	TOMINIAN	27	-	26 (100%)	23 (85%)	27 (100%)	99 High
SIKASSO	BOUGOUNI	60	-	48 (94%)	49 (82%)	48 (98%)	84 High
	KADIOLO	99	-	27 (100%)	45 (45%)	27 (100%)	99 High
	KIGNAN	16	-	12 (100%)	14 (88%)	12 (100%)	86 High
	KOLON DIEBA	29	-	24 (100%)	22 (76%)	23 (100%)	81 High
	KOUTIALA	57	-	50 (96%)	51 (89%)	49 (96%)	85 High
	NIENA	35	2 (6%)	25 (100%)	23 (70%)	27 (100%)	25 Very Low
	SELINGUE	25	-	13 (93%)	12 (48%)	13 (100%)	0 Very Low
	SIKASSO	103	5 (5%)	47 (98%)	66 (67%)	48 (100%)	96 High
	YANFOLILA	43	1 (2%)	21 (84%)	23 (55%)	21 (100%)	83 High
	YOROSSO	27	-	15 (94%)	20 (74%)	16 (94%)	84 High
TAOUDENIT	ACHOURATT	5	-	5 (100%)	4 (80%)	5 (100%)	77 High
	AL-OURCHE	5	-	5 (100%)	3 (60%)	5 (100%)	93 High
	ARAOUANE	1	-	1 (100%)	1 (100%)	1 (100%)	100 High
	BOUJBEHA	3	1 (33%)	2 (100%)	2 (100%)	2 (100%)	100 High
	FOUM-ALBA	1	-	1 (100%)	1 (100%)	1 (100%)	83 High
	TAOUDENIT	2	-	1 (100%)	2 (100%)	2 (100%)	83 High
TOMBOUCTOU	DIRE	25	-	22 (100%)	21 (84%)	21 (100%)	85 High
	GOUNDAM	28	-	24 (100%)	26 (93%)	23 (100%)	84 High
	GOURMA-RHAROUS	20	2 (10%)	17 (100%)	18 (100%)	17 (100%)	68 Medium
	NIAFOUNKE	30	-	29 (97%)	29 (97%)	30 (100%)	40 Low
	TOMBOUCTOU	30	1 (3%)	17 (100%)	15 (52%)	16 (100%)	85 High

MOZAMBIQUE (NORTHEAST)

EPI services



Out of 634 HSDUs reporting, EPI services are at least partially available in 567 (89.4%) HSDUs.

HSDU updates submitted over the last year

379 (60%)

HSDUs updated


846

Cumulative number of updates submitted

28 Jun 2025

Date of last update


Partner support



Out of the 567 where EPI services are at least partially available, 459 (81%) are supported by partners. Of these, 32 (5.6%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the district.




Risk index 0 25 50 75 100

No data available No operational HSDU where EPI services are at least partially available

Note: HeRAMS Mozambique covers Cabo Delgado, Nampula and Zambezia provinces.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Districts with the lowest service availability


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Mocuba	6	0	6	5 (83%)	37 (Low)
Nacala Porto	15	0	13	11 (85%)	85 (High)
Cidade De Nampula	24	0	22	19 (86%)	85 (High)
Montepuez	16	0	15	14 (93%)	83 (High)
Pemba	18	0	17	16 (94%)	70 (Medium)
Alto Molocue	9	0	9	9 (100%)	71 (Medium)
Ancuabe	9	1	9	9 (100%)	74 (Medium)
Angoche	20	0	20	20 (100%)	85 (High)
Balama	8	0	8	8 (100%)	83 (High)
Chinde	10	0	9	9 (100%)	0 (Very Low)

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Districts with the lowest service availability

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Mocuba	6	0	6	5 (83%)	37 (Low)
Nacala Porto	15	0	12	10 (83%)	85 (High)
Cidade De Nampula	24	0	22	19 (86%)	85 (High)
Pemba	18	0	17	15 (88%)	70 (Medium)
Alto Molocue	9	0	9	9 (100%)	71 (Medium)
Ancuabe	9	1	9	9 (100%)	74 (Medium)
Angoche	20	0	20	20 (100%)	85 (High)
Balama	8	0	8	8 (100%)	83 (High)
Chinde	10	0	9	9 (100%)	0 (Very Low)
Chiure	12	3	12	12 (100%)	68 (Medium)


* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service

‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Screening for unvaccinated children



Service definition: Screening for unvaccinated children at the community level and referral to health facilities for vaccination (outreach program)

Operational status by district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%
No data available or no operational HSDU

Districts with the highest ratio of non-operational HSDUs


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Mocuba	6	0	6	5 (83%)	37 (Low)
Nacala Porto	15	0	12	10 (83%)	85 (High)
Cidade De Nampula	24	0	21	19 (90%)	85 (High)
Pemba	18	0	18	17 (94%)	70 (Medium)
Alto Molocue	9	0	9	9 (100%)	71 (Medium)
Ancuabe	9	1	9	9 (100%)	74 (Medium)
Angoche	20	0	20	20 (100%)	85 (High)
Balama	8	0	8	8 (100%)	83 (High)
Chinde	10	0	10	10 (100%)	0 (Very Low)
Chiure	12	3	12	12 (100%)	68 (Medium)

Cold chain



Service definition: Availability of reliable and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by district



Percentage of HSDUs with cold chain capacity*
0% 25% 50% 75% 100%
No data available or no operational HSDU

Districts with highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Nicoadala	7	0	7	5 (71%)	83 (High)
Namacurra	4	0	4	3 (75%)	62 (Medium)
Quissanga	4	3	4	3 (75%)	62 (Medium)
Chinde	10	0	9	8 (80%)	0 (Very Low)
Nacala Porto	15	0	15	12 (80%)	85 (High)
Cidade De Nampula	24	0	24	20 (83%)	85 (High)
Mocuba	6	0	6	5 (83%)	37 (Low)
Lugela	13	0	13	11 (85%)	58 (Medium)
Alto Molocue	9	0	9	8 (89%)	71 (Medium)
Gurue	18	0	18	16 (89%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.


[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Operational status

Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.



Operational status by district



Percentage of non-operational HSDUs

0% 25% 50% 75% 100%

No data available

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Risk index
Macomia	8	7 (88%)	83 (High)
Mecufi	5	4 (80%)	83 (High)
Meluco	5	4 (80%)	83 (High)
Nangade	5	3 (60%)	83 (High)
Mocimboa Da Praia	8	4 (50%)	83 (High)
Muidumbe	7	3 (43%)	42 (Low)
Quissanga	7	3 (43%)	62 (Medium)
Mogovolas	8	3 (38%)	83 (High)
Liúpo	3	1 (33%)	83 (High)
Chiure	15	3 (20%)	68 (Medium)



Risk index by district

Province	District	Total HSDUs	Non-operational HSDUs	Service availability*				Risk index
				EPI services	Community mobilization for EPI	Screening for unvaccinated children	Cold chain	
CABO DELGADO	ANCUABE	10	1 (10%)	9 (100%)	9 (100%)	9 (100%)	9 (100%)	74 Medium
	BALAMA	8	-	8 (100%)	8 (100%)	8 (100%)	8 (100%)	83 High
	CHIURE	15	3 (20%)	12 (100%)	12 (100%)	12 (100%)	12 (100%)	68 Medium
	IBO	2	-	2 (100%)	2 (100%)	2 (100%)	2 (100%)	83 High
	MACOMIA	8	7 (88%)	1 (100%)	1 (100%)	1 (100%)	1 (100%)	83 High
	MECUFI	5	4 (80%)	1 (100%)	1 (100%)	1 (100%)	1 (100%)	83 High
	MELUCO	5	4 (80%)	1 (100%)	1 (100%)	1 (100%)	1 (100%)	83 High
	METUGE	6	1 (17%)	5 (100%)	5 (100%)	5 (100%)	5 (100%)	83 High
	MOCIMBOA DA PRAIA	8	4 (50%)	4 (100%)	4 (100%)	4 (100%)	4 (100%)	83 High
	MONTEPUEZ	16	-	14 (93%)	15 (100%)	16 (100%)	15 (94%)	83 High
	MUEDA	13	-	13 (100%)	13 (100%)	13 (100%)	13 (100%)	83 High
	MUIDUMBE	7	3 (43%)	4 (100%)	4 (100%)	4 (100%)	4 (100%)	42 Low
	NAMUNO	9	-	9 (100%)	9 (100%)	9 (100%)	9 (100%)	28 Low
	NANGADE	5	3 (60%)	2 (100%)	2 (100%)	2 (100%)	2 (100%)	83 High
	PALMA	7	-	7 (100%)	7 (100%)	7 (100%)	7 (100%)	83 High
	PEMBA	18	-	16 (94%)	15 (88%)	17 (94%)	16 (89%)	70 Medium
	QUISSANGA	7	3 (43%)	4 (100%)	4 (100%)	4 (100%)	3 (75%)	62 Medium
NAMPULA	ANGOCHE	20	-	20 (100%)	20 (100%)	20 (100%)	20 (100%)	85 High
	CIDADE DE NAMPULA	24	-	19 (86%)	19 (86%)	19 (90%)	20 (83%)	85 High
	ERATI	11	1 (9%)	10 (100%)	10 (100%)	9 (100%)	10 (100%)	89 High
	ILHA DE MOCAMBIQUE	5	-	5 (100%)	5 (100%)	5 (100%)	5 (100%)	50 Low
	LALAU	8	-	8 (100%)	8 (100%)	8 (100%)	8 (100%)	83 High
	LARDE	9	-	9 (100%)	9 (100%)	9 (100%)	9 (100%)	85 High
	LIUPO	3	1 (33%)	2 (100%)	2 (100%)	2 (100%)	2 (100%)	83 High
	MALEMA	11	1 (9%)	10 (100%)	10 (100%)	10 (100%)	10 (100%)	75 Medium
	MECONTA	8	-	8 (100%)	8 (100%)	8 (100%)	8 (100%)	90 High
	MECUBURI	13	1 (8%)	12 (100%)	12 (100%)	12 (100%)	12 (100%)	83 High
	MEMBA	14	1 (7%)	12 (100%)	12 (100%)	12 (100%)	13 (100%)	85 High
	MOGINCUAL	6	-	6 (100%)	6 (100%)	6 (100%)	6 (100%)	83 High
	MOGOVOLAS	8	3 (38%)	5 (100%)	5 (100%)	5 (100%)	5 (100%)	83 High
	MOMA	10	-	10 (100%)	10 (100%)	10 (100%)	10 (100%)	88 High
	MONAPO	17	1 (6%)	16 (100%)	16 (100%)	16 (100%)	15 (100%)	55 Medium
	MOSSURIL	12	-	12 (100%)	12 (100%)	12 (100%)	12 (100%)	83 High
	MUECATE	11	-	11 (100%)	11 (100%)	11 (100%)	11 (100%)	76 High
	MURRUPULA	8	-	8 (100%)	8 (100%)	8 (100%)	8 (100%)	92 High
	NACALA PORTO	15	-	11 (85%)	10 (83%)	10 (83%)	12 (80%)	85 High


* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.



Province	District	Total HSDUs	Non-operational HSDUs	Service availability*				Risk index
				EPI services	Community mobilization for EPI	Screening for unvaccinated children	Cold chain	
NAMPULA	NACALA-A-VELHA	6	-	6 (100%)	6 (100%)	6 (100%)	6 (100%)	56 Medium
	NACAROA	9	-	9 (100%)	9 (100%)	9 (100%)	9 (100%)	87 High
	RAPALE	9	-	9 (100%)	9 (100%)	4 (100%)	9 (100%)	19 Very Low
	RIBAUE	11	-	11 (100%)	11 (100%)	11 (100%)	10 (91%)	72 Medium
ZAMBEZIA	ALTO MOLOCUE	9	-	9 (100%)	9 (100%)	9 (100%)	8 (89%)	71 Medium
	CHINDE	10	-	9 (100%)	9 (100%)	10 (100%)	8 (89%)	0 Very Low
	CIDADE DE QUELI-MANE	11	-	8 (100%)	8 (100%)	8 (100%)	10 (91%)	83 High
	DERRE	4	-	4 (100%)	4 (100%)	4 (100%)	4 (100%)	62 Medium
	GILE	12	-	12 (100%)	12 (100%)	12 (100%)	12 (100%)	62 Medium
	GURUE	18	-	16 (100%)	16 (100%)	16 (100%)	16 (89%)	83 High
	ILE	13	-	13 (100%)	13 (100%)	13 (100%)	12 (92%)	41 Low
	INHASSUNGE	7	-	7 (100%)	7 (100%)	7 (100%)	7 (100%)	83 High
	LUABO	0	-	-	-	-	-	No HSDUs reporting
	LUGELA	13	-	13 (100%)	13 (100%)	13 (100%)	11 (85%)	58 Medium
	MAGANJA DA COSTA	14	-	14 (100%)	14 (100%)	14 (100%)	14 (100%)	83 High
	MAQUIVAL	5	-	5 (100%)	5 (100%)	5 (100%)	5 (100%)	83 High
	MILANGE	20	-	19 (100%)	18 (100%)	18 (100%)	19 (95%)	82 High
	MOCUBA	6	-	5 (83%)	5 (83%)	5 (83%)	5 (83%)	37 Low
	MOCUBELA	2	-	2 (100%)	2 (100%)	2 (100%)	2 (100%)	83 High
	MOLUMBO	10	-	10 (100%)	10 (100%)	10 (100%)	10 (100%)	52 Medium
	MOPEIA	15	1 (7%)	14 (100%)	14 (100%)	14 (100%)	14 (100%)	55 Medium
	MORRUMBALA	22	-	22 (100%)	22 (100%)	22 (100%)	22 (100%)	26 Low
	MULEVALA	11	-	11 (100%)	11 (100%)	11 (100%)	11 (100%)	0 Very Low
	NAMACURRA	4	-	4 (100%)	4 (100%)	4 (100%)	3 (75%)	62 Medium
	NAMARROI	10	1 (10%)	9 (100%)	9 (100%)	9 (100%)	9 (100%)	74 Medium
	NICOADALA	7	-	7 (100%)	7 (100%)	7 (100%)	5 (71%)	83 High
	PEBANE	14	1 (7%)	13 (100%)	13 (100%)	13 (100%)	13 (100%)	64 Medium

NIGER

EPI services



Out of 3475 HSDUs reporting, EPI services are at least partially available in 2526 (72.7%) HSDUs.

HSDU updates submitted over the last year

0 (0%)

HSDUs updated


0

Cumulative number of updates submitted

10 Jun 2024

Date of last update



Partner support



Out of the 2526 where EPI services are at least partially available, 1991 (78.8%) are supported by partners. Of these, 445 (17.6%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a health district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a health district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the health district.




Note:

EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health district



Percentage of HSDUs providing the service*

0% 25% 50% 75% 100%

No data available or no operational HSDU

Health districts with the lowest service availability


Health District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Tesker	19	2	19	12 (63%)	49 (Low)
Agadez Ville	25	0	11	7 (64%)	83 (High)
Niamey Arrondissement 3	50	0	24	17 (71%)	29 (Low)
Say	48	8	25	18 (72%)	83 (High)
Torodi	46	2	39	28 (72%)	24 (Very Low)
Banibangou	13	6	12	9 (75%)	85 (High)
N'Gourti	21	0	18	14 (78%)	77 (High)
Tillabéri	92	11	72	57 (79%)	83 (High)
Filingué	66	0	52	42 (81%)	79 (High)
Tchintabraden	6	1	6	5 (83%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by health district



Percentage of HSDUs providing the service*

0% 25% 50% 75% 100%


No data available or no operational HSDU

Health districts with the lowest service availability

Health District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Niamey Arrondissement 3	50	0	27	17 (63%)	29 (Low)
Torodi	46	2	39	28 (72%)	24 (Very Low)
Agadez Ville	25	0	9	7 (78%)	83 (High)
Banibangou	13	6	12	10 (83%)	85 (High)
Niamey Arrondissement 4	40	1	18	15 (83%)	14 (Very Low)
Tchintabraden	6	1	6	5 (83%)	83 (High)
Keita	77	0	71	62 (87%)	83 (High)
Tesker	19	2	19	17 (89%)	49 (Low)
N'Gourti	21	0	21	19 (90%)	77 (High)
Tassara	16	1	14	13 (93%)	50 (Low)




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by health district



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU

Health districts with highest ratio of non-operational HSDUs


Health District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Dakoro	117	0	117	28 (24%)	20 (Very Low)
Magaria	101	0	101	24 (24%)	30 (Low)
Niamey Arrondissement 2	55	4	55	13 (24%)	88 (High)
Tibiri Doutchi	77	0	77	19 (25%)	84 (High)
Gaya	71	3	71	19 (27%)	23 (Very Low)
Torodi	46	2	46	13 (28%)	24 (Very Low)
Boboye	78	5	78	23 (29%)	94 (High)
Birni N'Konni	60	1	60	18 (30%)	30 (Low)
Dungass	56	1	56	17 (30%)	40 (Low)
Malbaza	40	1	40	12 (30%)	84 (High)

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by health district



Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Health districts with the highest ratio of non-operational HSDUs

Health District	Total HSDUs	Non-operational HSDUs	Risk index
Téra	70	37 (53%)	80 (High)
Bankillaré	10	5 (50%)	42 (Low)
Ingall	29	13 (45%)	86 (High)
Arlit	44	16 (36%)	81 (High)
Tillia	9	3 (33%)	83 (High)
Banibangou	19	6 (32%)	85 (High)
Iferouane	29	9 (31%)	44 (Low)
Gotheye	45	8 (18%)	84 (High)
Tchirozene	63	9 (14%)	84 (High)
Say	56	8 (14%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.





Risk index by health district


Region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
AGADEZ	AGADEZ VILLE	23	-	23 (100%)	23 (100%)	17 (74%)	80 High
	ARLIT	25	-	7 (64%)	7 (78%)	8 (32%)	83 High
	BILMA	44	16 (36%)	21 (100%)	16 (100%)	23 (82%)	81 High
	IFEROUANE	6	-	6 (100%)	5 (100%)	6 (100%)	83 High
	INGALL	29	9 (31%)	19 (95%)	19 (100%)	14 (70%)	44 Low
	TCHIROZENE	29	13 (45%)	12 (100%)	11 (100%)	10 (62%)	86 High
	BOSSO	63	9 (14%)	52 (100%)	53 (100%)	31 (57%)	84 High
DIFFA	DIFFA	5	-	5 (100%)	5 (100%)	3 (60%)	50 Low
	GOUDOUMARIA	35	1 (3%)	32 (100%)	33 (100%)	27 (79%)	74 Medium
	MAINE SOROA	29	-	27 (96%)	29 (100%)	22 (76%)	83 High
	N'GOURTI	41	2 (5%)	36 (100%)	36 (100%)	36 (92%)	83 High
	N'GUIGMI	21	-	14 (78%)	19 (90%)	14 (67%)	77 High
	BOBOYE	15	1 (7%)	10 (91%)	12 (100%)	11 (79%)	71 Medium
DOSSO	DIOUNDOU	83	5 (6%)	75 (97%)	76 (99%)	23 (29%)	94 High
	DOGONDOUTCHI	28	-	4 (100%)	27 (100%)	13 (46%)	46 Low
	DOSSO	71	1 (1%)	44 (100%)	52 (100%)	22 (31%)	83 High
	FALMEY	128	2 (2%)	42 (100%)	49 (100%)	54 (43%)	79 High
	GAYA	19	-	17 (89%)	18 (95%)	13 (68%)	83 High
	LOGA	74	3 (4%)	64 (100%)	69 (100%)	19 (27%)	23 Very Low
	TIBIRI DOUTCHI	55	4 (7%)	34 (92%)	49 (100%)	19 (37%)	81 High
	AGUIE	77	-	73 (100%)	73 (100%)	19 (25%)	84 High
MARADI	BERMO	25	-	25 (100%)	25 (100%)	13 (52%)	83 High
	DAKORO	24	1 (4%)	22 (100%)	23 (100%)	12 (52%)	0 Very Low
	GAZAOUA	117	-	115 (100%)	117 (100%)	28 (24%)	20 Very Low
	GUIDAN ROUMDJI	21	-	20 (95%)	21 (100%)	7 (33%)	75 Medium
	MADAROUNFA	40	-	28 (85%)	31 (94%)	25 (62%)	100 High
	MARADI VILLE	72	-	51 (100%)	51 (100%)	33 (46%)	100 High
	MAYAHI	7	-	7 (100%)	7 (100%)	7 (100%)	83 High
	TESSOUA	31	-	31 (100%)	30 (100%)	19 (61%)	78 High
	NIAMEY ARRONDISSEMENT 1	77	-	75 (100%)	77 (100%)	24 (31%)	65 Medium
	NIAMEY ARRONDISSEMENT 2	39	-	21 (100%)	21 (100%)	21 (54%)	71 Medium
NIAMEY	NIAMEY ARRONDISSEMENT 3	59	4 (7%)	12 (100%)	12 (100%)	13 (24%)	88 High
	NIAMEY ARRONDISSEMENT 4	50	-	17 (71%)	17 (63%)	21 (42%)	29 Low
	NIAMEY ARRONDISSEMENT 5	41	1 (2%)	14 (93%)	15 (83%)	16 (40%)	14 Very Low
	ABALAK	16	-	11 (100%)	11 (100%)	13 (81%)	97 High

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Region	Health district	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
				EPI services	Community mobilization for EPI	Cold chain	
TAHOUA	BAGAROUA	50	-	42 (84%)	50 (100%)	29 (58%)	83 High
	BIRNI N'KONNI	24	3 (12%)	20 (95%)	21 (100%)	12 (57%)	87 High
	BOUZA	61	1 (2%)	49 (100%)	51 (100%)	18 (30%)	30 Low
	ILLELA	80	4 (5%)	50 (96%)	74 (100%)	37 (49%)	48 Low
	KEITA	73	-	65 (94%)	72 (99%)	28 (38%)	80 High
	MADAOUA	77	-	61 (86%)	62 (87%)	29 (38%)	83 High
	MALBAZA	44	-	43 (100%)	43 (100%)	28 (64%)	84 High
	TAHOUA	41	1 (2%)	24 (100%)	31 (100%)	12 (30%)	84 High
	TASSARA	70	-	69 (100%)	70 (100%)	44 (63%)	83 High
	TCHINTABARADEN	17	1 (6%)	12 (92%)	13 (93%)	9 (56%)	50 Low
	TILLIA	7	1 (14%)	5 (83%)	5 (83%)	5 (83%)	83 High
	VILLE DE TAHOUA	9	3 (33%)	5 (83%)	6 (100%)	4 (67%)	83 High
	ABALA	13	-	8 (100%)	8 (100%)	7 (54%)	83 High
TILLABERI	AYOROU	29	-	20 (100%)	24 (100%)	16 (55%)	79 High
	BALLEYARA	12	-	10 (100%)	10 (100%)	9 (75%)	90 High
	BANIBANGOU	26	1 (4%)	25 (100%)	25 (100%)	23 (92%)	83 High
	BANKILLARE	19	6 (32%)	9 (75%)	10 (83%)	8 (62%)	85 High
	FILINGUE	10	5 (50%)	4 (100%)	4 (100%)	3 (60%)	42 Low
	GOTHEYE	66	-	42 (81%)	65 (98%)	33 (50%)	79 High
	KOLLO	45	8 (18%)	26 (93%)	35 (97%)	19 (51%)	84 High
	OUALLAM	133	2 (2%)	66 (94%)	72 (95%)	58 (44%)	83 High
	SAY	48	1 (2%)	32 (94%)	36 (100%)	43 (91%)	100 High
	TILLABERI	56	8 (14%)	18 (72%)	41 (98%)	19 (40%)	83 High
	TORODI	103	11 (11%)	57 (79%)	81 (98%)	44 (48%)	83 High
	TERA	48	2 (4%)	28 (72%)	28 (72%)	13 (28%)	24 Very Low
	BELBEDJI	70	37 (53%)	33 (100%)	33 (100%)	28 (85%)	80 High
ZINDER	DAMAGARAM TAKAYA	24	1 (4%)	23 (100%)	23 (100%)	13 (57%)	83 High
	DUNGASS	61	-	61 (100%)	61 (100%)	22 (36%)	100 High
	GOURE	57	1 (2%)	55 (100%)	56 (100%)	17 (30%)	40 Low
	MAGARIA	109	1 (<1%)	106 (100%)	106 (100%)	50 (46%)	42 Low
	MATAMEYE	101	-	84 (99%)	93 (100%)	24 (24%)	30 Low
	MIRRIAH	74	-	68 (100%)	67 (100%)	32 (43%)	90 High
	TAKIETA	82	2 (2%)	68 (97%)	80 (100%)	45 (56%)	83 High
	TANOUT	41	-	38 (95%)	39 (98%)	33 (80%)	79 High
	TESKER	100	2 (2%)	96 (100%)	97 (99%)	45 (46%)	50 Low
	ZINDER VILLE	21	2 (10%)	12 (63%)	17 (89%)	10 (53%)	49 Low
	ZINDER VILLE	55	2 (4%)	26 (100%)	29 (100%)	18 (34%)	60 Medium

NIGERIA (NORTHEAST)

EPI services



Out of 2145 HSDUs reporting, EPI services are at least partially available in 1541 (71.8%) HSDUs.

HSDU updates submitted over the last year

0 (0%)

HSDUs updated


0

Cumulative number of updates submitted

13 May 2023

Date of last update


Partner support



Out of the 1541 where EPI services are at least partially available, 1197 (77.7%) are supported by partners. Of these, 363 (23.6%) HSDUs receive major support essential for their operation.


Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a LGA depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a LGA are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the LGA.



Risk index
0 25 50 75 100

No data available No operational HSDU where EPI services are at least partially available



Note: HeRAMS coverage in Nigeria is limited to the northeast, covering Adamawa, Borno and Yobe states.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by LGA



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

LGAs with the lowest service availability


LGA	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Yola North	60	0	49	37 (76%)	27 (Low)
Nangere	41	2	32	25 (78%)	94 (High)
Ganye	48	1	43	35 (81%)	80 (High)
Nguru	28	1	26	21 (81%)	41 (Low)
Girei	36	1	34	28 (82%)	82 (High)
Gombi	37	4	22	18 (82%)	80 (High)
Magumeri	6	18	6	5 (83%)	11 (Very Low)
Madagali	29	7	29	25 (86%)	28 (Low)
Fika	55	6	51	45 (88%)	81 (High)
Demsa	44	12	41	37 (90%)	72 (Medium)

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by LGA



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

LGAs with the lowest service availability

LGA	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Magumeri	6	18	5	3 (60%)	11 (Very Low)
Monguno	22	0	15	9 (60%)	75 (Medium)
Mafa	8	0	8	5 (62%)	49 (Low)
Damaturu	27	0	22	17 (77%)	44 (Low)
Kwaya Kusar	27	1	21	17 (81%)	77 (High)
Nangere	41	2	32	26 (81%)	94 (High)
Fika	55	6	51	42 (82%)	81 (High)
Madagali	29	7	28	23 (82%)	28 (Low)
Bama	12	1	12	10 (83%)	90 (High)
Ganye	48	1	43	37 (86%)	80 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.


[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Operational status

Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.



89% | 1908 **At least partially Operational**
11% | 237 **Not operational**

Operational status by LGA



Percentage of non-operational HSDUs
0% 25% 50% 75% 100%

No data available

LGAs with the highest ratio of non-operational HSDUs

LGA	Total HSDUs	Non-operational HSDUs	Risk index
Magumeri	24	18 (75%)	11 (Very Low)
Mobbar	20	15 (75%)	91 (High)
Dikwa	22	16 (73%)	87 (High)
Abadam	3	2 (67%)	0 (Very Low)
Gwoza	42	27 (64%)	57 (Medium)
Gubio	10	6 (60%)	83 (High)
Kaga	12	6 (50%)	83 (High)
Kala/Balge	2	1 (50%)	83 (High)
Askira/Uba	50	15 (30%)	49 (Low)
Gulani	27	8 (30%)	79 (High)





Risk index by LGA


State	LGA	Total HSDUs	Non-operational HSDUs	Service availability*		Risk index
				EPI services	Community mobilization for EPI	
ADAMAWA	DEMSA	56	12 (21%)	37 (90%)	36 (90%)	72 Medium
	FUFORE	73	-	44 (98%)	42 (100%)	82 High
	GANYE	49	1 (2%)	35 (81%)	37 (86%)	80 High
	GIREI	37	1 (3%)	28 (82%)	28 (88%)	82 High
	GOMBI	41	4 (10%)	18 (82%)	19 (86%)	80 High
	GUYUK	50	8 (16%)	39 (100%)	37 (97%)	58 Medium
	HONG	62	4 (6%)	47 (94%)	47 (94%)	83 High
	JADA	50	1 (2%)	40 (100%)	39 (100%)	52 Medium
	LAMURDE	28	1 (4%)	22 (92%)	22 (92%)	61 Medium
	MADAGALI	36	7 (19%)	25 (86%)	23 (82%)	28 Low
	MAIHA	44	4 (9%)	26 (93%)	26 (96%)	82 High
	MAYO-BELWA	57	2 (4%)	33 (97%)	32 (100%)	76 High
	MICHIKA	49	-	45 (98%)	43 (98%)	78 High
	MUBI NORTH	48	4 (8%)	32 (97%)	34 (92%)	57 Medium
	MUBI SOUTH	45	2 (4%)	33 (100%)	32 (100%)	83 High
	NUMAN	41	4 (10%)	31 (97%)	32 (97%)	72 Medium
	SHELLENG	49	-	42 (100%)	45 (100%)	83 High
	SONG	52	1 (2%)	39 (95%)	38 (95%)	37 Low
	TOUNGO	33	1 (3%)	27 (96%)	28 (100%)	72 Medium
	YOLA NORTH	60	-	37 (76%)	46 (88%)	27 Low
	YOLA SOUTH	63	7 (11%)	43 (91%)	42 (91%)	70 Medium
BORNO	ABADAM	3	2 (67%)	1 (100%)	-	0 Very Low
	ASKIRA/UBA	50	15 (30%)	33 (94%)	7 (100%)	49 Low
	BAMA	13	1 (8%)	12 (100%)	10 (83%)	90 High
	BAYO	31	1 (3%)	30 (100%)	15 (100%)	53 Medium
	BIU	43	3 (7%)	33 (97%)	33 (97%)	50 Low
	CHIBOK	26	3 (12%)	23 (100%)	15 (100%)	51 Medium
	DAMBOA	19	4 (21%)	15 (100%)	15 (100%)	82 High
	DIKWA	22	16 (73%)	6 (100%)	5 (100%)	87 High
	GUBIO	10	6 (60%)	4 (100%)	4 (100%)	83 High
	GUZAMALA	0	-	-	-	No HSDUs reporting
	GWOZA	42	27 (64%)	14 (93%)	14 (93%)	57 Medium
	HAWUL	28	1 (4%)	26 (100%)	24 (92%)	39 Low

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




State	LGA	Total HSDUs	Non-operational HSDUs	Service availability*		Risk index
				EPI services	Community mobilization for EPI	
BORNO	JERE	38	2 (5%)	34 (94%)	21 (95%)	61 Medium
	KAGA	12	6 (50%)	6 (100%)	5 (100%)	83 High
	KALA/BALGE	2	1 (50%)	1 (100%)	1 (100%)	83 High
	KONDUGA	20	2 (10%)	18 (100%)	8 (89%)	75 Medium
	KUKAWA	4	-	3 (100%)	2 (100%)	83 High
	KWAYA KUSAR	28	1 (4%)	27 (100%)	17 (81%)	77 High
	MAFA	8	-	8 (100%)	5 (62%)	49 Low
	MAGUMERI	24	18 (75%)	5 (83%)	3 (60%)	11 Very Low
	MAIDUGURI	56	1 (2%)	46 (100%)	43 (96%)	24 Very Low
	MARTE	2	-	2 (100%)	2 (100%)	92 High
	MOBBAR	20	15 (75%)	5 (100%)	5 (100%)	91 High
	MONGUNO	22	-	21 (95%)	9 (60%)	75 Medium
	NGALA	10	-	9 (90%)	10 (100%)	91 High
	NGANZAI	8	-	4 (100%)	3 (100%)	96 High
	SHANI	36	1 (3%)	32 (100%)	31 (97%)	69 Medium
YOBE	BADE	29	-	17 (94%)	16 (94%)	90 High
	BURSARI	31	3 (10%)	22 (100%)	22 (96%)	81 High
	DAMATURU	27	-	20 (95%)	17 (77%)	44 Low
	FIKA	61	6 (10%)	45 (88%)	42 (82%)	81 High
	FUNE	45	5 (11%)	30 (100%)	34 (100%)	83 High
	GEIDAM	26	3 (12%)	22 (100%)	22 (96%)	95 High
	GUJBA	19	1 (5%)	18 (100%)	17 (100%)	58 Medium
	GULANI	27	8 (30%)	16 (100%)	15 (100%)	79 High
	JAKUSKO	40	6 (15%)	32 (100%)	32 (100%)	86 High
	KARASUWA	25	-	25 (100%)	25 (100%)	79 High
	MACHINA	23	-	22 (100%)	21 (100%)	84 High
	NANGERE	43	2 (5%)	25 (78%)	26 (81%)	94 High
	NGURU	29	1 (3%)	21 (81%)	23 (88%)	41 Low
	POTISKUM	48	1 (2%)	31 (91%)	31 (94%)	54 Medium
	TARMUA	18	3 (17%)	15 (100%)	15 (100%)	89 High
	YUNUSARI	24	7 (29%)	16 (100%)	15 (100%)	90 High
	YUSUFARI	30	1 (3%)	23 (96%)	26 (100%)	94 High

OCCUPIED PALESTINIAN TERRITORY



EPI services



Out of 685 HSDUs reporting, EPI services are at least partially available in 469 (68.5%) HSDUs.

HSDU updates submitted over the last year

684 (100%)

HSDUs updated

5434


Cumulative number of updates submitted

30 Jun 2025

Date of last update






Partner support



Out of the 469 where EPI services are at least partially available, 212 (45.2%) are supported by partners. Of these, 20 (4.3%) HSDUs receive major support essential for their

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the district.



■ No data available
 ■ No operational HSDU where EPI services are at least partially available




EPI services



Service definition: Routine immunization against all national target diseases with functioning cold chain in place.

Service availability by district



Percentage of HSDUs providing the service* 0% 25% 50% 75% 100% No data available or no operational HSDU

Districts with the lowest service availability


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
North Gaza	1	19	0	0 (0%)	No HSDU providing the service
Gaza	18	22	7	6 (86%)	58 (Medium)
Qalqilya	30	0	26	24 (92%)	28 (Low)
Jericho	15	0	14	13 (93%)	64 (Medium)
Salfit	20	0	18	17 (94%)	83 (High)
Tulkarm	40	2	34	33 (97%)	41 (Low)
Jenin	69	1	60	59 (98%)	69 (Medium)
Nablus	61	0	51	50 (98%)	78 (High)
Hebron	141	9	117	116 (99%)	40 (Low)
Bethlehem	43	1	32	32 (100%)	6 (Very Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service


‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Cold chain



Service definition: Availability of reliable and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by district



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU


Districts with highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Gaza	18	22	15	11 (61%)	58 (Medium)
Khan Younis	9	17	9	6 (67%)	100 (High)
Jenin	69	1	49	47 (68%)	69 (Medium)
Bethlehem	43	1	39	30 (70%)	6 (Very Low)
Salfit	20	0	15	15 (75%)	83 (High)
Tubas	15	0	13	12 (80%)	85 (High)
Deir Al-Balah	17	10	15	14 (82%)	78 (High)
Hebron	141	9	129	119 (84%)	40 (Low)
Ramallah and Al-Bireh	73	0	68	67 (92%)	15 (Very Low)
Jericho	15	0	14	14 (93%)	64 (Medium)




Operational status

Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.



86% | 588 **At least partially Operational**
14% | 97 **Not operational**

Operational status by district



Percentage of non-operational HSDUs

0% 25% 50% 75% 100%

No data available

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Risk index
Rafah	16	16 (100%)	No operational HSDU
North Gaza	20	19 (95%)	No HSDU providing the service
Khan Younis	26	17 (65%)	100 (High)
Gaza	40	22 (55%)	58 (Medium)
Deir Al-Balah	27	10 (37%)	78 (High)
Hebron	150	9 (6%)	40 (Low)
Tulkarm	42	2 (5%)	41 (Low)
Bethlehem	44	1 (2%)	6 (Very Low)
Jenin	70	1 (1%)	69 (Medium)
Nablus	61	0 (0%)	78 (High)




Risk index by province

Governorate	District	Total HSDUs	Non-operational HSDUs	Service availability*		Risk index
				EPI services	Cold chain	
GAZA STRIP	DEIR AL-BALAH	27	10 (37%)	11 (100%)	14 (93%)	78 High
	GAZA	40	22 (55%)	6 (86%)	11 (73%)	58 Medium
	KHAN YOUNIS	26	17 (65%)	3 (100%)	6 (67%)	100 High
	NORTH GAZA	20	19 (95%)	-	1 (100%)	No HSDU expected to provide EPI services
	RAFAH	16	16 (100%)	-	-	No operational HSDUs
WEST BANK	BETHLEHEM	44	1 (2%)	32 (100%)	30 (77%)	6 Very Low
	HEBRON	150	9 (6%)	116 (99%)	119 (92%)	40 Low
	JENIN	70	1 (1%)	59 (98%)	47 (96%)	69 Medium
	JERICHO	15	-	13 (93%)	14 (100%)	64 Medium
	JERUSALEM	36	-	34 (100%)	34 (100%)	14 Very Low
	NABLUS	61	-	50 (98%)	59 (100%)	78 High
	QALQILYA	30	-	24 (92%)	30 (100%)	28 Low
	RAMALLAH AND AL-BIREH	73	-	61 (100%)	67 (99%)	15 Very Low
	SALFIT	20	-	17 (94%)	15 (100%)	83 High
	TUBAS	15	-	10 (100%)	12 (92%)	85 High
	TULKARM	42	2 (5%)	33 (97%)	39 (100%)	41 Low

* x = Number of HSDUs expected to provide this service, x% = Percentage of expected HSDUs where service is at least partially available

SUDAN

EPI services



Out of 4674 HSDUs reporting, EPI services are at least partially available in 1363 (29.2%) HSDUs.

HSDU updates submitted over the last year

4670 (100%)

HSDUs updated


6612

Cumulative number of updates submitted

03 Jul 2025

Date of last update



Partner support



Out of the 1363 where EPI services are at least partially available, 531 (39%) are supported by partners. Of these, 207 (15.2%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a locality depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a locality are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the locality.



Note:




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by locality




Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Localities with the lowest service availability


Locality	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Abu Jabrah	1	0	1	0 (0%)	No HSDU providing the service
Agig	18	0	0	0 (0%)	No HSDU providing the service
Ar Rashad	8	0	0	0 (0%)	No HSDU providing the service
As Salam	25	0	0	0 (0%)	No HSDU providing the service
Bahri	3	92	3	0 (0%)	No HSDU providing the service
Bendasi	5	0	4	0 (0%)	No HSDU providing the service
Jebel Awlia	5	83	5	0 (0%)	No HSDU providing the service
Khartoum	4	86	3	0 (0%)	No HSDU providing the service
Melit	2	4	2	0 (0%)	No HSDU providing the service
Mukjar	4	0	4	0 (0%)	No HSDU providing the service

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by locality



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Localities with the lowest service availability

Locality	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Abyei PCA area	4	4	3	0 (0%)	0 (Very Low)
Ad Damar	87	11	2	0 (0%)	0 (Very Low)
Al Malha	3	5	3	0 (0%)	100 (High)
Ar Rahad (Gedaref)	45	2	7	0 (0%)	0 (Very Low)
Ar Rashad	8	0	3	0 (0%)	No HSDU providing the service
Bahri	3	92	2	0 (0%)	No HSDU providing the service
Jebel Awlia	5	83	5	0 (0%)	No HSDU providing the service
Melit	2	4	1	0 (0%)	No HSDU providing the service
Um Kadadah	6	1	1	0 (0%)	83 (High)
Um Bada	14	133	11	1 (9%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by locality



Localities with highest ratio of non-operational HSDUs


Locality	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Abassiya	9	0	9	0 (0%)	42 (Low)
Abu Jabrah	1	0	1	0 (0%)	No HSDU providing the service
Abu Kershola	7	0	7	0 (0%)	60 (Medium)
Ar Rashad	8	0	8	0 (0%)	No HSDU providing the service
As Salam	25	0	25	0 (0%)	No HSDU providing the service
At Tadamon - SK	15	0	15	0 (0%)	56 (Medium)
Beida	4	1	1	0 (0%)	100 (High)
Bendasi	5	0	4	0 (0%)	No HSDU providing the service
Dilling	10	0	10	0 (0%)	83 (High)
Ed Al Fursan	2	0	2	0 (0%)	100 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by locality



Localities with the highest ratio of non-operational HSDUs

Locality	Total HSDUs	Non-operational HSDUs	Risk index
Um Rawaba	104	104 (100%)	No operational HSDU
Soudari	41	41 (100%)	No operational HSDU
Bara	76	76 (100%)	No operational HSDU
Gebrat Al Sheikh	32	32 (100%)	No operational HSDU
Gharb Bara	85	85 (100%)	No operational HSDU
Um Durman	92	90 (98%)	42 (Low)
Bahri	95	92 (97%)	No HSDU providing the service
Sharg Al Jazirah	75	72 (96%)	0 (Very Low)
Khartoum	90	86 (96%)	No HSDU providing the service
Sheikan	59	56 (95%)	100 (High)




Risk index by state

State	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
			EPI services	Community mobilization for EPI	Cold chain	
ABYEI PCA	8	4 (50%)	2 (100%)	-	1 (25%)	0 Very Low
AJ JAZIRAH	498	361 (72%)	37 (97%)	15 (94%)	70 (69%)	7 Very Low
BLUE NILE	176	37 (21%)	119 (98%)	49 (100%)	120 (89%)	41 Low
CENTRAL DARFUR	85	-	65 (81%)	77 (99%)	43 (58%)	98 High
EAST DARFUR	26	-	25 (96%)	25 (100%)	25 (96%)	100 High
GEDAREF	378	6 (2%)	160 (77%)	75 (63%)	138 (41%)	12 Very Low
KASSALA	469	51 (11%)	194 (71%)	139 (60%)	153 (58%)	69 Medium
KHARTOUM	824	719 (87%)	36 (40%)	33 (44%)	82 (91%)	43 Low
NORTH DARFUR	58	21 (36%)	23 (68%)	11 (55%)	14 (50%)	100 High
NORTH KORDOFAN	533	475 (89%)	10 (100%)	2 (100%)	19 (83%)	31 Low
NORTHERN	192	-	175 (97%)	44 (96%)	69 (51%)	25 Very Low
RED SEA	277	63 (23%)	79 (77%)	31 (62%)	73 (62%)	66 Medium
RIVER NILE	371	54 (15%)	170 (94%)	58 (91%)	180 (59%)	3 Very Low
SENNAR	294	-	36 (92%)	60 (98%)	53 (30%)	5 Very Low
SOUTH DARFUR	68	-	61 (92%)	62 (93%)	47 (75%)	99 High
SOUTH KORDOFAN	138	1 (<1%)	68 (100%)	26 (87%)	14 (11%)	70 Medium
WEST DARFUR	46	3 (7%)	39 (95%)	39 (100%)	31 (79%)	100 High
WEST KORDOFAN	4	-	4 (100%)	4 (100%)	3 (75%)	95 High
WHITE NILE	229	19 (8%)	60 (97%)	17 (94%)	52 (28%)	20 Very Low

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

SYRIAN ARAB REPUBLIC (NORTHEAST)

EPI services



Out of 110 HSDUs reporting, EPI services are at least partially available in 24 (21.8%) HSDUs.

HSDU updates submitted over the last year

102 (93%)

HSDUs updated

150

Cumulative number of updates submitted

30 Jun 2025

Date of last update


Partner support



Out of the 24 where EPI services are at least partially available, 24 (100%) are supported by partners. Of these, 19 (79.2%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the district.



Note: HeRAMS Syria is limited to the northeast, covering Al-Hasakeh and Deir-ez-Zor, as well as parts of Ar-Raqqa and Aleppo governorates.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by district



Percentage of HSDUs providing the service*

No data available or no operational HSDU

Districts with the lowest service availability


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Abu Kamal	5	0	1	0 (0%)	No HSDU providing the service
Al Mayadin	3	0	0	0 (0%)	No HSDU providing the service
Quamishli	7	0	0	0 (0%)	No HSDU providing the service
Ras Al Ain	1	0	0	0 (0%)	No HSDU providing the service
Ain Al Arab	8	0	2	2 (100%)	100 (High)
Al-Hasakeh	23	0	3	3 (100%)	100 (High)
Al-Malikeyyeh	6	0	1	1 (100%)	100 (High)
Ar-Raqqa	28	1	12	12 (100%)	100 (High)
Ath-Thawrah	7	0	2	2 (100%)	100 (High)
Deir-ez-Zor	19	0	4	4 (100%)	100 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by district



Percentage of HSDUs providing the service*

No data available or no operational HSDU


Districts with the lowest service availability

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Abu Kamal	5	0	3	2 (67%)	No HSDU providing the service
Al-Hasakeh	23	0	10	9 (90%)	100 (High)
Ain Al Arab	8	0	1	1 (100%)	100 (High)
Al-Malikeyyeh	6	0	1	1 (100%)	100 (High)
Ar-Raqqa	28	1	13	13 (100%)	100 (High)
Ath-Thawrah	7	0	5	5 (100%)	100 (High)
Deir-ez-Zor	19	0	11	11 (100%)	100 (High)
Quamishli	7	0	1	1 (100%)	No HSDU providing the service
Al Mayadin	3	0	0	0 (NaN%)	No HSDU providing the service
Ras Al Ain	1	0	0	0 (NaN%)	No HSDU providing the service




Operational status

Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.



97% | 107 At least partially Operational
3% | 3 Not operational

Operational status by district



Percentage of non-operational HSDUs

0% 25% 50% 75% 100%

No data available

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Risk index
Menbij	2	2 (100%)	No operational HSDU
Ar-Raqqa	29	1 (3%)	100 (High)
Ain Al Arab	8	0 (0%)	100 (High)
Al-Hasakeh	23	0 (0%)	100 (High)
Quamishli	7	0 (0%)	No HSDU providing the service
Al-Malikeyyeh	6	0 (0%)	100 (High)
Ras Al Ain	1	0 (0%)	No HSDU providing the service
Ath-Thawrah	7	0 (0%)	100 (High)
Deir-ez-Zor	19	0 (0%)	100 (High)
Abu Kamal	5	0 (0%)	No HSDU providing the service




Risk index by district

Governorate	District	Total HSDUs	Non-operational HSDUs	Service availability*		Risk index
				EPI services	Community mobilization for EPI	
AL-HASAKEH	AL-HASAKEH	23	-	3 (100%)	9 (90%)	100 High
	AL-MALIKEYEH	6	-	1 (100%)	1 (100%)	100 High
	QUAMISHLI	7	-	-	1 (100%)	No HSDU expected to provide EPI services
	RAS AL AIN	1	-	-	-	No HSDU expected to provide EPI services
ALEPPO	A'ZAZ	0	-	-	-	No HSDUs reporting
	AFRIN	0	-	-	-	No HSDUs reporting
	AIN AL ARAB	8	-	2 (100%)	1 (100%)	100 High
	AL BAB	0	-	-	-	No HSDUs reporting
	AS-SAFIRA	0	-	-	-	No HSDUs reporting
	JARABLUS	0	-	-	-	No HSDUs reporting
	JEBEL SAMAN	0	-	-	-	No HSDUs reporting
	MENBIJ	2	2 (100%)	-	-	No operational HSDUs
AR-RAQQA	AR-RAQQA	29	1 (3%)	12 (100%)	13 (100%)	100 High
	ATH-THAWRAH	7	-	2 (100%)	5 (100%)	100 High
	TELL ABIAD	0	-	-	-	No HSDUs reporting
DEIR-EZ-ZOR	ABU KAMAL	5	-	-	2 (67%)	No HSDU expected to provide EPI services
	AL MAYADIN	3	-	-	-	No HSDU expected to provide EPI services
	DEIR-EZ-ZOR	19	-	4 (100%)	11 (100%)	100 High

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

UKRAINE

EPI services



Out of 11 346 HSDUs reporting, EPI services are at least partially available in 8093 (71.3%) HSDUs.

HSDU updates submitted over the last year

11 270 (99%)

HSDUs updated


33 047

Cumulative number of updates submitted

04 Jul 2025

Date of last update



Partner support



Out of the 8093 where EPI services are at least partially available, 2327 (28.8%) are supported by partners. Of these, 108 (1.3%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a raion depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a raion are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the raion.




Risk index
0 25 50 75 100

■ No data available ■ No operational HSDU where EPI services are at least partially available

Note: The analysis for Ukraine excludes HSDUs in located in temporarily occupied territories.




EPI services



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by raion




Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Raions with the lowest service availability


Raion	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Beryslavskiy	30	11	27	19 (70%)	83 (High)
Polohivskiy	16	11	8	6 (75%)	0 (Very Low)
Kupianskyy	23	39	12	11 (92%)	83 (High)
Vyshhorodskyy	48	1	24	22 (92%)	76 (High)
Rozdilnianskyy	42	2	30	28 (93%)	20 (Very Low)
Khersonskyy	44	3	28	27 (96%)	62 (Medium)
Cernivetskiy	225	0	200	194 (97%)	5 (Very Low)
Kramatorskyy	92	26	60	58 (97%)	76 (High)
Obukhivskyy	80	0	68	66 (97%)	28 (Low)
Voznesenskyy	73	1	44	43 (98%)	2 (Very Low)

Community mobilization for EPI



Service definition: Regular outreach site for routine immunization against all national target diseases or permanent site with functioning cold chain in place.

Service availability by raion



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Raions with the lowest service availability

Raion	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Beryslavskiy	30	11	26	18 (69%)	83 (High)
Polohivskiy	16	11	8	6 (75%)	0 (Very Low)
Kupianskyy	23	39	6	5 (83%)	83 (High)
Nizhynskyy	75	0	68	61 (90%)	14 (Very Low)
Obukhivskyy	80	0	68	61 (90%)	28 (Low)
Rozdilnianskyy	42	2	27	25 (93%)	20 (Very Low)
Berehivskyy	80	12	76	73 (96%)	4 (Very Low)
Berezivskyy	40	1	25	24 (96%)	15 (Very Low)
Boryspilskyy	96	0	84	81 (96%)	24 (Very Low)
Khersonskyy	44	3	26	25 (96%)	62 (Medium)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service

[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by raion



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU

Raions with highest ratio of non-operational HSDUs


Raion	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Beryslavskiyi	30	11	30	14 (47%)	83 (High)
Zviahelskyi	117	0	76	76 (65%)	37 (Low)
Dubenskyi	101	0	67	67 (66%)	5 (Very Low)
Kamianets-Podilskyi	169	7	119	119 (70%)	10 (Very Low)
Romenskyi	100	1	72	72 (72%)	0 (Very Low)
Polohivskyi	16	11	15	12 (75%)	0 (Very Low)
Ternopilskyi	205	0	157	156 (76%)	1 (Very Low)
Iziumskyi	57	24	44	44 (77%)	56 (Medium)
Vyshhorodskyi	48	1	39	37 (77%)	76 (High)
Holovanivskyi	64	5	51	51 (80%)	27 (Low)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service


‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by raion



Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Raions with the highest ratio of non-operational HSDUs

Raion	Total HSDUs	Non-operational HSDUs	Risk index
Bakhmutskyi	22	22 (100%)	No operational HSDU
Kakhovskiyi	1	1 (100%)	No operational HSDU
Volnovaskiyi	29	28 (97%)	0 (Very Low)
Pokrovskiyi	48	34 (71%)	64 (Medium)
Kupianskyi	62	39 (63%)	83 (High)
Polohivskyi	27	11 (41%)	0 (Very Low)
Iziumskyi	81	24 (30%)	56 (Medium)
Beryslavskiyi	41	11 (27%)	83 (High)
Chuhuivskyi	70	17 (24%)	48 (Low)
Sumskiyi	163	39 (24%)	32 (Low)


Risk index by oblast

Oblast	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
			EPI services	Community mobilization for EPI	Cold chain	
CHERKASKA	486	4 (<1%)	306 (100%)	323 (100%)	454 (98%)	19 Very Low
CHERNIHIVSKA	302	1 (<1%)	265 (100%)	257 (97%)	295 (100%)	49 Low
CHERNIVETSKA	392	-	350 (98%)	351 (100%)	384 (100%)	5 Very Low
DNIPROPETROVSKA	808	30 (4%)	679 (100%)	639 (100%)	743 (99%)	17 Very Low
DONETSKA	217	110 (51%)	72 (97%)	86 (100%)	102 (99%)	73 Medium
IVANO-FRANKIVSKA	630	-	585 (100%)	598 (100%)	624 (99%)	15 Very Low
KHARKIVSKA	632	123 (19%)	376 (100%)	336 (100%)	470 (100%)	36 Low
KHERSONSKA	89	15 (17%)	46 (84%)	43 (83%)	54 (75%)	69 Medium
KHMELNYTSKA	647	37 (6%)	477 (100%)	504 (100%)	505 (100%)	28 Low
KIROVOHRADSKA	346	5 (1%)	236 (100%)	244 (99%)	308 (99%)	35 Low
KYIV CITY	361	3 (<1%)	277 (100%)	248 (100%)	345 (98%)	4 Very Low
KYIV CITY	1	-	1 (100%)	-	1 (100%)	0 Very Low
KYIVSKA	558	5 (<1%)	454 (99%)	467 (98%)	524 (98%)	34 Low
LUHANSKA	0	-	-	-	-	No HSDUs reporting
LVIVSKA	564	-	458 (100%)	468 (100%)	536 (100%)	17 Very Low
MYKOLAIVSKA	409	11 (3%)	258 (100%)	275 (100%)	378 (99%)	34 Low
ODESKA	648	9 (1%)	451 (100%)	390 (99%)	596 (99%)	22 Very Low
POLTAVSKA	629	43 (7%)	475 (100%)	501 (100%)	567 (99%)	35 Low
RIVNENSKA	479	10 (2%)	322 (100%)	373 (100%)	391 (100%)	17 Very Low
SUMSKA	521	52 (10%)	250 (100%)	245 (100%)	420 (99%)	22 Very Low
TERNOPILSKA	372	1 (<1%)	276 (100%)	268 (100%)	315 (100%)	6 Very Low
VINNYTSKA	557	-	290 (100%)	469 (100%)	538 (99%)	83 High
VOLYNska	281	4 (1%)	209 (100%)	227 (100%)	253 (100%)	17 Very Low
ZAKARPATSKA	453	14 (3%)	393 (100%)	389 (99%)	418 (99%)	18 Very Low
ZAPORIZKA	223	39 (17%)	148 (99%)	128 (98%)	176 (97%)	45 Low
ZHYTOMYRSKA	741	12 (2%)	439 (100%)	518 (100%)	630 (100%)	32 Low

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

YEMEN

EPI services



Out of 5495 HSDUs reporting, EPI services are at least partially available in 4801 (87.4%) HSDUs.

HSDU updates submitted over the last year

4888 (89%)

HSDUs updated


26 457

Cumulative number of updates submitted

04 Jul 2025

Date of last update



Partner support



Out of the 4801 where EPI services are at least partially available, 3625 (75.5%) are supported by partners. Of these, 152 (3.2%) HSDUs receive major support essential for their operation.

Partner dependency risk index

The risk index measures the extent to which operational HSDUs providing EPI services in a district depend on partner support. A score of 100 indicates complete dependency, where all operational HSDUs providing EPI services in a district are supported by partners. A score of 0 indicates no dependency, meaning no operational HSDU providing EPI services currently receives partner support. This index focuses on HSDUs currently providing EPI services and reflects partner dependency among these HSDUs. It should not be interpreted as an indicator of overall HSDUs functionality or service availability within the district.




Note:

EPI services



Service definition: Provision of routine immunization services for the target disease by fixed health facility with the availability of functional cool chain.

Service availability by district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Districts with the lowest service availability


District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Al Qaff	1	3	1	0 (0%)	No HSDU providing the service
Hayran	2	3	2	0 (0%)	No HSDU providing the service
Al Abr	4	5	4	2 (50%)	83 (High)
Hat	4	0	4	2 (50%)	83 (High)
Hawf	4	1	4	2 (50%)	83 (High)
Shahin	4	1	4	2 (50%)	69 (Medium)
Thamud	4	0	4	2 (50%)	42 (Low)
Rumah	6	0	5	3 (60%)	83 (High)
Al Khukhah	7	5	6	4 (67%)	62 (Medium)
Baqim	6	3	6	4 (67%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

[†] HSDUs expected to provide the service


[‡] Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Community mobilization for EPI



Service definition: Provision of routine immunization services for the target disease by fixed health facility with the availability of functional cool chain.

Service availability by district



Percentage of HSDUs providing the service*
0% 25% 50% 75% 100%

No data available or no operational HSDU

Districts with the lowest service availability

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs [†]	HSDUs providing the service [‡]	Risk index
Ad Dohi	19	0	19	0 (0%)	69 (Medium)
Adh Dhahir	5	5	4	0 (0%)	83 (High)
Al Ghayl	2	0	2	0 (0%)	83 (High)
Al Hazm	6	1	6	0 (0%)	61 (Medium)
Al Humaydat	4	0	4	0 (0%)	83 (High)
Al Jamimah	10	1	10	0 (0%)	50 (Low)
Al Madan	13	0	13	0 (0%)	78 (High)
Al Miftah	8	0	8	0 (0%)	83 (High)
Al Mina	10	0	7	0 (0%)	0 (Very Low)
Al Salim	5	0	5	0 (0%)	83 (High)




Cold chain



Service definition: Availability of reliant and sufficient cold chain capacity, including availability of a power source for cold chain.

Service availability by district




Operational status



Service definition: HSDUs reported as inaccessible, non-functioning, or destroyed are classified as non-operational and are excluded from further assessment of service availability.

Operational status by district



Percentage of HSDUs with cold chain capacity* 0% 25% 50% 75% 100% No data available or no operational HSDU

Districts with highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Applicable HSDUs†	HSDUs providing the service‡	Risk index
Al Qaff	1	3	1	0 (0%)	No HSDU providing the service
Hawf	4	1	4	1 (25%)	83 (High)
Sayhut	6	5	6	2 (33%)	74 (Medium)
Al Masilah	8	1	8	3 (38%)	44 (Low)
Brum Mayf'ah	12	2	12	5 (42%)	83 (High)
Al Khukhah	7	5	3	3 (43%)	62 (Medium)
Khur Maksar	7	4	6	3 (43%)	83 (High)
Sa'dah	16	1	11	7 (44%)	86 (High)
Ahwar	4	8	4	2 (50%)	62 (Medium)
Al Ghayl	2	0	2	1 (50%)	83 (High)

Percentage of non-operational HSDUs 0% 25% 50% 75% 100% No data available

Districts with the highest ratio of non-operational HSDUs

District	Total HSDUs	Non-operational HSDUs	Risk index
Harad	13	13 (100%)	No operational HSDU
Al Qaff	4	3 (75%)	No HSDU providing the service
Zamakh wa Manwakh	4	3 (75%)	83 (High)
Shada'a	10	7 (70%)	83 (High)
Ahwar	12	8 (67%)	62 (Medium)
Hayran	5	3 (60%)	No HSDU providing the service
Midi	5	3 (60%)	83 (High)
Al Abr	9	5 (56%)	83 (High)
Sirwah	14	7 (50%)	68 (Medium)
Adh Dahir	10	5 (50%)	83 (High)

* Percentage of HSDUs where the service is at least partially available. Excludes non-operational HSDUs and those where the service is not expected.

† HSDUs expected to provide the service

‡ Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

Risk index by governorate

Governorate	Total HSDUs	Non-operational HSDUs	Service availability*			Risk index
			EPI services	Community mobilization for EPI	Cold chain	
ABYAN	175	28 (16%)	140 (97%)	106 (89%)	136 (93%)	73 Medium
AD DALI'	222	7 (3%)	196 (92%)	161 (80%)	196 (92%)	68 Medium
ADEN	60	9 (15%)	38 (97%)	24 (65%)	39 (85%)	82 High
AL BAYDA	174	13 (7%)	156 (97%)	102 (65%)	157 (98%)	71 Medium
AL HODEIDAH	484	10 (2%)	436 (94%)	222 (48%)	403 (86%)	75 Medium
AL JAWF	103	9 (9%)	87 (93%)	29 (32%)	88 (94%)	79 High
AL MAHARAH	67	12 (18%)	40 (73%)	34 (63%)	32 (58%)	66 Medium
AL MAHWIT	206	2 (<1%)	198 (99%)	92 (46%)	190 (94%)	59 Medium
AMRAN	311	3 (<1%)	303 (100%)	116 (39%)	304 (99%)	59 Medium
DHAMAR	445	5 (1%)	409 (96%)	411 (97%)	368 (84%)	52 Medium
HADRAMAWT	434	52 (12%)	324 (91%)	291 (87%)	308 (82%)	70 Medium
HAJJAH	395	33 (8%)	343 (96%)	208 (59%)	322 (90%)	67 Medium
IBB	410	11 (3%)	376 (96%)	132 (34%)	354 (89%)	57 Medium
LAHJ	266	16 (6%)	245 (98%)	167 (88%)	228 (91%)	61 Medium
MA'RIB	155	26 (17%)	117 (95%)	70 (57%)	114 (90%)	69 Medium
RAYMAH	154	3 (2%)	144 (97%)	126 (84%)	136 (90%)	74 Medium
SA'DAH	219	29 (13%)	160 (89%)	77 (47%)	154 (83%)	77 High
SANA'A	319	7 (2%)	308 (99%)	170 (55%)	295 (95%)	66 Medium
SANA'A CITY	82	4 (5%)	68 (99%)	37 (57%)	71 (92%)	78 High
SHABWAH	247	17 (7%)	212 (96%)	169 (97%)	207 (90%)	59 Medium
SOCOTRA	31	1 (3%)	28 (93%)	30 (100%)	29 (97%)	87 High
TA'IZ	536	33 (6%)	473 (95%)	325 (75%)	457 (91%)	64 Medium

* Absolute numbers and percentages of HSDUs with at least partial service availability, calculated relative to HSDUs expected to provide each service.

