



ADB Working Paper Series

**THE IMPACTS OF CLIMATE CHANGE
AND AIR POLLUTION ON CHILDREN'S
EDUCATION OUTCOMES:
EVIDENCE FROM VIET NAM**

Hai-Anh H. Dang, Minh N. N. Do,
and Cuong Viet Nguyen

No. 1464
July 2024

Asian Development Bank Institute

Hai-Anh H. Dang is a senior economist in the Living Standards Measurement Study Unit, Development Data Group, World Bank and is also affiliated with GLO, IZA, Indiana University, and the London School of Economics and Political Science. Minh N. N. Do is a visiting lecturer with the University of Economics and Business, Viet Nam National University, Ha Noi. Cuong Viet Nguyen is a researcher at the International School, Viet Nam National University, and Thang Long Institute of Mathematics and Applied Sciences (TIMAS), Thang Long University, Ha Noi, Viet Nam.

The views expressed in this paper are the views of the author and do not necessarily reflect the views or policies of ADBI, ADB, its Board of Directors, or the governments they represent. ADBI does not guarantee the accuracy of the data included in this paper and accepts no responsibility for any consequences of their use. Terminology used may not necessarily be consistent with ADB official terms.

Discussion papers are subject to formal revision and correction before they are finalized and considered published.

The Working Paper series is a continuation of the formerly named Discussion Paper series; the numbering of the papers continued without interruption or change. ADBI's working papers reflect initial ideas on a topic and are posted online for discussion. Some working papers may develop into other forms of publication.

The Asian Development Bank refers to "China" as the People's Republic of China and to "Russia" as the Russian Federation.

Suggested citation:

Dang, H.-A. H., M. N. N. Do and C. V. Nguyen. 2024. The Impacts of Climate Change and Air Pollution on Children's Education Outcomes: Evidence from Viet Nam. ADBI Working Paper 1464. Tokyo: Asian Development Bank Institute. Available: <https://doi.org/10.56506/VWFM1849>

Please contact the authors for information about this paper.

Email: hdang@worldbank.org, minh.nn.do@gmail.com, cuongnv@vnuis.edu.vn

We would like to thank Paul Glewwe, Daniel Suryadarma, Trong-Anh Trinh, and workshop participants at the Asian Development Bank Institute and Asian Development Bank's "Building Resilient Education Systems in Asia and the Pacific: Lessons from Past Disruptions" for their helpful feedback on earlier versions. We would also like to thank Trong-Anh Trinh for his excellent support with processing data for air pollution. We are grateful to the Asian Development Bank Institute for funding support.

Asian Development Bank Institute
Kasumigaseki Building, 8th Floor
3-2-5 Kasumigaseki, Chiyoda-ku
Tokyo 100-6008, Japan

Tel: +81-3-3593-5500
Fax: +81-3-3593-5571
URL: www.adbi.org
E-mail: info@adbi.org

© 2024 Asian Development Bank Institute

Abstract

Very few studies have examined the impacts of both climate change and air pollution on student education outcomes, particularly in a developing country setting. Analyzing a rich database consisting of household and school surveys, test scores, and temperature and air pollution data over the past decade for Viet Nam, we find that a 1 $\mu\text{g}/\text{m}^3$ increase in PM2.5 concentration in the month preceding exams leads to 0.015 and 0.010 standard deviation decreases in math and reading scores, respectively. We also find some indicative evidence of stronger impacts of air pollution for younger, primary school students who reside in urban areas and in districts with higher temperatures. While we find some mixed effects of temperature, we do not find significant effects on students' test scores for temperature extremes and air pollution over the past 12 months. Our findings offer policy-relevant inputs for the country's ongoing efforts to fight air pollution.

Keywords: air pollution, climate change, weather extremes, education, Viet Nam

JEL Classification: O12, I10, Q53, Q54

Contents

1.	INTRODUCTION.....	1
2.	DATA SOURCES AND DESCRIPTIVE ANALYSIS.....	3
3.	ESTIMATION METHOD.....	5
4.	EMPIRICAL RESULTS	8
4.1	Impacts of Temperature Extremes and Air Pollution.....	8
4.2	Heterogeneous Effects.....	13
4.3	Robustness Checks	13
4.4	Mechanism.....	15
5.	CONCLUSIONS	18
	REFERENCES	19
	APPENDIX A: ADDITIONAL FIGURES AND TABLES	23

1. INTRODUCTION

Warmer temperatures could negatively affect economic growth and labor productivity (Dell, Jones, and Olken 2012; Somanathan et al. 2021), as well as increasing global poverty (Dang, Hallegatte, and Trinh 2024). Recent studies suggest that heat exposure lowers school attendance and reduces the cognitive skills of students in the US and many countries around the world (Graff Zivin, Hsiang, and Neildell 2018; Park et al. 2020; Park, Behrer, and Goodman 2021). At the same time, there is also an increasing concern that air pollution can impede cognitive function (Zhang, Chen, and Zhang 2018; La Nauze and Severnini 2021; Conte Keivabu and Rüttenauer 2022). Yet, the literature on the impact of climate change on children's education outcomes in a poorer country context is still growing. Furthermore, little, if any, literature exists on whether *both* climate change and air pollution could exert even more harmful impacts on children's education outcomes in developing countries.

We make several new contributions in this paper. First, we offer the first study to assess the impacts of temperature change (including weather extremes) and air pollution on children's education in a developing country context. Our country of analysis—Viet Nam—presents an interesting case study that is susceptible to climate change and fast-rising air pollution at the same time. The World Bank and the Asian Development Bank (2021), in a joint report, consider Viet Nam to rank among the five countries in the world likely to be most affected by climate change. Among other concerns, rising temperatures could cause negative health outcomes, particularly for poorer communities and outdoor laborers.

On the other hand, the country's average annual concentration of PM_{2.5} (fine particulate matter consisting of particles that are 2.5 microns or less in diameter) has been four to five times higher than the World Health Organization's (WHO) safety threshold of 10 $\mu\text{g}/\text{m}^3$ (micrograms of PM_{2.5} particles per cubic meter of air volume) (World Bank 2022). The PM_{2.5} concentration trend has also been observed to exceed the global average for the past 20 years and to be similar to that of the People's Republic of China (PRC)—a country well-known for high levels of air pollution (Dang and Trinh 2022). Given the alarmingly high air pollution in some cities, Viet Nam's Ministry of Health recently encouraged primary schools and kindergartens to temporarily close if air quality reached dangerous levels for three successive days (Nam Phuong 2024).¹

Second, the data that we analyze are nationally representative while most previous studies have focused on population subgroups. We analyze a rich database that we construct from multiple sources, including household surveys, school surveys, and student cognitive test scores, in combination with temperature and air pollution data spanning the past decade for the country.

While we do not find significant effects of temperature extremes or air pollution on educational outcomes, including school enrollment and the number of completed grades for children under 18, we observe *short-term impacts* of low temperatures and air pollution on students' cognitive abilities, as measured by math and literature scores. Specifically, using wind directions to instrument for air pollution endogeneity, our IV

¹ The monetary costs of air pollution were estimated to range between 1 and 3.9 % of Viet Nam's GDP in 2020 (World Bank 2022) and more than 60,000 deaths in the country were linked to air pollution in 2016 (WHO 2018a). Furthermore, Viet Nam's major urban areas can have exceptionally high seasonal pollution levels (Phung et al. 2016; Khuc, Nong, and Vu 2022; World Bank 2022). For example, the capital city, Hanoi, was even reported to be the most air-polluted city in the world in late 2023 (SGGP News 2023).

estimation results suggest that a 1 $\mu\text{g}/\text{m}^3$ increase in the monthly concentration of PM_{2.5} in the month preceding exams (equivalent to 3.9% of the country's 2019 average) leads to a decrease of 0.035 and 0.029 standard deviations in math and literature scores, respectively. While high temperatures do not significantly affect test scores, an additional day with temperatures below the 5th percentile in the temperature distribution results in an increase of 0.015 and 0.010 standard deviations in math and literature scores, respectively. Yet, no significant effects are found for temperature extremes and air pollution over the past 12 months on students' test scores. These results further highlight the importance of boosting the country's fight against the harmful effects of air pollution and global warming, at least in the short term.

We also find some evidence suggesting that there are stronger impacts of air pollution for primary students (compared to lower-secondary students), in urban areas (compared to rural areas), and in districts with higher temperatures, particularly in the Southeast and Mekong River Delta regions. But we do not find different effects for boys and girls or between the major Kinh ethnic groups and minor ethnic groups.

Our findings add to two separate literatures: one on the impacts of air pollution and the other on the impacts of global warming on education outcomes in developing countries. We review several recent studies that are most related to our study. With regard to the first literature, Zhang, Chen, and Zhang (2018) find that long-term exposure to air pollution reduces verbal and math test performance among Chinese individuals, and there are stronger effects on verbal tests as people age, especially for men and the less educated. Studying data on students' English test scores from three major universities in three different cities in the PRC, Deng et al. (2023) observe considerable harmful effects of transitory exposure to air pollution during exams on student cognitive performance. These results concur with those from Yao et al. (2023), who examine a larger sample of students from 22 universities across the PRC. Analyzing data from 18 cities in 13 provinces in the PRC, Chen (2024) finds that a 1 milligram decrease in both prenatal and postnatal exposure to total suspended particulates is associated with an increase of 6.41 standard deviations in literature scores and 4.21 standard deviations in math scores for students aged six and 19.

Analyzing data on students' college entrance examination scores in two Brazilian states, São Paulo and Rio de Janeiro, between 2015 and 2017, Carneiro, Cole, and Strobl (2021) find negative impacts of air pollution (as measured by PM₁₀) on test scores. Further studying infants born during the period 2001–2008 in São Paulo state, Brazil, Carneiro et al. (2024) find that an increase of 1 $\mu\text{g}/\text{m}^3$ of PM_{2.5} due to agricultural burning during pregnancy reduces Portuguese and Math scores by 0.2–0.3 standard deviations, with boys more negatively impacted than girls. Balakrishnan and Tsaneva (2021) examine data from rural India and find that high levels of contemporaneous air pollution reduce reading outcomes by 1.11–2.39 percentage points and math outcomes by 0.53–1.90 percentage points, with more decreases for girls and older children. An earlier study by Graff Zivin et al. (2020) also finds negative impacts of agricultural fires on Chinese students' college entrance examination scores but does not offer precise estimates on the causal impacts of air pollution due to a lack of pollution data.²

As regards the second literature, there appear to be fewer studies on developing countries. Specifically, Hu and Li (2019) find that Chinese adults who had one additional high-temperature day during the *in utero* period accomplish 0.02 fewer years of schooling, are 0.18% more likely to be illiterate, and achieve lower standardized word-test scores by 0.48%.

² Examining data from Indonesia, Jayachandran (2009) finds that prenatal exposure to air pollution caused by forest fire could increase under-three mortality by as much as 20%.

Analyzing India-wide student test scores, Garg, Jagnani, and Taraz (2020) find that 10 extra days with an average daily temperature above 29°C (relative to 15°C–17°C) result in decreases of 0.03 and 0.02 standard deviations in math and reading test performance, respectively. Most recently, examining PISA (Programme for International Student Assessment) test scores from 58 developed and developing countries between 2000 and 2015, Park, Behrer, and Goodman (2021) observe that students have worse test scores on hotter days.

This paper consists of five sections. We describe the various datasets that we analyze in the second section. We lay out the analytical framework in Section 3 before discussing the estimation results in Section 4. We finally conclude in Section 5.

2. DATA SOURCES AND DESCRIPTIVE ANALYSIS

In this study, we construct a rich database from four main data sources. The first dataset comprises student test scores collected by the Mekong Development Research Institute (MDRI) with technical support from the World Bank and different universities, including the University of Minnesota and University College London, under the Viet Nam Escuela Nueva (VNEN) project and the Research on Improving Systems of Education (RISE) project for Viet Nam.³ The data include test scores in mathematics and reading for primary and lower-secondary students, spanning Grades 2 to 7.⁴ We analyze data from 39,033 students, which were collected between 2013 and 2019. Appendix Table A.1 presents the number of observations by years and grades. The dataset contains unbalanced panel data on approximately a third of students. Specifically, a portion of students in Grade 3 in 2013 was followed up in 2014 and 2015. Table 1 presents the average math and reading scores for each survey round. It should be noted that the test scores are not comparable across years, as the grade levels of students vary over the years.

Table 1: Average Math and Reading Test Scores by Survey Year

Year	The Math Score	The Reading Score
2013	15.1 (0.1)	22.0 (0.1)
2014	12.3 (0.1)	18.6 (0.1)
2015	14.3 (0.1)	20.5 (0.1)
2017	13.1 (0.1)	14.1 (0.1)
2018	15.2 (0.1)	18.8 (0.2)
2019	13.0 (0.1)	14.4 (0.2)

Note: The standard errors of the means are in parentheses.

Source: Estimation using data from the VNEN and RISE projects.

³ For more information on the VNEN data, see Dang et al. (2022).

⁴ In Viet Nam, children start primary school at the age 6. Those aged 7 may be in either grade 1 or 2, depending on whether the month of the tests is before or after September. In our sample, most children are between 7 and 12 years old. This is because the tests were conducted in November and December for children in grades 2 and 7. Additionally, tests were administered in April and May for students in other grades.

The second dataset includes five rounds of the Viet Nam Household Living Standard Surveys (VHLSSs) from 2010 to 2018, which were biennially conducted by the General Statistics Office of Viet Nam. Each VHLSS round samples around 9,400 households from 3,000 communes across the country and collects consumption, demographics, education, and other data on individuals, households, and communes. Educational data include children's school enrollment and completed grades, as well as household expenditures on various educational items. Table 2 presents the educational variables for children aged 6–17. It shows that the enrollment rate increased from 92% to 96% during the 2010–2018 period. The average number of completed grades hovered around 4.3 in this period.

Table 2: School Outcomes of Children Aged 6–15 in VHLSSs

Year	The School Enrollment Rate (%)	The Number of Completed Grades
2010	92.0 (0.3)	4.3 (0.0)
2012	92.4 (0.3)	4.2 (0.0)
2014	94.0 (0.3)	4.2 (0.0)
2016	95.5 (0.3)	4.3 (0.0)
2018	95.6 (0.3)	4.3 (0.0)

Note: The standard errors of the means are in parentheses.


Source: Estimation using data from VHLSSs 2010–2018.

The third dataset comprises temperature and precipitation data, which are provided by Viet Nam's Institute of Meteorology, Hydrology, and Climate Change. The dataset includes daily precipitation as well as the minimum, mean, and maximum temperatures for each day. The daily average temperature and precipitation are estimated at the district level and merged with survey data using information on the district and interview years and months.⁵ In Panel A of Figure 1, we show the daily temperature of districts averaged for each year from 2010 to 2021. The average daily temperature was around 25.0 °C during this period (with the lowest temperature being 24.0°C in 2011 and the highest temperature being 25.5°C in 2019).

The fourth dataset contains the air pollution data that we compile from the Sentinel-5P/TROPOMI (S5P) instrument of the European Union's Copernicus program. The S5P satellite uses a spatial resolution of 5.5 km and provides global coverage of air pollution measured by PM_{2.5}. Panel B of Figure 1 presents the monthly PM_{2.5} averaged across districts and months. The average PM_{2.5} increased from 19.2 µg/m³ in 1999 to a peak of around 31 µg/m³ in the 2008–2012 period and has then tended to decrease to around 25 µg/m³ in recent years.

⁵ Today, Viet Nam has 63 provinces covering 705 districts.

Figure 1: Average Temperature and Air Pollution Over Time



Note: This figure presents the daily mean temperature and the monthly PM2.5 of districts averaged over a year.

In terms of temperatures, Viet Nam, a tropical country, features two distinct climatic regions. Northern Viet Nam experiences four seasons with varying temperatures and precipitation. Winters are significantly cooler and drier than summers. In contrast, southern Viet Nam has just two seasons: a dry season from November to April and a rainy season from May to October. Appendix Figure 2 shows temperature variations across months, with June having the highest and January the lowest average temperature.

Finally, we use monthly wind speed and wind direction data, which are processed from the North American Regional Reanalysis (NARR) database. The wind conditions are recorded on a 32-by-32-kilometer grid, presenting vector pairs for both east-west (u-component) and north-south (v-component) wind directions. Following the method of Deryugina et al. (2019), we interpolate between grid points to estimate daily u- and v-components for all districts in Viet Nam. Then, we transform the average u- and v-components into wind direction and wind speed.

3. ESTIMATION METHOD

We first estimate the short-term effects of temperature extremes and air pollution on cognitive ability, which are measured by math and reading test scores. Specifically, we estimate the following regression:


$$y_{idmy} = \theta_0 + \sum_{j=1}^k \beta_j Temp_{dmy} + \theta_1 PM_{2.5,dmy} + X_{idmy} \theta_2 + T_{my} + D_d + \varepsilon_{idmy}, \quad (1)$$

where y_{idmy} is the (math or reading) test score of student i in district d in month m and year y (when the test was conducted). $Temp_{dmy}$ denotes variables indicating the number of days in a district-month with the daily mean temperature falling in different corresponding bins. To ease interpretation, we normalize the test scores so that they have a zero mean and a standard deviation of one. Air pollution is measured by $PM_{2.5,dmy}$, the average level of PM2.5 in month m in year y . X_{idmy} is a vector of control variables including both student-level and district-level variables. These include age

and gender of students, a dummy variable indicating the major Kinh ethnic group,⁶ a dummy variable indicating urban residence, the yearly temperature, monthly precipitation, monthly wind speed, monthly humidity, year-by-month fixed effects (T_{my}), and district fixed effects (D_d). Year-by-month fixed effects can address the seasonal effects of temperature and air pollution variables. We control for monthly precipitation, monthly wind speed, and monthly humidity, since these variables can affect both air pollution and the educational outcomes of students.

Our main variables of interest are temperature and air pollution. Following previous studies such as those by Deschenes and Greenstone (2011), Barreca et al. (2016), Deryugina and Hsiang (2017), and Mullins and White (2020), we classify days within a month into different temperature bins. According to the WHO (2018b), the range of minimum risk for higher temperatures is between 15°C and 30°C. For the case of Viet Nam, we construct seven temperature bins in degrees Celsius as follows: 0–15; 15–18; 18–21; 21–24; 24–27; 27–30; 30+. Figure 2, Panel A presents the average number of days per year with daily mean temperatures falling into seven bins for the 2000–2019 period. Most of the days have temperatures of between 15°C and 30°C. On average, only 16 days have a temperature below 15°C and 19 days have a temperature above 30°C.

Figure 2: Bins of Daily Temperature and Temperature Extremes



Note: This figure presents the average number of days per year in different temperature bins averaged across districts and the 2010–2019 period.

Note: This figure shows the average number of days per year below the 5th and those above the 95th percentile of the district-specific temperature distribution during the 2000–2019 period.

In addition to temperature bins, we also consider temperature extremes as measured by abnormally warm weather. Most studies use a threshold of a given percentile such as the 90th and 95th percentile of the temperature distribution of a specific location (see, for example, Perkins (2015)). Using common or absolute temperature thresholds may not be appropriate in a country with varying climates (Anderson and Bell 2009; Kent et al. 2014), since people in warm areas are familiar with high temperatures and have adapted to them. The impact of a 30°C temperature may be more pronounced in

⁶ There are 54 ethnic groups in Viet Nam. Vietnamese Kinh people accounted for around 85% of the population of Viet Nam in the 2019 census. Compared with other ethnic minorities, Kinh people have higher living standards and are more likely to reside in delta regions.

colder regions than in warmer ones. Consequently, we opt for relative temperature thresholds, which are considered more exogenous. We define the temperature extremes that a district is exposed to by the number of days within a month or a year that are below the 5th or above the 95th percentile of the temperature distribution of a district during the 2000–2019 period. Figure 2, Panel B presents the average number of days per year below the 5th percentile and those above the 95th percentile of the district-specific temperature distribution during the 2000–2019 period.

We estimate the effects of temperature extremes on children’s education using the following equation:

$$y_{idmy} = \gamma_0 + \gamma_1 Low_{idmy} + \gamma_2 High_{idmy} + \gamma_3 PM_{2.5,dmy} + X_{idmy}\gamma_4 + T_{my} + D_d + u_{idmy}, (2)$$

where Low_{idmy} and $High_{idmy}$ denote the number of days with low and high temperatures in district d in month m and year y , respectively. These “low temperature” and “high temperature” measurements are based on the number of days in the preceding month with temperatures falling below the 5th percentile and exceeding the 95th percentile, respectively, of the daily temperature distribution within the same district during the period 2000–2019.

One problem with estimating the impacts of air pollution is its endogeneity. Widely used instruments for air pollution are thermal or temperature inversions (Arceo, Hanna, and Oliva 2016; Jans, Johansson, and Nilsson 2018; He, Liu, and Salvo 2019; Deschenes et al. 2020; Chen, Oliva, and Zhang 2022; Xie, Yuan, and Zhang 2023), and wind patterns consisting of wind directions (Deryugina et al. 2019; Heyes and Zhu 2019; Rangel and Vogl 2019; Isphording and Pestel 2021; Li and Meng 2023; Austin et al. 2023). We use wind directions as the instrumental variable for air pollution. We construct binary variables for wind direction, classifying them into eight bins: [0, 45) and [45, 90) degrees for the east; [90, 135) and [135, 180) degrees for the south; [180, 225) and [225, 270) degrees for the west; and [270, 315) and [315, 360) degrees for the north. The advantage of the instrumental variable (IV) approach is that it does not require controlling for the sources of air pollution (Deryugina et al. 2019). Given that we control for district fixed effects as well as year-by-month fixed effects, we expect that the wind directions are exogenous.

We use Equations (1) and (2) to estimate the effects of temperature extremes and air pollution on the test scores of students, using the data from the VNEN and RISE projects. We matched climate and air pollution data with student data at the district level, based on the months and years when students took the tests. To measure the effects on school enrollment and children’s grades, we use data from VHLSSs. It should be noted that VHLSS data on children’s school enrollment and grades are collected using the 12-month reference period. Thus, we measure the effects of the temperature extremes and the air pollution intensity during the past 12 months on the school enrollment and the number of completed grades of children. We matched climate and air pollution data with VHLSS data based on the districts of household residence and the months and years of their interviews.

We cluster standard errors at the primary sampling unit level (Abadie et al. 2023), which is the school level for the data from the VNEN and RISE projects and the commune level for the VHLSS data. For robustness checks, we use heteroscedasticity-robust standard errors and robust standard errors clustered at the district level.

4. EMPIRICAL RESULTS

4.1 Impacts of Temperature Extremes and Air Pollution

We start with the short-term effects of temperature extremes and air pollution on students' math and reading test scores. For each dependent variable, we employ two models corresponding to Equations (1) and (2): Model 1 to estimate the effects of temperature bins and Model 2 to estimate the effects of temperature extremes.

Air pollution is instrumented by wind directions, and the instrument needs to be strongly correlated with air pollution. Table A.2 in the Appendix presents the first-stage regression of air pollution on wind directions and other control variables in the sample of students from the VNEN and RISE data. Additionally, Appendix Tables A.3 and A.4 report the first-stage regression of air pollution for the samples of children and households in the VHLSS data. All the results show a strong correlation between the wind direction dummy variables and air pollution. The tables also present the Cragg-Donald Wald F statistics and effective F statistics using the approach of Olea and Pflueger (2013) to examine a potential weak IV issue (Staiger and Stock 1997; Kleibergen and Paap 2006). The test statistics are very high, thus supporting the strength of the IV.

Table 3 shows that air pollution has negative and statistically significant effects on math and reading test scores. The point estimates of air pollution are higher in models controlling for temperature bins. Specifically, Columns 1 and 2 show that a 1 $\mu\text{g}/\text{m}^3$ increase in the monthly concentration of PM_{2.5} in the month preceding exams (equivalent to 3.9% of the country's 2019 average) leads to a decrease of 0.015 and 0.010 standard deviations in math and reading scores, respectively. Our results are consistent with recent studies such as those by Amanzadeh, Vesal, and Ardestani (2020), Balakrishnan and Tsaneva (2021), and Carneiro, Cole, and Strobl (2021), which show that air pollution negatively impacts the cognitive performance of students.⁷

For comparison, we present the OLS regressions of test scores on air pollution and temperature extremes in Table A.5 in the Appendix. It shows a negative and statistically significant correlation between air pollution and the standardized math scores (Columns 1 and 3). The correlation between air pollution and the standardized reading scores is small and not statistically significant. This indicates that our 2SLS estimates are larger than the OLS estimates, suggesting a downward bias in the OLS estimates. While there can be various omitted variables that we do not fully control for in the regressions, children's health may be one possible channel leading to this bias. This assumes that children's health is positively correlated with their test scores, and air pollution has negative effects on children's health.⁸ We return to more discussion in Section 4.4.

⁷ Amanzadeh, Vesal, and Ardestani (2020) find that a 1 standard deviation increase in PM_{2.5} reduces the test scores of students in Iran by 0.029 standard deviations. Carneiro, Cole, and Strobl (2021) show that a 10 $\mu\text{g}/\text{m}^3$ increase in PM₁₀ on the examination day decreases entrance university scores in Brazil by 6.1 points (8% SD). Balakrishnan and Tsaneva (2021) find that a 1 $\mu\text{g}/\text{m}^3$ increase in PM_{2.5} reduces the math and reading outcomes of Indian students (aged 5–16) by 0.53–1.90 percentage points and 1.11–2.39 percentage points, respectively.

⁸ Recent studies suggest that air pollution is harmful to brain development and could affect cognitive abilities (Suglia et al. 2008; Wang et al. 2009; Livingston et al. 2017; Marcotte 2017; Chandra et al. 2022). A lower cognitive ability can subsequently lead to reduced test scores among students.

Table 3: 2SLS Regressions of Students' Test Scores

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0146*** (0.0048)	-0.0100** (0.0048)	-0.0152*** (0.0046)	-0.0115** (0.0046)
Number of days 0°C–15°C	0.0112*** (0.0039)	0.0085** (0.0039)		
Number of days 15°C–18°C	0.0002 (0.0026)	0.0059** (0.0024)		
Number of days 18°C–21°C	0.0001 (0.0028)	0.0042 (0.0027)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	-0.0035 (0.0024)	-0.0006 (0.0022)		
Number of days 27°C–30°C	-0.0010 (0.0031)	0.0004 (0.0031)		
Number of days 30°C +	-0.0049 (0.0064)	-0.0058 (0.0067)		
Number of days below the 5th percentile of daily temperature			0.0171*** (0.0037)	0.0102*** (0.0039)
Number of days above the 95th percentile of daily temperature			0.0021 (0.0041)	0.0040 (0.0044)
Gender (boy = 1, girl = 0)	-0.0790*** (0.0117)	-0.2926*** (0.0108)	-0.0788*** (0.0118)	-0.2928*** (0.0108)
Age	1.1499*** (0.0993)	2.6234*** (0.2032)	1.1529*** (0.0999)	2.6234*** (0.2035)
Age squared	-0.0535*** (0.0052)	-0.1275*** (0.0107)	-0.0536*** (0.0052)	-0.1276*** (0.0107)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4676*** (0.0368)	0.4654*** (0.0389)	0.4643*** (0.0367)	0.4657*** (0.0389)
Urban areas (Urban = 1, rural = 0)	0.2795*** (0.0484)	0.2123*** (0.0369)	0.2805*** (0.0483)	0.2142*** (0.0368)
Monthly precipitation (mm)	0.0241** (0.0102)	0.0232** (0.0093)	0.0227** (0.0099)	0.0212** (0.0091)
Annual average temperature (°C)	-0.0377 (0.0502)	0.0257 (0.0496)	-0.1471*** (0.0541)	-0.0407 (0.0554)
Monthly wind speed	0.0164 (0.0147)	0.0200 (0.0161)	0.0027 (0.0156)	0.0119 (0.0171)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-4.4828*** (1.3977)	-12.7417*** (1.6435)	-1.6863 (1.5684)	-10.8577*** (1.8250)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

In regard to the effects of temperature, we do not observe significant impacts of high temperatures on test scores. However, we find positive effects of low temperatures on test scores. Compared with the 21°C–24°C reference bin, an additional day with a temperature below 15°C is associated with a 0.011 increase in the standard deviation of math scores and a 0.009 increase in the standard deviation of reading scores (as reported in Columns 1 and 2 of Table 3). Estimates from the analysis of temperature extremes also yield consistent findings. An increase of one day with temperatures below the 5th percentile in the temperature distribution results in an increase of 0.015 and 0.010 standard deviations in math and reading scores, respectively. We further interact air pollution and temperature extremes, but the estimates on the interaction terms are not statistically significant (not shown).

Table 3 also reveals several interesting findings regarding the relationship between test scores and the explanatory variables. Older children tend to achieve higher test scores than younger ones, while boys typically outperform girls. Notably, the gender gap in reading scores is more significant than in math. Boys score 0.079 standard deviations lower in math and 0.293 standard deviations lower in reading than girls (Columns 1 and 2). As expected, Kinh and urban students have significantly higher scores than ethnic minority and rural students. Furthermore, students in districts with higher annual precipitation achieve higher test scores than those in districts with lower annual precipitation.

In Table 4, we examine the medium-term effects of air pollution by estimating the PM_{2.5} concentration over the past three months and the past 12 months on the test scores in the current month. Both regression models (using temperature bins and temperature extremes) reveal negative effects of the air pollution concentration during the past three months. Specifically, Columns 1 and 2 indicate that a 1 $\mu\text{g}/\text{m}^3$ increase in the concentration of PM_{2.5} in the three months preceding exams results in a decrease of 0.014 and 0.022 standard deviations in math and reading scores, respectively. However, air pollution concentration during the past 12 months does not have significant impacts on the test scores. This finding suggests a shorter-term rather than a longer-term effect of air pollution on students' test scores.

Table 5 reports 2SLS estimates of the impacts of temperature extremes and air pollution on school enrollment and the number of completed grades of children aged 6–17 using VHLSS data.⁹ We measure temperature and air pollution over the past 12 months, as opposed to the previous month, as in Table 3. We do not find any significant effects of temperature or air pollution on educational attainment. Viet Nam is a country with very high school enrollment. As a result, temperature and air pollution shocks might only affect students' cognitive performance in the short term but not their school enrollment. This is consistent with the finding that there are no significant effects of air pollution intensity during the past 12 months on student test scores. Children living in districts with lower temperatures have a lower probability of school enrollment. However, the effects of temperature extremes on both school enrollment and school grades are not statistically significant (Column 3 and 4 in Table 5).

⁹ OLS regressions reported in Table A.6 in the Appendix.

Table 4: 2SLS Regressions of Students' Test Scores: Medium-Term Effects

Explanatory Variables	Panel A. The Effect of Intensity of Air Pollution and Temperature During the Past 3 Months				Panel B. The Effect of Intensity of Air Pollution and Temperature During the Past 12 Months			
	(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
PM2.5 (µg/m ³)	-0.0135* (0.0072)	-0.0217*** (0.0080)	-0.0140** (0.0062)	-0.0187*** (0.0069)	0.0120 (0.0197)	0.0164 (0.0202)	0.0153 (0.0168)	0.0115 (0.0173)
Number of days 0°C–15°C	0.0017 (0.0029)	-0.0009 (0.0032)	0.0011 (0.0047)	0.0011 (0.0047)	0.0011 (0.0047)	-0.0036 (0.0047)	0.0011 (0.0047)	0.0011 (0.0047)
Number of days 15°C–18°C	0.0018 (0.0030)	0.0041 (0.0033)	0.0041 (0.0033)	0.0041 (0.0033)	-0.0007 (0.0029)	-0.0032 (0.0028)	-0.0007 (0.0029)	-0.0007 (0.0028)
Number of days 18°C–21°C	-0.0012 (0.0023)	-0.0041* (0.0024)	-0.0041* (0.0024)	-0.0041* (0.0024)	0.0019 (0.0017)	-0.0010 (0.0016)	0.0019 (0.0017)	-0.0010 (0.0016)
Number of days 21°C–24°C	0	0	0	0	0	0	0	0
Number of days 24°C–27°C	-0.0025 (0.0019)	-0.0055** (0.0023)	-0.0025 (0.0023)	-0.0055** (0.0023)	0.0019 (0.0023)	-0.0006 (0.0022)	0.0019 (0.0023)	-0.0006 (0.0022)
Number of days 27°C–30°C	-0.0002 (0.0025)	-0.0042 (0.0029)	-0.0042 (0.0029)	-0.0042 (0.0029)	0.0041 (0.0029)	0.0021 (0.0029)	0.0041 (0.0029)	0.0021 (0.0029)
Number of days 30°C +	0.0003 (0.0053)	-0.0108* (0.0059)	-0.0108* (0.0059)	-0.0108* (0.0059)	0.0045 (0.0036)	0.0001 (0.0037)	0.0045 (0.0036)	0.0001 (0.0037)
Number of days below the 5th percentile of daily temperature			0.0131*** (0.0035)	0.0066* (0.0039)			0.0015 (0.0014)	-0.0005 (0.0015)
Number of days above the 95th percentile of daily temperature			0.0047 (0.0032)	0.0054 (0.0035)			-0.0013 (0.0014)	0.0005 (0.0013)
Control variables	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Constant	-2.8767* (1.7439)	-9.6929*** (2.0243)	-1.8081 (2.0098)	-9.0272*** (2.3924)	-4.8937** (2.3492)	-13.6756*** (2.4333)	-7.5083*** (2.3997)	-13.9410*** (2.5714)
Observations	39,033	39,033	39,033	39,033	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

The control variables are the same as those in Table 3.

Source: Estimation using data from the VNEN and RISE projects.

Table 5: 2SLS Regressions of School Enrollment and Completed Grades

Explanatory Variables	Dependent Variables			
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0009 (0.0044)	0.0230 (0.0148)	0.0013 (0.0038)	0.0206 (0.0125)
Number of days 0°C–15°C	–0.0013* (0.0007)	–0.0015 (0.0026)		
Number of days 15°C–18°C	–0.0012** (0.0005)	–0.0021 (0.0018)		
Number of days 18°C–21°C	–0.0010*** (0.0003)	–0.0011 (0.0011)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	0.0001 (0.0002)	–0.0001 (0.0008)		
Number of days 27°C–30°C	0.0004 (0.0003)	–0.0010 (0.0010)		
Number of days 30°C +	0.0009** (0.0005)	0.0007 (0.0017)		
Number of days below the 5th percentile of daily temperature			0.0001 (0.0003)	–0.0004 (0.0011)
Number of days above the 95th percentile of daily temperature			0.0001 (0.0002)	–0.0007 (0.0009)
Gender (boy = 1, girl = 0)	–0.0149*** (0.0033)	–0.0633*** (0.0127)	–0.0149*** (0.0033)	–0.0632*** (0.0127)
Age	0.1029*** (0.0050)	0.9971*** (0.0147)	0.1029*** (0.0050)	0.9964*** (0.0147)
Age squared	–0.0056*** (0.0002)	–0.0030*** (0.0007)	–0.0056*** (0.0002)	–0.0030*** (0.0007)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0722*** (0.0087)	0.3518*** (0.0396)	0.0721*** (0.0087)	0.3506*** (0.0396)
Urban areas (Urban = 1, rural = 0)	0.0166*** (0.0051)	0.0512** (0.0215)	0.0164*** (0.0051)	0.0504** (0.0216)
Annual precipitation (mm)	–0.0000 (0.0018)	0.0050 (0.0068)	–0.0003 (0.0018)	0.0037 (0.0066)
Annual average temperature (°C)	–0.0465** (0.0207)	–0.0322 (0.0735)	–0.0039 (0.0115)	–0.0153 (0.0421)
Annual wind speed	0.0084 (0.0061)	0.0226 (0.0245)	0.0087 (0.0061)	0.0210 (0.0247)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	1.6320*** (0.5492)	–5.8436*** (1.9036)	0.5524 (0.4016)	–6.3402*** (1.3995)
Observations	26,558	26,558	26,558	26,558

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

4.2 Heterogeneous Effects

In this section, we examine the heterogeneous effects of air pollution by running regressions of math and reading test scores on air pollution concentration, using the model specification in Equation (1) for different student subgroups (Columns 1 and 2 in Table 3). Figure 3 graphs the estimates and the 95% confidence interval of the air pollution variable in these regressions (the full regression results are reported in Tables A.7 to A.14 in the Appendix). The heterogeneous effects on the math scores (Panel A of Figure 3) are quite similar to those on the reading scores (Panel B of Figure 3). For interpretation purposes, we use the results for the math scores.

Air pollution has similar (negative) effects on both boys and girls. Importantly, it appears to adversely affect primary students (aged 10 and below) more than lower-secondary ones (aged above 10). The effects on students above 10 years old are of very small magnitude and not statistically significant. In terms of area, the impacts of air pollution tend to be higher in urban than in rural areas. The point estimates of air pollution on the test scores of Kinh and ethnic minority students are quite similar and both negative. However, the estimated impacts on ethnic minority students are statistically significant, while those on Kinh students are not.

We also estimate the effects of air pollution on test scores based on the months when students took the tests. The effects do not vary significantly here. Next, we divide the sample of students according to the average temperature of their districts. We observe that the impacts of air pollution tend to be higher in districts with higher temperatures. Generally, districts with high temperatures tend to be located in the Southeast and Mekong River Delta regions. This aligns with the heterogeneous analysis by regions, in which we find substantial effects of air pollution on student test scores in the Mekong River Delta and small effects on the northern mountain region (a low-temperature region).


4.3 Robustness Checks

We conduct a number of robustness checks to examine the sensitivity of the estimation results. Firstly, we assess whether the estimates are sensitive to different control variables. In Tables A.15 and A.16 in the Appendix, we employ a model without controlling for explanatory variables (demographic characteristics of students and meteorological variables). The estimated effects of air pollution are very similar to those in the previous tables.

Secondly, we attempt to control for province-specific time trends, allowing for these trends in the outcome variables. Table A.17 in the Appendix demonstrates that controlling for province-specific time trends yields similar estimates of air pollution impacts to those in Table 3 (without province-specific time trends). It should be noted that we do not use the results from Table A.17 for the main interpretation, as controlling for province-specific time trends may obscure the effects of the main intervention (Wolfers 2006; Baum-Snow and Lutz 2011).

Thirdly, we examine whether the estimation results of air pollution are sensitive to the classification of wind direction bins. For the main analysis, we construct binary variables indicating eight wind direction bins. As a robustness check, we create four binary variables for wind directions: [0, 90) degrees for the east; [90, 180) degrees for the south; [180, 270) degrees for the west; and [270, 360) degrees for the north. The 2SLS regressions using these wind direction bins are reported in Table A.18 in the Appendix, showing similar estimates to those in Table 3.

Figure 3: The Heterogeneous Effect of Air Pollution on Test Scores



Note: This figure graphs the estimates and their 90% confidence intervals of air pollution (PM2.5 (µg/m3)) in regressions of the standardized scores of students in different population subgroups of students. The model specification is the same as in Table 3.

Fourthly, we examine different methods for clustering standard errors, and the results consistently show strong levels of statistical significance. For the main interpretation, we cluster the standard errors at the primary sampling unit level (Abadie et al. 2023). We also examine traditional heteroscedasticity-robust standard errors (Appendix Table A.19) and cluster the standard errors at the district level (Appendix Table A. 20). The results also show negative and significant effects of air pollution and positive and significant effects of low temperatures on the test scores of students.

We also examine whether the effect of temperature bins is sensitive to different ways of defining bins. In addition to seven bins, we divide the temperature into five bins (0°C – 15°C ; 15°C – 20°C ; 20°C – 25°C ; 25°C – 30°C ; 30°C +) and three bins (0°C – 15°C ; 15°C – 30°C ; 30°C +). Table A.21 in the Appendix presents regressions of the test scores on these temperature bins. The table also shows positive and significant effects of low temperatures on the test scores of students. We conduct similar robustness analyses for the effects of air pollution and temperature extremes on the school enrollment and grades of children in the VHLSSs. The results, reported in Tables A.22 to A.26 in the Appendix, consistently show no statistically significant impacts of air pollution and temperature extremes on educational attainment.

4.4 Mechanism

Temperature extremes and air pollution can influence test scores through economic and health channels. In particular, elevated temperatures result in increased discomfort and fatigue, leading to a decline in labor productivity and income (e.g., Deryugina and Hsiang 2017; Somanathan et al. 2021). Climate change could cause damages to agricultural production and lower economic growth (Dell, Jones, and Olken 2012; Somanathan et al. 2021; Miller et al. 2021; Otrachshenko and Popova 2022). Air pollution has been found to decrease labor productivity at both the individual level and broader macro levels, even “when air quality is generally low” (Neidell 2023).

Although health data are not available in our dataset, there is some information on healthcare utilization by children in VHLSSs. In Table 6, we estimate the effects of air pollution and temperature extremes on the number of healthcare contacts and the logarithm of healthcare out-of-pocket expenditures for children aged 6–15. We do not find significant effects of air pollution and temperature extremes on the healthcare utilization of children. But we acknowledge that due to limitations on health data, we cannot explore the effects of air pollution and temperature extremes on children’s health indicators.

There is information on per capita income, per capita consumption expenditure, and per capita expenditure on education from VHLSS families. In Table 6, we estimate 2SLS regression of these outcome variables on air pollution and temperatures.¹⁰ Overall, we do not find significant effects of air pollution and temperatures on household income and consumption. The only positive effects observed are of high temperature extremes on per capita expenditure (Column 5 of Table 6). This suggests that the negative effects of air pollution and the positive effects of low temperatures on students’ test scores are unlikely to occur through economic channels.

¹⁰ Further robustness checks on these regressions are reported in Tables A.27–A.31 in the Appendix, using similar robustness procedures to the previous section.

Table 6: 2SLS Regressions of Healthcare Utilization of Children

Explanatory Variables	Dependent Variables			
	Number of Healthcare Contacts	Log of Healthcare Expenditure	Number of Healthcare Contacts	Log of Healthcare Expenditure
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0240 (0.0392)	-0.1072 (0.0870)	0.0195 (0.0332)	-0.1047 (0.0738)
Number of days 0°C–15°C	0.0008 (0.0065)	-0.0086 (0.0135)		
Number of days 15°C–18°C	-0.0021 (0.0042)	-0.0123 (0.0091)		
Number of days 18°C–21°C	0.0000 (0.0024)	-0.0028 (0.0056)		
Number of days 21°C–24°C				
Number of days 24°C–27°C	-0.0009 (0.0016)	0.0004 (0.0038)		
Number of days 27°C–30°C	-0.0026 (0.0026)	0.0031 (0.0047)		
Number of days 30°C +	0.0005 (0.0040)	0.0127 (0.0081)		
Number of days below the 5th percentile of daily temperature			0.0025 (0.0026)	0.0065 (0.0066)
Number of days above the 95th percentile of daily temperature			0.0018 (0.0019)	0.0052 (0.0039)
Gender of household head (male = 1, female = 0)	0.0463* (0.0237)	0.0245 (0.0513)	0.0454* (0.0236)	0.0258 (0.0513)
Age of household head	-0.1617*** (0.0328)	-0.0997 (0.0717)	-0.1627*** (0.0329)	-0.1019 (0.0716)
Age of household head squared	0.0045*** (0.0015)	0.0060* (0.0035)	0.0045*** (0.0015)	0.0061* (0.0035)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0459 (0.0495)	0.6396*** (0.1186)	0.0438 (0.0495)	0.6370*** (0.1182)
Urban areas (Urban = 1, rural = 0)	-0.0147 (0.0387)	-0.0100 (0.0815)	-0.0142 (0.0386)	-0.0128 (0.0815)
Annual precipitation (mm)	0.0130 (0.0150)	0.0651** (0.0319)	0.0114 (0.0144)	0.0653** (0.0315)
Annual average temperature (°C)	-0.0794 (0.1728)	-0.4317 (0.3475)	-0.1289 (0.0889)	-0.0390 (0.2232)
Annual average wind speed	0.0346 (0.0534)	-0.1601 (0.1187)	0.0441 (0.0531)	-0.1240 (0.1166)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	5.0499 (4.7348)	21.7693** (9.2723)	5.9791* (3.2122)	11.8773 (7.6256)
Observations	26,558	7,697	26,558	7,697

Note: The sample includes children aged 6–15.

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from VHLSSs 2010–2018.

Table 7: 2SLS Regressions of Per Capita Income and Consumption Expenditure

Explanatory Variables	Dependent Variables					
	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure
	(1)	(2)	(3)	(4)	(5)	(6)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0006 (0.0084)	0.0084 (0.0069)	0.0047 (0.0382)	-0.0043 (0.0071)	0.0080 (0.0058)	0.0039 (0.0324)
Number of days 0°C–15°C	-0.0012 (0.0016)	-0.0012 (0.0013)	-0.0033 (0.0074)			
Number of days 15°C–18°C	-0.0009 (0.0010)	-0.0005 (0.0009)	0.0028 (0.0048)			
Number of days 18°C–21°C	-0.0002 (0.0005)	-0.0002 (0.0004)	-0.0004 (0.0023)			
Number of days 21°C–24°C	0	0	0			
Number of days 24°C–27°C	0.0002 (0.0006)	-0.0004 (0.0005)	0.0008 (0.0028)			
Number of days 27°C–30°C	0.0003 (0.0007)	-0.0001 (0.0006)	0.0029 (0.0036)			
Number of days 30°C +	0.0008 (0.0011)	0.0014 (0.0009)	0.0022 (0.0053)			
Number of days below the 5th percentile of daily temperature				-0.0005 (0.0007)	0.0004 (0.0005)	0.0013 (0.0031)
Number of days above the 95th percentile of daily temperature				0.0006 (0.0005)	0.0012*** (0.0004)	0.0003 (0.0024)
Gender of household head (male = 1, female = 0)	0.0414*** (0.0098)	-0.0043 (0.0082)	0.4012*** (0.0511)	0.0414*** (0.0098)	-0.0044 (0.0082)	0.4009*** (0.0511)
Age of household head	0.0352*** (0.0018)	0.0295*** (0.0014)	-0.0130 (0.0100)	0.0353*** (0.0018)	0.0295*** (0.0014)	-0.0131 (0.0100)
Age of household head squared	-0.0003*** (0.0000)	-0.0003*** (0.0000)	-0.0007*** (0.0001)	-0.0003*** (0.0000)	-0.0003*** (0.0000)	-0.0007*** (0.0001)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4636*** (0.0213)	0.4837*** (0.0201)	0.8575*** (0.0767)	0.4636*** (0.0213)	0.4841*** (0.0201)	0.8592*** (0.0767)
Urban areas (Urban = 1, rural = 0)	0.2951*** (0.0160)	0.1967*** (0.0141)	0.5323*** (0.0577)	0.2951*** (0.0160)	0.1965*** (0.0141)	0.5317*** (0.0577)
Annual precipitation (mm)	0.0030 (0.0042)	0.0023 (0.0035)	-0.0029 (0.0198)	0.0019 (0.0041)	0.0024 (0.0035)	-0.0004 (0.0193)
Annual average temperature (°C)	-0.0451 (0.0419)	-0.0351 (0.0364)	0.0666 (0.1970)	-0.0333 (0.0265)	-0.0126 (0.0221)	0.1911 (0.1248)
Annual average wind speed	0.0008 (0.0144)	-0.0032 (0.0117)	-0.1110* (0.0669)	0.0012 (0.0146)	0.0025 (0.0118)	-0.1040 (0.0677)
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	10.4990*** (0.9661)	10.2599*** (0.8390)	5.8137 (4.5316)	10.3894*** (0.8401)	9.6240*** (0.7046)	3.2233 (3.9259)
Observations	41,743	41,743	41,743	41,743	41,743	41,743

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

5. CONCLUSIONS

We offer the first study to compare the impacts of temperature change (including weather extremes) and air pollution on children's education in Viet Nam, a developing country. Our findings suggest that air pollution has negative impacts on student cognitive skills, as measured by standardized test scores. Our results are consistent with the findings of recent studies. However, we do not find any significant impacts of air pollution on other educational outcomes, including school enrollment and the number of completed grades. The school enrollment rate may already be high in Viet Nam, and air pollution may deteriorate cognitive performance, but it does not reduce the school enrollment of children. We also find that extreme temperatures could significantly affect test scores. But we do not find any significant effects of temperature extremes and air pollution over the past 12 months on students' test scores.

Our findings have significant policy implications for Viet Nam and highlight the importance of the country's continued initiatives to combat air pollution and address climate change. While temperature extremes do not exert strong impacts on education, it is evident that air pollution negatively affects cognitive performance. Enhancing measures to control air quality can contribute to long-term improvements in students' cognitive performance and overall education achievement.

REFERENCES

- Abadie, A., S. Athey, G. W. Imbens, and J. M. Wooldridge. 2023. When Should You Adjust Standard Errors for Clustering? *Quarterly Journal of Economics* 138(1): 1–35.
- Amanzadeh, N., M. Vesal, and S. F. F. Ardestani. 2020. The Impact of Short-Term Exposure to Ambient Air Pollution on Test Scores in Iran. *Population and Environment* 41(3): 253–285.
- Anderson, G. B., and M. L. Bell. 2011. Heat Waves in the United States: Mortality Risk During Heat Waves and Effect Modification by Heat Wave Characteristics in 43 US Communities. *Environmental Health Perspectives* 119(2): 210–218.
- Arceo, E., R. Hanna, and P. Oliva. 2016. Does the Effect of Pollution on Infant Mortality Differ between Developing and Developed Countries? Evidence from Mexico City. *Economic Journal* 126(591): 257–280.
- Austin, W., S. Carattini, J. Gomez-Mahecha, and M. F. Pesko. 2023. The Effects of Contemporaneous Air Pollution on COVID-19 Morbidity and Mortality. *Journal of Environmental Economics and Management* 119: 102815.
- Balakrishnan, U., and M. Tsaneva. 2021. Air Pollution and Academic Performance: Evidence from India. *World Development* 146: 105553.
- Barreca, A., K. Clay, O. Deschenes, M. Greenstone, and J. S. Shapiro. 2016. Adapting to Climate Change: The Remarkable Decline in the US Temperature–Mortality Relationship over the Twentieth Century. *Journal of Political Economy* 124(1): 105–159.
- Baum-Snow, N., and Lutz, B. F. 2011. School Desegregation, School Choice, and Changes in Residential Location Patterns by Race. *American Economic Review* 101(7): 3019–3046.
- Carneiro, J., M. A. Cole, and E. Strobl. 2021. The Effects of Air Pollution on Students' Cognitive Performance: Evidence from Brazilian University Entrance Tests. *Journal of the Association of Environmental and Resource Economists* 8(6): 1051–1077.
- Carneiro, J., M. A. Cole, and E. Strobl. 2024. Foetal Exposure to Air Pollution and Students' Cognitive Performance: Evidence from Agricultural Fires in Brazil. *Oxford Bulletin of Economics and Statistics* 86(1): 156–186.
- Chandra, M. et al. 2022. Air Pollution and Cognitive Impairment Across the Life Course in Humans: A Systematic Review with Specific Focus on Income Level of Study Area. *International Journal of Environmental Research and Public Health* 19(3): 1405.
- Chen, S., P. Oliva, and P. Zhang. 2022. The Effect of Air Pollution on Migration: Evidence from China. *Journal of Development Economics* 156: 102833.
- Chen, Y. 2024. Early Exposure to Air Pollution and Cognitive Development Later in Life: Evidence from China. *China Economic Review* 83: 102098.
- Conte Keivabu, R., and T. Rüttenauer. 2022. London Congestion Charge: The Impact on Air Pollution and School Attendance by Socioeconomic Status. *Population and Environment* 43(4): 576–596.
- Cragg, J. G., and S. G. Donald. 1993. Testing Identifiability and Specification in Instrumental Variable Models. *Econometric Theory* 9(3): 222–240.


- Dang, H. A. H., and T. A. Trinh. 2022. The Beneficial Impact of COVID-19 Lockdowns on Air Pollution: Evidence from Vietnam. *Journal of Development Studies* 58(10): 1917–1933.
- Dang, H. A. H., S. Hallegatte, and T. A. Trinh. 2024. Does Global Warming Worsen Poverty and Inequality? An Updated Review. *Journal of Economic Surveys*. DOI: <https://doi.org/10.1111/joes.12636>.
- Dang, H. A., P. Glewwe, J. Lee, and K. Vu. 2022. The Impact Evaluation of Vietnam's Escuela Nueva (New School) Program on Students' Cognitive and Non-cognitive Skills. IZA Discussion Paper No. 15005.
- Dell, M., B. Jones, and B. Olken. 2012. Temperature Extremes and Economic Growth: Evidence from the Last Half Century. *American Economic Journal: Macroeconomics* 4(3): 66–95.
- Deng, H., R. Du, D. Guo, W. Sun, and Y. Xia. 2023. High-Stakes Examinations and Educational Inequality: Evidence from Transitory Exposure to Air Pollution. *Economic Inquiry* 61(3): 546–571.
- Deryugina, T., and S. Hsiang. 2017. *The Marginal Product of Climate* (No. w24072). National Bureau of Economic Research.
- Deryugina, T., G. Heutel, N. H. Miller, D. Molitor, and J. Reif. 2019. The Mortality and Medical Costs of Air Pollution: Evidence from Changes in Wind Direction. *American Economic Review* 109(12): 4178–4219.
- Deschenes, O., Wang, H., Wang, S., and Zhang, P. 2020. The Effect of Air Pollution on Body Weight and Obesity: Evidence from China. *Journal of Development Economics*, 145, 102461.
- Deschenes, O., and M. Greenstone. 2011. Climate Change, Mortality, and Adaptation: Evidence from Annual Fluctuations in Weather in the US. *American Economic Journal: Applied Economics* 3(4): 152–185.
- Garg, T., M. Jagnani, and V. Taraz. 2020. Temperature and Human Capital in India. *Journal of the Association of Environmental and Resource Economists* 7(6): 1113–1150.
- Graff Zivin, J., S. M. Hsiang, and M. Neidell. 2018. Temperature and Human Capital in the Short and Long Run. *Journal of the Association of Environmental and Resource Economists* 5(1): 77–105.
- Graff Zivin, J., T. Liu, Y. Song, Q. Tang, and P. Zhang. 2020. The Unintended Impacts of Agricultural Fires: Human Capital in China. *Journal of Development Economics* 147: 102560.
- He, J., H. Liu, and A. Salvo. 2019. Severe Air Pollution and Labor Productivity: Evidence from Industrial Towns in China. *American Economic Journal: Applied Economics* 11(1): 173–201.
- Heyes, A., and M. Zhu. 2019. Air Pollution as a Cause of Sleeplessness: Social Media Evidence from a Panel of Chinese Cities. *Journal of Environmental Economics and Management* 98: 102247.
- Hu, Z., and T. Li. 2019. Too Hot to Handle: The Effects of High Temperatures During Pregnancy on Adult Welfare Outcomes. *Journal of Environmental Economics and Management* 94: 236–253.

- Isphording, I. E., and N. Pestel. 2021. Pandemic Meets Pollution: Poor Air Quality Increases Deaths by COVID-19. *Journal of Environmental Economics and Management* 108: 102448.
- Jans, J., P. Johansson, and J. P. Nilsson. 2018. Economic Status, Air Quality, and Child Health: Evidence from Inversion Episodes. *Journal of Health Economics* 61: 220–232.
- Jayachandran, S. 2009. Air Quality and Early-Life Mortality: Evidence from Indonesia's Wildfires. *Journal of Human Resources* 44(4): 916–954.
- Kent, S. T., L. A. McClure, B. F. Zaitchik, T. T. Smith, and J. M. Gohlke. 2014. Heat Waves and Health Outcomes in Alabama USA: The Importance of Heat Wave Definition. *Environmental Health Perspectives* 122(2): 151–158.
- Khuc, V. Q., D. Nong, and T. P. Vu. 2022. To Pay or Not to Pay that is the Question-for Air Pollution Mitigation in a World's Dynamic City: An Experiment in Hanoi, Vietnam. *Economic Analysis and Policy* 74: 687–701.
- Kleibergen, F., and Paap, R. 2006. Generalized Reduced Rank Tests Using the Singular Value Decomposition. *Journal of Econometrics*, 133(1), 97–126.
- La Nauze, A., and E. R. Severnini. 2021. Air Pollution and Adult Cognition: Evidence from Brain Training (No. w28785). National Bureau of Economic Research.
- Li, J., and G. Meng. 2023. Pollution Exposure and Social Conflicts: Evidence from China's Daily Data. *Journal of Environmental Economics and Management* 121: 102870.
- Livingston, G. et al. 2017. Dementia Prevention, Intervention, and Care. *The Lancet* 390(10113): 2673–2734.
- Marcotte, D. E. 2017. Something in the Air? Air Quality and Children's Educational Outcomes. *Economics of Education Review* 56: 141–151.
- Miller, S., K. Chua, J. Coggins, and H. Mohtadi. 2021. Heat Waves, Climate Change, and Economic Output. *Journal of the European Economic Association* 15(5): 2658–2694.
- Mullins, J. T., and C. White. 2020. Can Access to Health Care Mitigate the Effects of Temperature on Mortality? *Journal of Public Economics* 191: 104259.
- Neidell, M. P. 2023. Air Pollution and Worker Productivity. *IZA World of Labor*.
- Olea, J. L. M., and C. Pflueger. 2013. A Robust Test for Weak Instruments. *Journal of Business & Economic Statistics* 31(3): 358–369.
- Otrachshenko, V., and O. Popova. 2022. Does Weather Sharpen Income Inequality in Russia? *Review of Income and Wealth* 68: 193–223.
- Park, R. J., A. P. Behrer, and J. Goodman. 2021. Learning is Inhibited by Heat Exposure, Both Internationally and within the United States. *Nature Human Behaviour* 5(1): 19–27.
- Park, R. J., J. Goodman, M. Hurwitz, and J. Smith. 2020. Heat and Learning. *American Economic Journal: Economic Policy* 12(2): 306–339.
- Perkins, S. E. 2015. A Review on the Scientific Understanding of Heatwaves: Their Measurement, Driving Mechanisms, and Changes at the Global Scale. *Atmospheric Research* 164: 242–267.

- Phung, D. et al. 2016. Air Pollution and Risk of Respiratory and Cardiovascular Hospitalizations in the Most Populous City in Vietnam. *Science of the Total Environment* 557: 322–330.
- Rangel, M. A., and T. S. Vogl. 2019. Agricultural Fires and Health at Birth. *Review of Economics and Statistics* 101(4): 616–630.
- Somanathan, E., R. Somanathan, A. Sudarshan, and M. Tewari. (2021). The Impact of Temperature on Productivity and Labor Supply: Evidence from Indian Manufacturing. *Journal of Political Economy* 129(6): 1797–1827.
- Staiger, D., and J. H. Stock. 1997. Instrumental Variables Regression with Weak Instruments. *Econometrica* 65(3): 557–586.
- Suglia, S. F., A. Gryparis, R. O. Wright, J. Schwartz, and R. J. Wright. 2008. Association of Black Carbon with Cognition among Children in a Prospective Birth Cohort Study. *American Journal of Epidemiology* 167: 280–286.
- Wang, S. Q. Zhang, J. L. Zeng, X. D. Zeng, Y. M. Wang, S. C., and S. Y. Chen. 2009. Association of Traffic-Related Air Pollution with Children's Neurobehavioral Functions in Quanzhou, China. *Environmental Health Perspectives* 117: 1612–1618.
- Wolfers, J. 2006. Did Unilateral Divorce Laws Raise Divorce Rates? A Reconciliation and New Results. *American Economic Review* 96(5): 1802–1820.
- World Bank. 2022. *Vietnam Country Climate and Development Report*. Washington, DC: World Bank.
- World Bank and Asian Development Bank. 2021. *Climate Risk Country Profile: Vietnam*. Washington, DC: World Bank, and Manila: Asian Development Bank.
- World Health Organization (WHO). 2018a. More than 60,000 Deaths in Viet Nam Each Year Linked to Air Pollution. <https://www.who.int/vietnam/news/detail/02-05-2018-more-than-60-000-deaths-in-viet-nam-each-year-linked-to-air-pollution>.
- World Health Organization (WHO). 2018b. *WHO Housing and Health Guidelines*. <https://www.who.int/publications/i/item/9789241550376>.
- Xie, T., Y. Yuan, and H. Zhang. 2023. Information, Awareness, and Mental Health: Evidence from Air Pollution Disclosure in China. *Journal of Environmental Economics and Management* 120: 02827.
- Yao, Z., W. Zhang, X. Ji, and W. Weng, 2023. Short-Term Exposure to Air Pollution and Cognitive Performance: New Evidence from China's College English Test. *Environmental and Resource Economics* 85(1): 211–237.
- Zhang, X., X. Chen, and X. Zhang. 2018. The Impact of Exposure to Air Pollution on Cognitive Performance. *Proceedings of the National Academy of Sciences* 115(37): 9193–9197.

APPENDIX A: ADDITIONAL FIGURES AND TABLES

Figure A.1: Daily Temperature by Months



Note: This figure presents a box plot of the median and variation (upper quartile, lower quartile, and adjacent values) of daily temperature over time from 2010 to 2019.

Table A.1: The Number of Students by Years and Grades

Survey Years	Grades					Total
	2	3	4	5	7	
2013	0	5,973	0	5,727	0	11,700
2014	0	0	9,130	0	0	9,130
2015	0	0	0	8,729	0	8,729
2017	4,018	0	0	0	2,802	6,820
2018	1,321	0	0	0	0	1,321
2019	1,333	0	0	0	0	1,333
Total	6,672	5,973	9,130	14,456	2,802	39,033

Source: Estimation using data from the VNEN and RISE projects.

Table A.2: First-Stage Regressions of Air Pollution in Estimating the Effect on Test Scores

Explanatory Variables	The Dependent Variable is PM2.5	
	Model 1	Model 2
	(1)	(2)
Wind direct degree [0, 45)	0.9139 (0.6626)	1.7965*** (0.6898)
Wind direct degree [45, 90)	4.1227*** (1.1845)	5.5699*** (1.0991)
Wind direct degree [90, 135)	-0.5726 (1.1452)	0.1110 (1.1638)
Wind direct degree [180, 225)	5.4825* (3.1116)	1.1318 (2.8824)
Wind direct degree [225, 270)	11.6279*** (3.0731)	7.4844** (2.9802)
Wind direct degree [270, 315)	-1.9780 (1.8420)	-3.5261** (1.6918)
Number of days 0°C–15°C	0.3862*** (0.0666)	
Number of days 15°C–18°C	-0.0286 (0.0504)	
Number of days 18°C–21°C	-0.0835 (0.0517)	
Number of days 21°C–24°C	0	
Number of days 24°C–27°C	-0.1540*** (0.0481)	
Number of days 27°C–30°C	-0.0961 (0.0674)	
Number of days 30°C +	-0.6848*** (0.2259)	
Number of days below the 5th percentile of daily temperature		0.0935 (0.0644)
Number of days above the 95th percentile of daily temperature		-0.1511 (0.1135)
Gender (boy = 1, girl = 0)	-0.0648* (0.0365)	-0.0679* (0.0376)
Age	-0.3514 (0.3962)	-0.2820 (0.4251)
Age squared	0.0022 (0.0219)	-0.0015 (0.0236)
Kinh (Kinh = 1, ethnic minorities = 0)	-0.0646 (0.2209)	-0.2842 (0.2276)
Urban areas (Urban = 1, rural = 0)	0.1218 (0.3418)	0.1316 (0.3349)
Monthly precipitation (mm)	-0.6277*** (0.1359)	-0.6501*** (0.1385)
Annual average temperature (°C)	-2.7119*** (0.9348)	-7.0464*** (0.9300)
Monthly wind speed	-0.5092 (0.3117)	-0.8051** (0.3424)
Year-by-month fixed effects	Yes	Yes
District fixed effects	Yes	Yes
Constant	125.6043*** (23.2142)	232.1745*** (23.1796)
Observations	39,033	39,033
R-squared	0.918	0.923
Weak identification test (Cragg-Donald Wald <i>F</i> statistic)	492.9	188.93
Effective <i>F</i> statistic	310.3	49.2

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.3: First-Stage Regressions of Air Pollution in Estimating the Effect on Children's Educational Attainment

Explanatory Variables	The Dependent Variable is PM2.5	
	Model 1	Model 2
	(1)	(2)
Wind direct degree [0, 45)	-0.0129 (0.0307)	-0.0194 (0.0312)
Wind direct degree [45, 90)	0.1050*** (0.0360)	0.1019*** (0.0371)
Wind direct degree [90, 135)	0.2185*** (0.0578)	0.2337*** (0.0579)
Wind direct degree [135, 180)	-0.0022 (0.0756)	-0.1901** (0.0742)
Wind direct degree [180, 225)	-0.6533*** (0.0519)	-0.8607*** (0.0505)
Wind direct degree [225, 270)	-0.6478*** (0.0504)	-0.7638*** (0.0516)
Wind direct degree [270, 315)	-0.2483*** (0.0382)	-0.2768*** (0.0396)
Number of days 0°C–15°C	0.0785*** (0.0084)	
Number of days 15°C–18°C	0.0434*** (0.0058)	
Number of days 18°C–21°C	-0.0028 (0.0041)	
Number of days 21°C–24°C	0	
Number of days 24°C–27°C	-0.0166*** (0.0024)	
Number of days 27°C–30°C	-0.0026 (0.0032)	
Number of days 30°C +	-0.0411*** (0.0053)	
Number of days below the 5th percentile of daily temperature		-0.0016 (0.0039)
Number of days above the 95th percentile of daily temperature		-0.0046* (0.0027)
Gender (boy = 1, girl = 0)	-0.0168 (0.0224)	-0.0073 (0.0230)
Age	0.0142 (0.0304)	0.0266 (0.0315)
Age squared	-0.0004 (0.0014)	-0.0010 (0.0015)
Kinh (Kinh = 1, ethnic minorities = 0)	-0.0355 (0.0709)	-0.0161 (0.0726)
Urban areas (Urban = 1, rural = 0)	-0.0223 (0.0460)	-0.0292 (0.0468)
Annual precipitation (mm)	-0.1829*** (0.0230)	-0.1865*** (0.0233)
Annual average temperature (°C)	0.4279* (0.2529)	-0.8019*** (0.1642)
Monthly wind speed	0.0268 (0.0968)	-0.0916 (0.0983)
Year-by-month fixed effects	Yes	Yes
District fixed effects	Yes	Yes
Constant	38.5617*** (6.0067)	68.6983*** (4.0001)
Observations	26,558	26,558
R-squared	0.969	0.968
Weak identification test (Cragg-Donald Wald <i>F</i> statistic)	156.7	211.0
Effective <i>F</i> statistic	45.6	60.9

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.4: First-Stage Regressions of Air Pollution in Estimating the Effect on Household-Level Outcomes

Explanatory Variables	The Dependent Variable is PM2.5	
	Model 1	Model 2
	(1)	(2)
Wind direct degree [0, 45)	0.1068*** (0.0250)	0.1108*** (0.0261)
Wind direct degree [45, 90)	-0.0256 (0.0287)	0.0207 (0.0294)
Wind direct degree [90, 135)	0.0580 (0.0472)	0.1469*** (0.0467)
Wind direct degree [135, 180)	-0.2599*** (0.0607)	-0.4232*** (0.0607)
Wind direct degree [180, 225)	-0.8248*** (0.0411)	-1.0504*** (0.0404)
Wind direct degree [225, 270)	-0.8816*** (0.0401)	-0.9784*** (0.0399)
Wind direct degree [270, 315)	-0.4066*** (0.0314)	-0.4247*** (0.0317)
Number of days 0°C–15°C	0.1221*** (0.0060)	
Number of days 15°C–18°C	0.0659*** (0.0047)	
Number of days 18°C–21°C	0.0025 (0.0022)	
Number of days 21°C–24°C	0	
Number of days 24°C–27°C	-0.0157*** (0.0025)	
Number of days 27°C–30°C	-0.0067** (0.0031)	
Number of days 30°C +	-0.0499*** (0.0043)	
Number of days below the 5th percentile of daily temperature		-0.0074** (0.0030)
Number of days above the 95th percentile of daily temperature		-0.0019 (0.0021)
Gender of household head (male = 1, female = 0)	0.0247 (0.0218)	0.0212 (0.0225)
Age of household head	0.0075* (0.0038)	0.0067* (0.0039)
Age of household head squared	-0.0001 (0.0000)	-0.0000 (0.0000)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0106 (0.0484)	0.0151 (0.0504)
Urban areas (Urban = 1, rural = 0)	-0.0087 (0.0237)	-0.0205 (0.0237)
Annual precipitation (mm)	-0.2445*** (0.0189)	-0.2547*** (0.0195)
Annual average temperature (°C)	1.4470*** (0.1953)	-0.8772*** (0.1294)
Annual average wind speed	-0.1442* (0.0753)	-0.3412*** (0.0784)
Year-by-month fixed effects	Yes	Yes
District fixed effects	Yes	Yes
Constant	13.5524*** (4.6118)	71.9539*** (3.1357)
Observations	41,743	41,743
R-squared	0.973	0.970
Weak identification test (Cragg-Donald Wald <i>F</i> statistic)	368.7	469.1
Effective <i>F</i> statistic	98.2	136.7

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.5: OLS Regressions of Students' Test Scores

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0032** (0.0014)	0.0001 (0.0015)	-0.0026** (0.0013)	-0.0002 (0.0014)
Number of days 0°C–15°C	0.0063** (0.0032)	0.0041 (0.0033)		
Number of days 15°C–18°C	0.0002 (0.0025)	0.0059** (0.0024)		
Number of days 18°C–21°C	0.0012 (0.0027)	0.0051* (0.0027)		
Number of days 21°C–24°C	0 (0.0023)	0 (0.0022)		
Number of days 24°C–27°C	-0.0023 (0.0030)	0.0004 (0.0030)		
Number of days 27°C–30°C	0.0003 (0.0059)	0.0016 (0.0062)		
Number of days 30°C +	0.0021 (0.0059)	0.0004 (0.0062)		
Number of days below the 5th percentile of daily temperature			0.0154*** (0.0035)	0.0087** (0.0039)
Number of days above the 95th percentile of daily temperature			0.0032 (0.0038)	0.0051 (0.0040)
Gender (boy = 1, girl = 0)	-0.0781*** (0.0118)	-0.2919*** (0.0109)	-0.0778*** (0.0118)	-0.2920*** (0.0109)
Age	1.1539*** (0.0991)	2.6269*** (0.2029)	1.1558*** (0.0996)	2.6261*** (0.2032)
Age squared	-0.0535*** (0.0052)	-0.1276*** (0.0107)	-0.0535*** (0.0052)	-0.1275*** (0.0107)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4656*** (0.0369)	0.4636*** (0.0390)	0.4656*** (0.0368)	0.4669*** (0.0389)
Urban areas (Urban = 1, rural = 0)	0.2787*** (0.0484)	0.2116*** (0.0370)	0.2788*** (0.0484)	0.2126*** (0.0369)
Annual precipitation (mm)	0.0324*** (0.0091)	0.0306*** (0.0087)	0.0324*** (0.0090)	0.0299*** (0.0086)
Annual average temperature (°C)	-0.0069 (0.0494)	0.0531 (0.0488)	-0.0557 (0.0479)	0.0416 (0.0463)
Monthly wind speed	0.0219 (0.0142)	0.0249 (0.0156)	0.0146 (0.0144)	0.0226 (0.0162)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-6.1697*** (1.3006)	-14.8499*** (1.5366)	-5.0690*** (1.2758)	-14.5131*** (1.4939)
Observations	39,031	39,031	39,031	39,031
R-squared	0.282	0.374	0.282	0.373

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.6: OLS Regressions of School Enrollment and Completed Grades

Explanatory Variables	Dependent Variables			
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0026*** (0.0009)	0.0151*** (0.0034)	0.0025*** (0.0009)	0.0133*** (0.0032)
Number of days 0°C–15°C	–0.0015** (0.0007)	–0.0008 (0.0025)		
Number of days 15°C–18°C	–0.0013*** (0.0005)	–0.0016 (0.0017)		
Number of days 18°C–21°C	–0.0009*** (0.0003)	–0.0006 (0.0011)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	0.0002 (0.0002)	–0.0001 (0.0008)		
Number of days 27°C–30°C	0.0005 (0.0003)	–0.0008 (0.0011)		
Number of days 30°C +	0.0010** (0.0005)	0.0008 (0.0016)		
Number of days below the 5th percentile of daily temperature			0.0001 (0.0003)	–0.0006 (0.0011)
Number of days above the 95th percentile of daily temperature			0.0002 (0.0002)	–0.0004 (0.0009)
Gender (boy = 1, girl = 0)	–0.0150*** (0.0033)	–0.0640*** (0.0128)	–0.0151*** (0.0033)	–0.0641*** (0.0128)
Age	0.1028*** (0.0050)	0.9976*** (0.0149)	0.1027*** (0.0050)	0.9970*** (0.0149)
Age squared	–0.0056*** (0.0002)	–0.0031*** (0.0008)	–0.0056*** (0.0003)	–0.0030*** (0.0008)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0726*** (0.0088)	0.3528*** (0.0402)	0.0725*** (0.0088)	0.3517*** (0.0402)
Urban areas (Urban = 1, rural = 0)	0.0166*** (0.0052)	0.0501** (0.0220)	0.0165*** (0.0052)	0.0494** (0.0220)
Monthly precipitation (mm)	0.0007 (0.0017)	0.0068 (0.0064)	0.0005 (0.0017)	0.0052 (0.0064)
Annual average temperature (°C)	–0.0513** (0.0221)	–0.0485 (0.0777)	–0.0062 (0.0117)	–0.0396 (0.0433)
Monthly wind speed	0.0088 (0.0061)	0.0215 (0.0245)	0.0097 (0.0061)	0.0194 (0.0243)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	1.6277*** (0.5302)	–5.3374*** (1.8564)	0.5139* (0.2983)	–5.6197*** (1.1036)
Observations	26,556	26,556	26,556	26,556
R-squared	0.141	0.916	0.141	0.916

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VHLSS data.

Table A.7: Heterogeneous Effects on the Standardized Math Score by Gender and Age

Explanatory Variables	Groups of Students			
	Boys	Girls	Age <= 10	Age > 10
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0134** (0.0056)	-0.0139*** (0.0054)	-0.0138*** (0.0047)	-0.0005 (0.0114)
Number of days 0°C–15°C	0.0093** (0.0045)	0.0120*** (0.0045)	0.0137*** (0.0040)	-0.0477*** (0.0131)
Number of days 15°C–18°C	0.0008 (0.0029)	-0.0005 (0.0029)	0.0018 (0.0025)	-0.0054 (0.0112)
Number of days 18°C–21°C	0.0007 (0.0032)	-0.0004 (0.0032)	0.0009 (0.0028)	-0.0290** (0.0122)
Number of days 21°C–24°C	0	0	0	0
Number of days 24°C–27°C	-0.0040 (0.0028)	-0.0026 (0.0027)	-0.0025 (0.0024)	0.0032 (0.0090)
Number of days 27°C–30°C	-0.0004 (0.0036)	-0.0009 (0.0036)	-0.0011 (0.0031)	0.0308*** (0.0117)
Number of days 30°C +	-0.0026 (0.0080)	-0.0037 (0.0082)	-0.0065 (0.0064)	0.0718 (0.0451)
Gender (boy = 1, girl = 0)			-0.0731*** (0.0125)	-0.0565** (0.0261)
Age	1.1618*** (0.1311)	1.1219*** (0.1225)	-0.7410*** (0.2570)	0.0874 (0.3318)
Age squared	-0.0544*** (0.0068)	-0.0516*** (0.0064)	0.0503*** (0.0144)	-0.0075 (0.0128)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4528*** (0.0465)	0.4875*** (0.0395)	0.4807*** (0.0384)	0.2679*** (0.0823)
Urban areas (Urban = 1, rural = 0)	0.2682*** (0.0538)	0.2915*** (0.0520)	0.2921*** (0.0497)	0.0896 (0.1203)
Annual precipitation (mm)	0.0184 (0.0122)	0.0307*** (0.0109)	0.0174* (0.0095)	0.0294 (0.0364)
Annual average temperature (°C)	-0.0512 (0.0586)	-0.0263 (0.0582)	0.0200 (0.0494)	-0.3330 (0.2196)
Monthly wind speed	0.0213 (0.0174)	0.0154 (0.0173)	0.0192 (0.0143)	-0.0399 (0.0542)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-4.4546*** (1.6431)	-4.6475*** (1.6303)	2.6517 (1.8380)	7.2166 (5.7092)
Observations	19,483	19,550	35,251	3,782

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.8: Heterogeneous Effects on the Standardized Math Score by Urban/Rural and Ethnic Groups

Explanatory Variables	Groups of Students			
	Urban Areas (1)	Rural Areas (2)	Kinh (3)	Ethnic Minorities (4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0320** (0.0153)	-0.0122** (0.0052)	-0.0095 (0.0129)	-0.0084** (0.0036)
Number of days 0°C–15°C	0.0231* (0.0119)	0.0104** (0.0041)	0.0128 (0.0127)	-0.0015 (0.0042)
Number of days 15°C–18°C	-0.0027 (0.0062)	0.0011 (0.0028)	0.0013 (0.0035)	-0.0015 (0.0033)
Number of days 18°C–21°C	0.0042 (0.0070)	-0.0003 (0.0028)	0.0018 (0.0035)	-0.0058 (0.0037)
Number of days 21°C–24°C	0	0	0	0
Number of days 24°C–27°C	-0.0032 (0.0077)	-0.0021 (0.0025)	0.0014 (0.0034)	-0.0034 (0.0033)
Number of days 27°C–30°C	0.0021 (0.0093)	-0.0006 (0.0033)	0.0063 (0.0046)	0.0028 (0.0041)
Number of days 30°C +	-0.0253 (0.0255)	0.0017 (0.0063)	-0.2356 (0.1472)	0.0035 (0.0066)
Gender (boy = 1, girl = 0)	-0.0626* (0.0350)	-0.0794*** (0.0123)	-0.0868*** (0.0201)	-0.0643*** (0.0125)
Age	1.7155*** (0.6055)	1.0766*** (0.0884)	2.2649*** (0.4537)	0.8773*** (0.0810)
Age squared	-0.0842*** (0.0327)	-0.0497*** (0.0046)	-0.1152*** (0.0247)	-0.0388*** (0.0041)
Kinh (Kinh = 1, ethnic minorities = 0)	0.5915*** (0.0953)	0.4470*** (0.0396)		
Urban areas (Urban = 1, rural = 0)			0.3544*** (0.0697)	0.2084*** (0.0648)
Annual precipitation (mm)	0.0130 (0.0220)	0.0273** (0.0113)	0.0137 (0.0144)	0.0142 (0.0125)
Annual average temperature (°C)	0.0722 (0.1076)	-0.0366 (0.0558)	0.0375 (0.0885)	-0.1019* (0.0590)
Monthly wind speed	-0.0819** (0.0389)	0.0261 (0.0159)	-0.0070 (0.0260)	0.0146 (0.0174)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-9.7054*** (3.7130)	-4.3553*** (1.5281)	-11.0160*** (2.9437)	-1.4233 (1.5103)
Observations	5,796	33,237	18,807	20,226

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.9: Heterogeneous Effects on the Standardized Math Score by Regions

Explanatory Variables	Regions					
	Red River Delta	Northern Mountain	Central Coast	Highland	Southeast	Mekong River Delta
	(1)	(2)	(3)	(4)	(5)	(6)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0366** (0.0186)	-0.0134* (0.0073)	-0.0038 (0.0130)	0.0514 (0.0707)	-0.0091 (0.0165)	-0.0769** (0.0321)
Number of days 0°C–15°C	-0.0431 (0.0827)	0.0081 (0.0104)	0.0114 (0.0104)	-0.1267 (0.0778)		-0.5320*** (0.1601)
Number of days 15°C–18°C	-0.0898 (0.0641)	0.0037 (0.0081)	0.0022 (0.0041)	-0.0226* (0.0136)		
Number of days 18°C–21°C	-0.0411 (0.0417)	0.0055 (0.0084)	0.0046 (0.0044)	-0.0212*** (0.0075)		
Number of days 21°C–24°C	0	0	0	0	0	0
Number of days 24°C–27°C	-0.0576 (0.0429)	-0.0008 (0.0115)	-0.0026 (0.0035)	-0.0040 (0.0075)	-0.0274 (0.0239)	-0.0311** (0.0156)
Number of days 27°C–30°C	-0.0603 (0.0663)	0.0065 (0.0241)	-0.0008 (0.0054)	0.0069 (0.0354)	-0.0759* (0.0426)	-0.0402** (0.0172)
Number of days 30°C +	0.0277 (0.0667)	-0.0744 (0.0697)	-0.0141 (0.0177)		-0.0926* (0.0528)	-0.0201 (0.0169)
Gender (boy = 1, girl = 0)	-0.0771 (0.0480)	-0.0975*** (0.0225)	-0.0639*** (0.0191)	-0.0369 (0.0303)	-0.0830 (0.0596)	-0.1111*** (0.0322)
Age	2.9420** (1.3856)	1.3889*** (0.1902)	1.4722*** (0.1802)	1.1298*** (0.2104)	2.0849*** (0.5610)	0.4200*** (0.1365)
Age squared	-0.1454** (0.0728)	-0.0686*** (0.0101)	-0.0684*** (0.0094)	-0.0531*** (0.0111)	-0.1043*** (0.0294)	-0.0178** (0.0069)
Kinh (Kinh = 1, ethnic minorities = 0)	0.5521** (0.2694)	0.4470*** (0.0678)	0.4677*** (0.0772)	0.7543*** (0.0890)	0.5449*** (0.1277)	0.3264*** (0.0623)
Urban areas (Urban = 1, rural = 0)	0.0497 (0.1326)	0.3773*** (0.1007)	0.2706*** (0.0703)	0.3811*** (0.0902)	0.1095*** (0.0168)	0.0585 (0.1293)
Monthly precipitation (mm)	0.0900 (0.0759)	0.0257 (0.0219)	0.0198 (0.0163)	-0.0415 (0.0255)	0.0091 (0.0389)	0.0202 (0.0410)
Annual average temperature (°C)	0.2501 (0.9664)	0.0175 (0.1679)	-0.0240 (0.0814)	-1.1343** (0.5437)	0.2352 (0.7678)	0.2363 (0.3415)
Monthly wind speed	-0.0674 (0.1681)	-0.0125 (0.0351)	0.0380 (0.0341)	-0.0009 (0.0831)	0.1267 (0.1452)	-0.0284 (0.0393)
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	-15.9415 (25.4592)	-7.9399** (3.9457)	-6.6785*** (2.3331)	19.2979* (11.1108)	-15.6604 (22.1284)	-5.9307 (9.4095)
Observations	1,712	11,562	15,627	4,173	1,048	4,911

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.10: Heterogeneous Effects on the Standardized Math Score by Season and Temperature

Explanatory Variables	Groups of Students			
	Surveyed in January–May (1)	Surveyed in November–December (2)	Living in Districts with Temperature Below 20 Degrees Celsius (3)	Living in Districts with Temperature 20 and Above Degrees Celsius (4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0118 (0.0100)	-0.0090 (0.0076)	0.0051 (0.0072)	-0.0108* (0.0058)
Number of days 0°C–15°C	0.0298 (0.0312)	0.0069 (0.0053)	0.0133 (0.0112)	0.0526 (0.0604)
Number of days 15°C–18°C	0.0403*** (0.0135)	-0.0016 (0.0029)	0.0102 (0.0122)	0.0169 (0.0176)
Number of days 18°C–21°C	0.0200 (0.0134)	-0.0011 (0.0033)	0.0116 (0.0134)	0.0011 (0.0051)
Number of days 21°C–24°C	0 (0.0065)	0 (0.0033)	0 (0.0293)	0 (0.0028)
Number of days 24°C–27°C	0.0027 (0.0086)	-0.0030 (0.0040)	0.0283 (0.0045)	0.0003 (0.0086)
Number of days 27°C–30°C	0.0040 (0.0140)	-0.0004 (0.0140)		0.0040 (0.0065)
Number of days 30°C +	-0.0021 (0.0140)			0.0065 (0.0086)
Gender (boy = 1, girl = 0)	-0.0637*** (0.0230)	-0.0782*** (0.0124)	-0.0851*** (0.0155)	-0.0702*** (0.0162)
Age	-0.7974* (0.4590)	1.1872*** (0.1003)	1.3352*** (0.1525)	0.9916*** (0.1267)
Age squared	0.0344 (0.0248)	-0.0552*** (0.0052)	-0.0628*** (0.0081)	-0.0453*** (0.0065)
Kinh (Kinh = 1, ethnic minorities = 0)	0.5361** (0.2198)	0.4677*** (0.0375)	0.4321*** (0.0475)	0.5606*** (0.0545)
Urban areas (Urban = 1, rural = 0)	0.1303 (0.1380)	0.2980*** (0.0531)	0.3717*** (0.0718)	0.2098*** (0.0580)
Monthly precipitation (mm)	0.0050 (0.0192)	0.0307*** (0.0110)	0.0458*** (0.0144)	0.0143 (0.0127)
Annual average temperature (°C)	0.0229 (0.1136)	-0.0382 (0.0651)	-0.2327* (0.1191)	0.0312 (0.0710)
Monthly wind speed	-0.0109 (0.0403)	0.0155 (0.0197)	-0.0110 (0.0294)	0.0024 (0.0192)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	3.8772 (3.4873)	-4.4292** (1.8033)	-1.6968 (2.8372)	-5.7840*** (1.9470)
Observations	3,091	35,942	20,408	18,625

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.11: Heterogeneous Effects on the Standardized Reading Score by Gender and Age

Explanatory Variables	Groups of Students			
	Boys	Girls	Age <= 10	Age > 10
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0091*	-0.0109**	-0.0113**	0.0015
	(0.0055)	(0.0052)	(0.0047)	(0.0137)
Number of days 0°C–15°C	0.0045	0.0122***	0.0116***	-0.0280**
	(0.0042)	(0.0045)	(0.0039)	(0.0121)
Number of days 15°C–18°C	0.0045*	0.0068**	0.0073***	0.0144
	(0.0026)	(0.0029)	(0.0024)	(0.0108)
Number of days 18°C–21°C	0.0010	0.0067**	0.0052*	-0.0131
	(0.0030)	(0.0032)	(0.0027)	(0.0106)
Number of days 21°C–24°C	0	0	0	0
Number of days 24°C–27°C	-0.0013	-0.0001	-0.0008	0.0089
	(0.0026)	(0.0026)	(0.0022)	(0.0093)
Number of days 27°C–30°C	0.0024	-0.0017	-0.0018	0.0359***
	(0.0033)	(0.0037)	(0.0030)	(0.0130)
Number of days 30°C +	0.0011	-0.0103	-0.0065	0.0453
	(0.0087)	(0.0083)	(0.0065)	(0.0456)
Gender (boy = 1, girl = 0)			-0.3017***	-0.1830***
			(0.0113)	(0.0197)
Age	2.3731***	2.8826***	-2.1944***	-0.1871
	(0.1932)	(0.3741)	(0.3518)	(0.4177)
Age squared	-0.1152***	-0.1403***	0.1515***	0.0043
	(0.0101)	(0.0198)	(0.0196)	(0.0163)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4486***	0.4874***	0.4759***	0.5720***
	(0.0471)	(0.0411)	(0.0408)	(0.0865)
Urban areas (Urban = 1, rural = 0)	0.1764***	0.2481***	0.2196***	-0.0344
	(0.0425)	(0.0395)	(0.0387)	(0.0986)
Monthly precipitation (mm)	0.0310***	0.0173*	0.0286***	0.0822**
	(0.0109)	(0.0102)	(0.0097)	(0.0393)
Annual average temperature (°C)	0.0670	-0.0106	0.0480	0.0013
	(0.0573)	(0.0575)	(0.0484)	(0.2033)
Monthly wind speed	0.0094	0.0327*	0.0210	-0.0074
	(0.0182)	(0.0182)	(0.0157)	(0.0671)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-12.8881***	-13.0582***	7.1646***	0.1657
	(1.8105)	(2.2591)	(2.1191)	(5.9980)
Observations	19,483	19,550	35,251	3,782

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.12: Heterogeneous Effects on the Standardized Reading Score by Urban/Rural and Ethnic Groups

Explanatory Variables	Groups of Students			
	Urban Areas (1)	Rural Areas (2)	Kinh (3)	Ethnic Minorities (4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0130 (0.0173)	-0.0094* (0.0055)	0.0054 (0.0117)	-0.0046 (0.0040)
Number of days 0°C–15°C	0.0247** (0.0121)	0.0071 (0.0043)	0.0069 (0.0109)	0.0057 (0.0043)
Number of days 15°C–18°C	0.0137** (0.0066)	0.0051* (0.0026)	0.0108*** (0.0032)	0.0067* (0.0034)
Number of days 18°C–21°C	0.0090 (0.0069)	0.0036 (0.0029)	0.0022 (0.0037)	0.0026 (0.0038)
Number of days 21°C–24°C	0 (0.0060)	0 (0.0024)	0 (0.0030)	0 (0.0031)
Number of days 24°C–27°C	0.0030 (0.0075)	-0.0015 (0.0033)	0.0014 (0.0044)	0.0032 (0.0039)
Number of days 27°C–30°C	-0.0013 (0.0075)	0.0004 (0.0033)	0.0064 (0.0044)	0.0037 (0.0039)
Number of days 30°C +	-0.0012 (0.0283)	-0.0023 (0.0069)	0.0561 (0.1059)	0.0054 (0.0068)
Gender (boy = 1, girl = 0)	-0.3614*** (0.0279)	-0.2801*** (0.0117)	-0.3412*** (0.0156)	-0.2458*** (0.0137)
Age	3.4955*** (0.6070)	2.4622*** (0.2036)	4.2046*** (0.4321)	1.6083*** (0.1589)
Age squared	-0.1644*** (0.0327)	-0.1196*** (0.0107)	-0.2015*** (0.0235)	-0.0767*** (0.0083)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4469*** (0.0933)	0.4682*** (0.0419)		
Urban areas (Urban = 1, rural = 0)			0.2299*** (0.0417)	0.2510*** (0.0622)
Monthly precipitation (mm)	0.0218 (0.0254)	0.0262*** (0.0100)	0.0521*** (0.0144)	0.0164 (0.0136)
Annual average temperature (°C)	0.0539 (0.1317)	0.0410 (0.0548)	0.1764** (0.0793)	-0.0698 (0.0650)
Monthly wind speed	0.0295 (0.0440)	0.0156 (0.0177)	0.0470* (0.0261)	0.0282 (0.0186)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-19.3106*** (4.5015)	-12.4632*** (1.7527)	-25.0200*** (2.8240)	-6.1398*** (1.6834)
Observations	5,796	33,237	18,807	20,226

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.13: Heterogeneous Effects on the Standardized Reading Score by Regions

Explanatory Variables	Regions					
	Red River Delta (1)	Northern Mountain (2)	Central Coast (3)	Highland (4)	Southeast (5)	Mekong River Delta (6)
PM2.5 (µg/m ³)	-0.0359** (0.0157)	-0.0095 (0.0093)	0.0115 (0.0118)	-0.0633 (0.0575)	-0.0612*** (0.0225)	-0.0153 (0.0306)
Number of days 0°C–15°C	-0.0981 (0.0696)	0.0076 (0.0144)	-0.0053 (0.0098)	-0.0797 (0.0640)		-0.0794 (0.1841)
Number of days 15°C–18°C	-0.1118* (0.0578)	0.0003 (0.0105)	0.0021 (0.0035)	0.0231** (0.0110)		
Number of days 18°C–21°C	-0.0648* (0.0345)	0.0081 (0.0101)	0.0022 (0.0041)	-0.0022 (0.0075)		
Number of days 21°C–24°C	0	0	0	0	0	0
Number of days 24°C–27°C	-0.0858** (0.0334)	-0.0055 (0.0141)	0.0019 (0.0033)	-0.0076 (0.0057)	-0.1368*** (0.0418)	-0.0003 (0.0180)
Number of days 27°C–30°C	-0.0875 (0.0595)	0.0022 (0.0251)	0.0000 (0.0055)	0.0314 (0.0243)	-0.1560*** (0.0576)	-0.0028 (0.0198)
Number of days 30°C +	0.0235 (0.0594)	-0.1319* (0.0777)	-0.0247 (0.0165)		-0.1911** (0.0847)	0.0136 (0.0234)
Gender (boy = 1, girl = 0)	-0.2472*** (0.0343)	-0.3266*** (0.0215)	-0.2551*** (0.0156)	-0.2891*** (0.0289)	-0.4400*** (0.0662)	-0.3195*** (0.0350)
Age	3.6053*** (0.9547)	3.8136*** (0.3566)	3.0931*** (0.3756)	2.2228*** (0.3980)	3.7919*** (0.6070)	1.4109*** (0.2359)
Age squared	-0.1759*** (0.0502)	-0.1875*** (0.0190)	-0.1528*** (0.0197)	-0.1072*** (0.0206)	-0.1798*** (0.0298)	-0.0650*** (0.0119)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4525 (0.4306)	0.4209*** (0.0640)	0.4373*** (0.0854)	0.8533*** (0.0917)	0.6507*** (0.1403)	0.4114*** (0.0699)
Urban areas (Urban = 1, rural = 0)	-0.0458 (0.0980)	0.2602*** (0.0797)	0.2528*** (0.0502)	0.1990** (0.0830)	0.1472*** (0.0246)	0.1109 (0.0885)
Monthly precipitation (mm)	-0.0314 (0.0621)	0.0180 (0.0260)	0.0231 (0.0147)	0.0713*** (0.0237)	-0.0029 (0.0323)	-0.0016 (0.0403)
Annual average temperature (°C)	1.4051* (0.8461)	-0.2697 (0.2007)	0.0352 (0.0706)	0.3194 (0.4216)	-0.3663 (1.4595)	-0.0142 (0.3490)
Monthly wind speed	-0.0225 (0.1131)	0.0199 (0.0398)	0.0341 (0.0305)	-0.1066 (0.0670)	-0.1016 (0.1258)	0.0695* (0.0358)
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	-44.5788** (20.6312)	-13.6348*** (4.9747)	-16.4608*** (2.6195)	-17.4192* (8.9851)	-3.1451 (40.0768)	-6.2561 (10.3614)
Observations	1,712	11,562	15,627	4,173	1,048	4,911

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.14: Heterogeneous Effects on the Standardized Reading Score by Season and Temperature

Explanatory Variables	Groups of Students			
	Surveyed in January–May (1)	Surveyed in November– December (2)	Living in Districts with Temperature Below 20 Degrees Celsius (3)	Living in Districts with Temperature 20 and Above Degrees Celsius (4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0028 (0.0110)	-0.0013 (0.0079)	0.0129 (0.0094)	0.0049 (0.0057)
Number of days 0°C–15°C	-0.0682** (0.0345)	0.0051 (0.0053)	0.0291** (0.0114)	-0.0127 (0.0524)
Number of days 15°C–18°C	0.0102 (0.0157)	0.0062** (0.0028)	0.0315*** (0.0102)	0.0331** (0.0136)
Number of days 18°C–21°C	-0.0197 (0.0169)	0.0065* (0.0035)	0.0299*** (0.0107)	0.0054 (0.0046)
Number of days 21°C–24°C	0 (0.0009)	0 (0.0015)	0 (-0.0156)	0 (0.0018)
Number of days 24°C–27°C	0.0009 (0.0068)	-0.0015 (0.0030)	-0.0156 (0.0287)	0.0018 (0.0024)
Number of days 27°C–30°C	0.0085 (0.0095)	-0.0004 (0.0040)		0.0013 (0.0040)
Number of days 30°C +	0.0170 (0.0168)			0.0019 (0.0084)
Gender (boy = 1, girl = 0)	-0.2674*** (0.0232)	-0.2926*** (0.0114)	-0.2983*** (0.0146)	-0.2838*** (0.0147)
Age	-0.1572 (0.6757)	2.6815*** (0.2050)	3.6710*** (0.3147)	1.8049*** (0.2057)
Age squared	-0.0025 (0.0356)	-0.1300*** (0.0108)	-0.1807*** (0.0167)	-0.0861*** (0.0106)
Kinh (Kinh = 1, ethnic minorities = 0)	0.6486*** (0.1812)	0.4745*** (0.0394)	0.4249*** (0.0491)	0.5928*** (0.0577)
Urban areas (Urban = 1, rural = 0)	0.1239 (0.1575)	0.2126*** (0.0406)	0.3205*** (0.0585)	0.1443*** (0.0406)
Monthly precipitation (mm)	-0.0189 (0.0202)	0.0341*** (0.0105)	0.0481*** (0.0153)	0.0217 (0.0136)
Annual average temperature (°C)	-0.1843 (0.1213)	0.0667 (0.0642)	-0.0066 (0.1274)	0.0676 (0.0679)
Monthly wind speed	-0.0441 (0.0431)	0.0342 (0.0216)	0.0325 (0.0345)	0.0200 (0.0189)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	7.2046* (4.0739)	-14.0241*** (1.9956)	-19.3459*** (3.3329)	-10.5801*** (1.9951)
Observations	3,091	35,942	20,408	18,625

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.15: 2SLS Regressions of Students' Test Scores Without Controlling for Explanatory Variables

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0135*** (0.0051)	-0.0097** (0.0048)	-0.0145*** (0.0046)	-0.0123*** (0.0044)
Number of days 0°C–15°C	0.0126*** (0.0042)	0.0095** (0.0040)		
Number of days 15°C–18°C	0.0008 (0.0027)	0.0060** (0.0024)		
Number of days 18°C–21°C	0.0037 (0.0032)	0.0083*** (0.0030)		
Number of days 21°C–24°C	0 (0.0028)	0 (0.0024)		
Number of days 24°C–27°C	-0.0039 (0.0034)	-0.0010 (0.0032)		
Number of days 27°C–30°C	-0.0026 (0.0034)	-0.0016 (0.0032)		
Number of days 30°C +	-0.0011 (0.0074)	-0.0001 (0.0071)		
Number of days below the 5th percentile of daily temperature			0.0175*** (0.0044)	0.0104** (0.0044)
Number of days above the 95th percentile of daily temperature			0.0061 (0.0040)	0.0064* (0.0038)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	0.5938* (0.3190)	0.9490*** (0.3206)	0.7436** (0.2936)	1.2713*** (0.3033)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.16: 2SLS Regressions of Students' Test Scores Without Controlling for Explanatory Variables and Temperature

Explanatory Variables	Dependent Variables	
	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0134*** (0.0045)	-0.0114*** (0.0044)
Year-by-month fixed effects	Yes	Yes
District fixed effects	Yes	Yes
Constant	0.6825** (0.2905)	1.2149*** (0.3019)
Observations	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.17: 2SLS Regressions of Students' Test Scores with Controlling for Province-Specific Time Trend

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0118** (0.0048)	-0.0110** (0.0047)	-0.0150*** (0.0053)	-0.0112** (0.0051)
Number of days 0°C–15°C	0.0044* (0.0025)	0.0034 (0.0023)		
Number of days 15°C–18°C	-0.0026 (0.0019)	0.0038** (0.0016)		
Number of days 18°C–21°C	-0.0006 (0.0021)	0.0004 (0.0019)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	-0.0034* (0.0019)	-0.0001 (0.0017)		
Number of days 27°C–30°C	-0.0001 (0.0024)	-0.0010 (0.0021)		
Number of days 30°C +	-0.0121** (0.0059)	-0.0141** (0.0061)		
Number of days below the 5th percentile of daily temperature			0.0107*** (0.0030)	0.0039 (0.0027)
Number of days above the 95th percentile of daily temperature			-0.0045 (0.0036)	-0.0029 (0.0036)
Gender (boy = 1, girl = 0)	-0.0784*** (0.0087)	-0.2923*** (0.0081)	-0.0785*** (0.0087)	-0.2924*** (0.0081)
Age	1.1582*** (0.0778)	2.6347*** (0.1636)	1.1595*** (0.0784)	2.6360*** (0.1640)
Age squared	-0.0538*** (0.0041)	-0.1278*** (0.0087)	-0.0539*** (0.0041)	-0.1279*** (0.0087)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4900*** (0.0174)	0.4940*** (0.0169)	0.4909*** (0.0174)	0.4936*** (0.0169)
Urban areas (Urban = 1, rural = 0)	0.2795*** (0.0192)	0.2059*** (0.0171)	0.2804*** (0.0191)	0.2085*** (0.0170)
Annual precipitation (mm)	0.0250*** (0.0071)	0.0204*** (0.0068)	0.0235*** (0.0072)	0.0186*** (0.0069)
Annual average temperature (°C)	-0.0710* (0.0367)	0.0202 (0.0326)	-0.1086*** (0.0377)	-0.0038 (0.0334)
Monthly wind speed	0.0208* (0.0121)	0.0142 (0.0112)	0.0089 (0.0129)	0.0058 (0.0119)
Province-specific time trend	Yes	Yes	Yes	Yes
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-3.2992*** (1.0484)	-13.1769*** (1.1543)	-2.3208** (1.0968)	-12.6826*** (1.1878)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.18: 2SLS Regressions of Students' Test Scores Using Three-Bins Wind Direction as the Instrumental Variables for Air Pollution

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0143** (0.0056)	-0.0090 (0.0057)	-0.0162*** (0.0059)	-0.0123** (0.0061)
Number of days 0°C–15°C	0.0111*** (0.0041)	0.0081** (0.0041)		
Number of days 15°C–18°C	0.0002 (0.0025)	0.0059** (0.0024)		
Number of days 18°C–21°C	0.0001 (0.0028)	0.0043 (0.0027)		
Number of days 21°C–24°C	0 (0.0024)	0 (0.0023)		
Number of days 24°C–27°C	-0.0035 (0.0031)	-0.0005 (0.0031)		
Number of days 27°C–30°C	-0.0010 (0.0067)	0.0005 (0.0070)		
Number of days 30°C +	-0.0047 (0.0067)	-0.0052 (0.0070)		
Number of days below the 5th percentile of daily temperature			0.0172*** (0.0037)	0.0103*** (0.0040)
Number of days above the 95th percentile of daily temperature			0.0020 (0.0042)	0.0039 (0.0044)
Gender (boy = 1, girl = 0)	-0.0789*** (0.0117)	-0.2926*** (0.0108)	-0.0789*** (0.0117)	-0.2929*** (0.0108)
Age	1.1500*** (0.0992)	2.6237*** (0.2030)	1.1526*** (0.1000)	2.6232*** (0.2036)
Age squared	-0.0535*** (0.0052)	-0.1275*** (0.0107)	-0.0536*** (0.0052)	-0.1276*** (0.0107)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4676*** (0.0368)	0.4653*** (0.0389)	0.4642*** (0.0367)	0.4656*** (0.0390)
Urban areas (Urban = 1, rural = 0)	0.2795*** (0.0483)	0.2122*** (0.0369)	0.2806*** (0.0483)	0.2143*** (0.0368)
Monthly precipitation (mm)	0.0243** (0.0103)	0.0240** (0.0097)	0.0219** (0.0103)	0.0206** (0.0096)
Annual average temperature (°C)	-0.0368 (0.0517)	0.0285 (0.0505)	-0.1547** (0.0630)	-0.0465 (0.0634)
Monthly wind speed	0.0165 (0.0148)	0.0205 (0.0162)	0.0017 (0.0163)	0.0112 (0.0176)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-4.5232*** (1.4833)	-12.8720*** (1.6889)	-1.4346 (1.8780)	-10.6648*** (2.0659)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.19: 2SLS Regressions of Students' Test Scores with Heteroscedasticity-Consistent Standard Errors

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0146*** (0.0030)	-0.0100*** (0.0028)	-0.0152*** (0.0029)	-0.0115*** (0.0027)
Number of days 0°C–15°C	0.0112*** (0.0025)	0.0085*** (0.0023)		
Number of days 15°C–18°C	0.0002 (0.0016)	0.0059*** (0.0014)		
Number of days 18°C–21°C	0.0001 (0.0019)	0.0042** (0.0017)		
Number of days 21°C–24°C	0 (0.0017)	0 (0.0015)		
Number of days 24°C–27°C	-0.0035** (0.0020)	-0.0006 (0.0019)		
Number of days 27°C–30°C	-0.0010 (0.0048)	0.0004 (0.0050)		
Number of days 30°C +	-0.0049 (0.0048)	-0.0058 (0.0050)		
Number of days below the 5th percentile of daily temperature			0.0171*** (0.0026)	0.0102*** (0.0024)
Number of days above the 95th percentile of daily temperature			0.0021 (0.0024)	0.0040 (0.0025)
Gender (boy = 1, girl = 0)	-0.0790*** (0.0087)	-0.2926*** (0.0081)	-0.0788*** (0.0087)	-0.2928*** (0.0081)
Age	1.1499*** (0.0775)	2.6234*** (0.1657)	1.1529*** (0.0781)	2.6234*** (0.1662)
Age squared	-0.0535*** (0.0041)	-0.1275*** (0.0088)	-0.0536*** (0.0041)	-0.1276*** (0.0088)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4676*** (0.0167)	0.4654*** (0.0162)	0.4643*** (0.0167)	0.4657*** (0.0162)
Urban areas (Urban = 1, rural = 0)	0.2795*** (0.0191)	0.2123*** (0.0170)	0.2805*** (0.0190)	0.2142*** (0.0170)
Monthly precipitation (mm)	0.0241*** (0.0059)	0.0232*** (0.0055)	0.0227*** (0.0059)	0.0212*** (0.0055)
Annual average temperature (°C)	-0.0377 (0.0331)	0.0257 (0.0299)	-0.1471*** (0.0366)	-0.0407 (0.0326)
Monthly wind speed	0.0164 (0.0106)	0.0200** (0.0098)	0.0027 (0.0110)	0.0119 (0.0102)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-4.4828*** (0.9644)	-12.7417*** (1.1125)	-1.6863 (1.0890)	-10.8577*** (1.1857)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.20: 2SLS Regressions of Students' Test Scores with Clustering Standard Errors at the District Level

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0146*** (0.0053)	-0.0100* (0.0057)	-0.0152*** (0.0052)	-0.0115** (0.0056)
Number of days 0°C–15°C	0.0112** (0.0045)	0.0085* (0.0046)		
Number of days 15°C–18°C	0.0002 (0.0028)	0.0059* (0.0033)		
Number of days 18°C–21°C	0.0001 (0.0030)	0.0042 (0.0032)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	-0.0035 (0.0026)	-0.0006 (0.0027)		
Number of days 27°C–30°C	-0.0010 (0.0036)	0.0004 (0.0037)		
Number of days 30°C +	-0.0049 (0.0069)	-0.0058 (0.0079)		
Number of days below the 5th percentile of daily temperature			0.0171*** (0.0041)	0.0102** (0.0047)
Number of days above the 95th percentile of daily temperature			0.0021 (0.0038)	0.0040 (0.0045)
Gender (boy = 1, girl = 0)	-0.0790*** (0.0118)	-0.2926*** (0.0111)	-0.0788*** (0.0118)	-0.2928*** (0.0111)
Age	1.1499*** (0.1084)	2.6234*** (0.2259)	1.1529*** (0.1090)	2.6234*** (0.2258)
Age squared	-0.0535*** (0.0056)	-0.1275*** (0.0119)	-0.0536*** (0.0057)	-0.1276*** (0.0119)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4676*** (0.0487)	0.4654*** (0.0522)	0.4643*** (0.0485)	0.4657*** (0.0522)
Urban areas (Urban = 1, rural = 0)	0.2795*** (0.0616)	0.2123*** (0.0462)	0.2805*** (0.0613)	0.2142*** (0.0456)
Monthly precipitation (mm)	0.0241** (0.0111)	0.0232** (0.0118)	0.0227** (0.0107)	0.0212* (0.0113)
Annual average temperature (°C)	-0.0377 (0.0538)	0.0257 (0.0607)	-0.1471** (0.0590)	-0.0407 (0.0677)
Monthly wind speed	0.0164 (0.0154)	0.0200 (0.0207)	0.0027 (0.0167)	0.0119 (0.0211)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-4.4828*** (1.4663)	-12.7417*** (1.9446)	-1.6863 (1.7061)	-10.8577*** (2.1841)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the district level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from the VNEN and RISE projects.

Table A.21: 2SLS Regressions of Students' Test Scores Using Different Temperature Bins

Explanatory Variables	Dependent Variables			
	The Standardized Math Score	The Standardized Reading Score	The Standardized Math Score	The Standardized Reading Score
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0159*** (0.0050)	-0.0106** (0.0049)	-0.0165*** (0.0050)	-0.0120** (0.0050)
Number of days 0°C–15°C	0.0134*** (0.0036)	0.0085** (0.0034)	0.0118*** (0.0034)	0.0048 (0.0032)
Number of days 15°C–20°C	0.0019 (0.0018)	0.0060*** (0.0017)		
Number of days 20°C–25°C	0	0		
Number of days 25°C–30°C	-0.0008 (0.0022)	0.0008 (0.0021)		
Number of days 30°C +	-0.0031 (0.0059)	-0.0040 (0.0061)	-0.0004 (0.0050)	-0.0013 (0.0049)
Gender (boy = 1, girl = 0)	-0.0790*** (0.0117)	-0.2927*** (0.0108)	-0.0791*** (0.0117)	-0.2930*** (0.0108)
Age	1.1481*** (0.0993)	2.6227*** (0.2031)	1.1478*** (0.0992)	2.6219*** (0.2030)
Age squared	-0.0534*** (0.0052)	-0.1275*** (0.0107)	-0.0534*** (0.0052)	-0.1275*** (0.0107)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4681*** (0.0368)	0.4655*** (0.0390)	0.4684*** (0.0368)	0.4666*** (0.0390)
Urban areas (Urban = 1, rural = 0)	0.2783*** (0.0485)	0.2112*** (0.0369)	0.2796*** (0.0485)	0.2141*** (0.0369)
Monthly precipitation (mm)	0.0231** (0.0104)	0.0223** (0.0095)	0.0222** (0.0103)	0.0207** (0.0095)
Annual average temperature (°C)	-0.0497 (0.0515)	0.0218 (0.0509)	-0.0656 (0.0494)	-0.0183 (0.0489)
Monthly wind speed	0.0174 (0.0146)	0.0205 (0.0160)	0.0148 (0.0145)	0.0155 (0.0162)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	-4.1305*** (1.4461)	-12.5871*** (1.6795)	-3.6685*** (1.3817)	-11.4029*** (1.6171)
Observations	39,033	39,033	39,033	39,033

Robust standard errors in parentheses. The standard errors are clustered at the school level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from the VNEN and RISE projects.

Table A.22: 2SLS Regressions of Children's Educational Attainment without Controlling for Explanatory Variables

Explanatory Variables	Dependent Variables			
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0009 (0.0045)	-0.0029 (0.0499)	0.0004 (0.0035)	0.0177 (0.0378)
Number of days 0°C–15°C	-0.0001 (0.0005)	0.0039 (0.0055)		
Number of days 15°C–18°C	-0.0004 (0.0003)	0.0026 (0.0039)		
Number of days 18°C–21°C	-0.0005* (0.0003)	-0.0031 (0.0029)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	-0.0002 (0.0002)	-0.0006 (0.0020)		
Number of days 27°C–30°C	-0.0001 (0.0002)	-0.0004 (0.0020)		
Number of days 30°C +	-0.0000 (0.0003)	-0.0006 (0.0037)		
Number of days below the 5th percentile of daily temperature			0.0000 (0.0003)	0.0041 (0.0029)
Number of days above the 95th percentile of daily temperature			-0.0000 (0.0002)	0.0008 (0.0023)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	1.1072*** (0.2254)	1.0268 (2.4845)	1.0698*** (0.1769)	-0.1197 (1.9061)
Observations	26,558	26,558	26,558	26,558

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.23: 2SLS Regressions of Children's Educational Attainment without Controlling for Explanatory Variables and Temperature

Explanatory Variables	Dependent Variables	
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0005 (0.0033)	0.0196 (0.0362)
Year-by-month fixed effects	Yes	Yes
District fixed effects	Yes	Yes
Constant	1.0635*** (0.1683)	-0.1429 (1.8211)
Observations	26,558	26,558

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.24: 2SLS Regressions of Children's Educational Attainment with Controlling for Province-Specific Time Trend

Explanatory Variables	Dependent Variables			
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0059 (0.0077)	-0.0403 (0.0264)	-0.0051 (0.0059)	-0.0200 (0.0197)
Number of days 0°C–15°C	-0.0002 (0.0012)	0.0072* (0.0042)		
Number of days 15°C–18°C	-0.0006 (0.0006)	0.0022 (0.0020)		
Number of days 18°C–21°C	-0.0007* (0.0004)	0.0011 (0.0014)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	0.0003 (0.0002)	0.0001 (0.0008)		
Number of days 27°C–30°C	0.0004 (0.0003)	-0.0012 (0.0011)		
Number of days 30°C +	0.0007 (0.0005)	-0.0021 (0.0017)		
Number of days below the 5th percentile of daily temperature			0.0000 (0.0003)	-0.0010 (0.0013)
Number of days above the 95th percentile of daily temperature			0.0003 (0.0003)	-0.0004 (0.0010)
Gender (boy = 1, girl = 0)	-0.0147*** (0.0033)	-0.0628*** (0.0127)	-0.0146*** (0.0033)	-0.0626*** (0.0127)
Age	0.1034*** (0.0050)	0.9993*** (0.0147)	0.1033*** (0.0050)	0.9984*** (0.0147)
Age squared	-0.0056*** (0.0002)	-0.0032*** (0.0007)	-0.0056*** (0.0002)	-0.0031*** (0.0007)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0734*** (0.0087)	0.3537*** (0.0399)	0.0733*** (0.0087)	0.3531*** (0.0398)
Urban areas (Urban = 1, rural = 0)	0.0150*** (0.0051)	0.0441** (0.0217)	0.0150*** (0.0050)	0.0454** (0.0216)
Annual precipitation (mm)	0.0002 (0.0017)	0.0020 (0.0062)	-0.0005 (0.0017)	-0.0009 (0.0063)
Annual average temperature (°C)	-0.0340 (0.0212)	0.0427 (0.0741)	-0.0162 (0.0180)	-0.0809 (0.0651)
Annual average wind speed	0.0131** (0.0064)	0.0278 (0.0257)	0.0122* (0.0068)	0.0186 (0.0267)
Province-specific time trend	Yes	Yes	Yes	Yes
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	1.5436*** (0.5401)	-5.2069*** (1.8762)	1.1132* (0.6333)	-2.8026 (2.2084)
Observations	26,558	26,558	26,558	26,558

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.25: 2SLS Regressions of Children's Educational Attainment with Heteroscedasticity-Consistent Standard Errors

Explanatory Variables	Dependent Variables			
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	0.0009 (0.0039)	0.0230 (0.0140)	0.0013 (0.0033)	0.0206* (0.0118)
Number of days 0°C–15°C	–0.0013* (0.0007)	–0.0015 (0.0025)		
Number of days 15°C–18°C	–0.0012*** (0.0005)	–0.0021 (0.0016)		
Number of days 18°C–21°C	–0.0010*** (0.0003)	–0.0011 (0.0010)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	0.0001 (0.0002)	–0.0001 (0.0007)		
Number of days 27°C–30°C	0.0004 (0.0003)	–0.0010 (0.0009)		
Number of days 30°C +	0.0009** (0.0005)	0.0007 (0.0016)		
Number of days below the 5th percentile of daily temperature			0.0001 (0.0003)	–0.0004 (0.0011)
Number of days above the 95th percentile of daily temperature			0.0001 (0.0002)	–0.0007 (0.0008)
Gender (boy = 1, girl = 0)	–0.0149*** (0.0030)	–0.0633*** (0.0107)	–0.0149*** (0.0030)	–0.0632*** (0.0107)
Age	0.1029*** (0.0047)	0.9971*** (0.0147)	0.1029*** (0.0047)	0.9964*** (0.0147)
Age squared	–0.0056*** (0.0002)	–0.0030*** (0.0008)	–0.0056*** (0.0002)	–0.0030*** (0.0008)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0722*** (0.0070)	0.3518*** (0.0270)	0.0721*** (0.0070)	0.3506*** (0.0271)
Urban areas (Urban = 1, rural = 0)	0.0166*** (0.0045)	0.0512*** (0.0164)	0.0164*** (0.0045)	0.0504*** (0.0164)
Annual precipitation (mm)	–0.0000 (0.0016)	0.0050 (0.0062)	–0.0003 (0.0016)	0.0037 (0.0060)
Annual average temperature (°C)	–0.0465** (0.0189)	–0.0322 (0.0651)	–0.0039 (0.0107)	–0.0153 (0.0399)
Annual average wind speed	0.0084 (0.0059)	0.0226 (0.0219)	0.0087 (0.0059)	0.0210 (0.0222)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	1.6320*** (0.4914)	–5.8436*** (1.6966)	0.5524 (0.3601)	–6.3402*** (1.2997)
Observations	26,558	26,558	26,558	26,558

Robust standard errors in parentheses.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.26: 2SLS Regressions of Children's Educational Attainment with Clustering Standard Errors at the District Level

Explanatory Variables	Dependent Variables			
	School Enrollment (yes = 1, no = 0)	Number of Completed Grades	School Enrollment (yes = 1, no = 0)	Number of Completed Grades
	(1)	(2)	(3)	(4)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0005 (0.0048)	0.0175 (0.0180)	0.0005 (0.0040)	0.0176 (0.0151)
Number of days 0°C–15°C	-0.0011 (0.0007)	-0.0007 (0.0027)		
Number of days 15°C–18°C	-0.0011** (0.0004)	-0.0010 (0.0018)		
Number of days 18°C–21°C	-0.0010*** (0.0003)	-0.0012 (0.0012)		
Number of days 21°C–24°C	0	0		
Number of days 24°C–27°C	0.0000 (0.0002)	-0.0002 (0.0008)		
Number of days 27°C–30°C	0.0003 (0.0003)	-0.0014 (0.0010)		
Number of days 30°C +	0.0006 (0.0004)	0.0002 (0.0017)		
Number of days below the 5th percentile of daily temperature			0.0000 (0.0003)	-0.0004 (0.0012)
Number of days above the 95th percentile of daily temperature			0.0001 (0.0002)	-0.0009 (0.0011)
Gender (boy = 1, girl = 0)	-0.0145*** (0.0036)	-0.0531*** (0.0145)	-0.0145*** (0.0036)	-0.0530*** (0.0145)
Age	0.1090*** (0.0054)	1.0069*** (0.0151)	0.1090*** (0.0054)	1.0066*** (0.0151)
Age squared	-0.0059*** (0.0003)	-0.0038*** (0.0008)	-0.0059*** (0.0003)	-0.0038*** (0.0008)
Kinh (Kinh = 1, ethnic minorities = 0)	0.0745*** (0.0095)	0.3779*** (0.0462)	0.0744*** (0.0095)	0.3769*** (0.0463)
Urban areas (Urban = 1, rural = 0)	0.0167*** (0.0058)	0.0589** (0.0238)	0.0165*** (0.0058)	0.0584** (0.0239)
Annual precipitation (mm)	-0.0002 (0.0018)	0.0027 (0.0072)	-0.0003 (0.0018)	0.0016 (0.0071)
Annual average temperature (°C)	-0.0417** (0.0202)	-0.0234 (0.0812)	-0.0085 (0.0117)	-0.0279 (0.0467)
Annual average wind speed	0.0067 (0.0060)	0.0187 (0.0270)	0.0066 (0.0061)	0.0186 (0.0275)
Year-by-month fixed effects	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes
Constant	1.5867*** (0.5293)	-5.8383*** (2.2224)	0.6819* (0.3717)	-5.9587*** (1.4786)
Observations	26,558	26,558	26,558	26,558

Robust standard errors in parentheses. The standard errors are clustered at the district level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.27: 2SLS Regressions of Household-Level Outcomes without Controlling for Explanatory Variables

Explanatory Variables	Dependent Variables					
	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure
	(1)	(2)	(3)	(4)	(5)	(6)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0057 (0.0082)	0.0047 (0.0070)	0.0059 (0.0406)	-0.0086 (0.0063)	0.0039 (0.0053)	-0.0104 (0.0314)
Number of days 0°C–15°C	0.0002 (0.0011)	0.0001 (0.0009)	-0.0074 (0.0055)			
Number of days 15°C–18°C	0.0001 (0.0009)	0.0005 (0.0008)	-0.0007 (0.0046)			
Number of days 18°C–21°C	-0.0002 (0.0005)	-0.0001 (0.0005)	-0.0010 (0.0025)			
Number of days 21°C–24°C	0	0	0			
Number of days 24°C–27°C	-0.0004 (0.0005)	-0.0008* (0.0004)	-0.0000 (0.0024)			
Number of days 27°C–30°C	-0.0004 (0.0006)	-0.0006 (0.0005)	0.0021 (0.0029)			
Number of days 30°C +	-0.0006 (0.0008)	-0.0000 (0.0007)	0.0021 (0.0040)			
Number of days below the 5th percentile of daily temperature				0.0001 (0.0005)	0.0007 (0.0005)	-0.0019 (0.0028)
Number of days above the 95th percentile of daily temperature				-0.0003 (0.0005)	0.0005 (0.0004)	0.0005 (0.0025)
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	11.3768*** (0.3720)	11.0779*** (0.3305)	6.4565*** (1.9264)	11.4286*** (0.3199)	10.9882*** (0.2801)	7.3111*** (1.6501)
Observations	41,743	41,743	41,743	41,743	41,743	41,743

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.28: 2SLS Regressions of Household-Level Outcomes without Controlling for Explanatory Variables and Temperature

Explanatory Variables	Dependent Variables		
	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure
	(1)	(2)	(3)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0079 (0.0061)	0.0039 (0.0052)	-0.0112 (0.0304)
Year-by-month fixed effects	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes
Constant	11.3831*** (0.3060)	11.0105*** (0.2691)	7.3489*** (1.5813)
Observations	41,743	41,743	41,743

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.29: 2SLS Regressions of Household-Level Outcomes with Controlling for Province-Specific Time Trend

Explanatory Variables	Dependent Variables					
	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure
	(1)	(2)	(3)	(4)	(5)	(6)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0180 (0.0188)	-0.0014 (0.0151)	-0.0530 (0.0829)	-0.0190 (0.0127)	-0.0022 (0.0101)	-0.0587 (0.0560)
Number of days 0°C–15°C	0.0010 (0.0025)	-0.0001 (0.0020)	0.0082 (0.0109)			
Number of days 15°C–18°C	0.0004 (0.0010)	0.0000 (0.0009)	0.0067 (0.0047)			
Number of days 18°C–21°C	-0.0002 (0.0006)	-0.0002 (0.0005)	-0.0032 (0.0028)			
Number of days 21°C–24°C	0 (0.0006)	0 (0.0005)	0 (0.0027)			
Number of days 24°C–27°C	0.0001 (0.0006)	-0.0002 (0.0005)	-0.0021 (0.0027)			
Number of days 27°C–30°C	0.0005 (0.0007)	0.0001 (0.0006)	-0.0015 (0.0036)			
Number of days 30°C +	0.0003 (0.0011)	0.0010 (0.0010)	-0.0027 (0.0053)			
Number of days below the 5th percentile of daily temperature				-0.0007 (0.0008)	0.0003 (0.0007)	-0.0013 (0.0039)
Number of days above the 95th percentile of daily temperature				0.0008 (0.0006)	0.0009* (0.0005)	0.0033 (0.0026)
Gender of household head (male = 1, female = 0)	0.0422*** (0.0097)	-0.0038 (0.0082)	0.4034*** (0.0509)	0.0422*** (0.0097)	-0.0039 (0.0082)	0.4031*** (0.0509)
Age of household head	0.0357*** (0.0018)	0.0298*** (0.0014)	-0.0148 (0.0100)	0.0357*** (0.0018)	0.0298*** (0.0014)	-0.0149 (0.0100)
Age of household head squared	-0.0004*** (0.0000)	-0.0003*** (0.0000)	-0.0006*** (0.0001)	-0.0004*** (0.0000)	-0.0003*** (0.0000)	-0.0006*** (0.0001)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4588*** (0.0212)	0.4809*** (0.0200)	0.8668*** (0.0770)	0.4591*** (0.0212)	0.4813*** (0.0200)	0.8684*** (0.0770)
Urban areas (Urban = 1, rural = 0)	0.2964*** (0.0160)	0.1992*** (0.0141)	0.5330*** (0.0574)	0.2964*** (0.0160)	0.1990*** (0.0141)	0.5329*** (0.0574)
Annual precipitation (mm)	0.0010 (0.0038)	0.0008 (0.0033)	0.0017 (0.0179)	0.0006 (0.0038)	0.0009 (0.0033)	-0.0004 (0.0181)
Annual average temperature (°C)	-0.0190 (0.0429)	-0.0165 (0.0368)	0.3315* (0.1963)	-0.0519 (0.0408)	-0.0122 (0.0338)	0.0492 (0.1899)
Annual average wind speed	0.0020 (0.0153)	0.0091 (0.0123)	-0.0041 (0.0706)	-0.0023 (0.0162)	0.0119 (0.0132)	-0.0288 (0.0748)
Province-specific time trend	Yes	Yes	Yes	Yes	Yes	Yes
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	11.1857*** (1.0687)	10.5016*** (0.9008)	4.2334 (4.9370)	12.1277*** (1.3893)	10.4102*** (1.1457)	11.1124* (6.3596)
Observations	41,743	41,743	41,743	41,743	41,743	41,743

Robust standard errors in parentheses. The standard errors are clustered at the commune level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.30: 2SLS Regressions of Household-Level Outcomes with Heteroscedasticity-Consistent Standard Errors

Explanatory Variables	Dependent Variables					
	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure
	(1)	(2)	(3)	(4)	(5)	(6)
PM2.5 ($\mu\text{g}/\text{m}^3$)	-0.0006 (0.0078)	0.0084 (0.0063)	0.0047 (0.0397)	-0.0043 (0.0065)	0.0080 (0.0053)	0.0039 (0.0337)
Number of days 0°C–15°C	-0.0012 (0.0015)	-0.0012 (0.0012)	-0.0033 (0.0076)			
Number of days 15°C–18°C	-0.0009 (0.0010)	-0.0005 (0.0008)	0.0028 (0.0049)			
Number of days 18°C–21°C	-0.0002 (0.0004)	-0.0002 (0.0004)	-0.0004 (0.0024)			
Number of days 21°C–24°C	0	0	0			
Number of days 24°C–27°C	0.0002 (0.0005)	-0.0004 (0.0005)	0.0008 (0.0029)			
Number of days 27°C–30°C	0.0003 (0.0007)	-0.0001 (0.0006)	0.0029 (0.0037)			
Number of days 30°C +	0.0008 (0.0010)	0.0014 (0.0009)	0.0022 (0.0055)			
Number of days below the 5th percentile of daily temperature				-0.0005 (0.0007)	0.0004 (0.0005)	0.0013 (0.0035)
Number of days above the 95th percentile of daily temperature				0.0006 (0.0005)	0.0012*** (0.0004)	0.0003 (0.0025)
Gender of household head (male = 1, female = 0)	0.0414*** (0.0083)	-0.0043 (0.0068)	0.4012*** (0.0421)	0.0414*** (0.0083)	-0.0044 (0.0068)	0.4009*** (0.0421)
Age of household head	0.0352*** (0.0015)	0.0295*** (0.0012)	-0.0130 (0.0081)	0.0353*** (0.0015)	0.0295*** (0.0012)	-0.0131 (0.0081)
Age of household head squared	-0.0003*** (0.0000)	-0.0003*** (0.0000)	-0.0007*** (0.0001)	-0.0003*** (0.0000)	-0.0003*** (0.0000)	-0.0007*** (0.0001)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4636*** (0.0144)	0.4837*** (0.0121)	0.8575*** (0.0642)	0.4636*** (0.0144)	0.4841*** (0.0121)	0.8592*** (0.0642)
Urban areas (Urban = 1, rural = 0)	0.2951*** (0.0105)	0.1967*** (0.0087)	0.5323*** (0.0517)	0.2951*** (0.0105)	0.1965*** (0.0087)	0.5317*** (0.0517)
Annual precipitation (mm)	0.0030 (0.0040)	0.0023 (0.0032)	-0.0029 (0.0202)	0.0019 (0.0039)	0.0024 (0.0031)	-0.0004 (0.0196)
Annual average temperature (°C)	-0.0451 (0.0392)	-0.0351 (0.0324)	0.0666 (0.1991)	-0.0333 (0.0251)	-0.0126 (0.0203)	0.1911 (0.1250)
Annual average wind speed	0.0008 (0.0133)	-0.0032 (0.0103)	-0.1110* (0.0657)	0.0012 (0.0135)	0.0025 (0.0104)	-0.1040 (0.0667)
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	10.4990*** (0.9124)	10.2599*** (0.7569)	5.8137 (4.6043)	10.3894*** (0.7952)	9.6240*** (0.6479)	3.2233 (4.0003)
Observations	41,743	41,743	41,743	41,743	41,743	41,743

Robust standard errors in parentheses.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.

Table A.31: 2SLS Regressions of Household-Level Outcomes with Clustering Standard Errors at the District Level

Explanatory Variables	Dependent Variables					
	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure	Log of per Capita Income	Log of per Capita Expenditure	Log of Educational Expenditure
	(1)	(2)	(3)	(4)	(5)	(6)
PM2.5 (µg/m ³)	-0.0006 (0.0096)	0.0084 (0.0077)	0.0047 (0.0394)	-0.0043 (0.0081)	0.0080 (0.0066)	0.0039 (0.0338)
Number of days 0°C–15°C	-0.0012 (0.0018)	-0.0012 (0.0015)	-0.0033 (0.0078)			
Number of days 15°C–18°C	-0.0009 (0.0012)	-0.0005 (0.0009)	0.0028 (0.0047)			
Number of days 18°C–21°C	-0.0002 (0.0005)	-0.0002 (0.0005)	-0.0004 (0.0024)			
Number of days 21°C–24°C	0	0	0			
Number of days 24°C–27°C	0.0002 (0.0006)	-0.0004 (0.0005)	0.0008 (0.0030)			
Number of days 27°C–30°C	0.0003 (0.0008)	-0.0001 (0.0007)	0.0029 (0.0038)			
Number of days 30°C +	0.0008 (0.0012)	0.0014 (0.0010)	0.0022 (0.0055)			
Number of days below the 5th percentile of daily temperature				-0.0005 (0.0007)	0.0004 (0.0006)	0.0013 (0.0032)
Number of days above the 95th percentile of daily temperature				0.0006 (0.0006)	0.0012** (0.0005)	0.0003 (0.0024)
Gender of household head (male = 1, female = 0)	0.0414*** (0.0107)	-0.0043 (0.0082)	0.4012*** (0.0528)	0.0414*** (0.0107)	-0.0044 (0.0082)	0.4009*** (0.0528)
Age of household head	0.0352*** (0.0020)	0.0295*** (0.0017)	-0.0130 (0.0130)	0.0353*** (0.0020)	0.0295*** (0.0017)	-0.0131 (0.0130)
Age of household head squared	-0.0003*** (0.0000)	-0.0003*** (0.0000)	-0.0007*** (0.0001)	-0.0003*** (0.0000)	-0.0003*** (0.0000)	-0.0007*** (0.0001)
Kinh (Kinh = 1, ethnic minorities = 0)	0.4636*** (0.0251)	0.4837*** (0.0254)	0.8575*** (0.0839)	0.4636*** (0.0252)	0.4841*** (0.0254)	0.8592*** (0.0839)
Urban areas (Urban = 1, rural = 0)	0.2951*** (0.0189)	0.1967*** (0.0175)	0.5323*** (0.0664)	0.2951*** (0.0189)	0.1965*** (0.0174)	0.5317*** (0.0668)
Annual precipitation (mm)	0.0030 (0.0048)	0.0023 (0.0041)	-0.0029 (0.0214)	0.0019 (0.0047)	0.0024 (0.0041)	-0.0004 (0.0207)
Annual average temperature (°C)	-0.0451 (0.0451)	-0.0351 (0.0414)	0.0666 (0.2095)	-0.0333 (0.0292)	-0.0126 (0.0262)	0.1911 (0.1323)
Annual average wind speed	0.0008 (0.0163)	-0.0032 (0.0138)	-0.1110 (0.0763)	0.0012 (0.0164)	0.0025 (0.0138)	-0.1040 (0.0765)
Year-by-month fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes
Constant	10.4990*** (1.0157)	10.2599*** (0.9710)	5.8137 (4.7462)	10.3894*** (0.9222)	9.6240*** (0.8221)	3.2233 (4.1488)
Observations	41,743	41,743	41,743	41,743	41,743	41,743

Robust standard errors in parentheses. The standard errors are clustered at the district level.

*** p < 0.01, ** p < 0.05, * p < 0.1.

Source: Estimation using data from VHLSSs 2010–2018.